MONELL PUBLICATIONS
1969-2019

2019 and in press

Beauchamp, G.K. (2019) Basic Taste: A Perceptual Concept. J Agric Food Chem. doi: 10.1021/acs.jafc.9b03542. 8-13-19.

Bobowski, N., Mennella, J.A. (2019) Repeated Exposure to Low-Sodium Cereal Affects Acceptance but Does not Shift Taste Preferences or Detection Thresholds of Children in a Randomized Clinical Trial. J Nutr. *149,* 870-876.

Chéron, J.B., Soohoo, A., Wang, Y., Golebiowski, J., Antonczak, S., Jiang, P., Fiorucci, S. (2019) Conserved Residues Control the T1R3-Specific Allosteric Signaling Pathway of the Mammalian Sweet-Taste Receptor. Chem Senses. *44,* 303-310.

Dalton,P. and Maute,C. (2019). Odors and incontinence: What does the nose know? Proc. Inst. Mech. Eng H. *233,* 127-134.

Douglas JE, Lin C, Mansfield CJ, Arayata CJ, Cowart BJ, Spielman AI, Adappa ND, Palmer JN, Cohen NA, Reed DR. (2019) Tissue-Dependent Expression of Bitter Receptor TAS2R38 mRNA. Chem Senses. *44,* 33-40

Gaby JM, and Dalton P. (2019) Discrimination Between Individual Body Odors Is Unaffected by Perfume. Perception. *31,* 301006619872055. 8-31-19.

Goren L, Zhang G, Kaushik S, Breslin PAS, Du YN, Foster DA. (2019) (-)-Oleocanthal and (-)-oleocanthal-rich olive oils induce lysosomal membrane permeabilization in cancer cells. PLoS One. *14,* e0216024.

Granqvist, P., Vestbrant, K., Dollinger, L., Tullio, Liuzza M., Olsson, M. J., Blomkvist, A., and Lundstrom, J. N. (2019) The scent of security: Odor of romantic partner alters subjective discomfort and autonomic stress responses in an adult attachment-dependent manner. Physiol Behav. *198*, 144.

Hedblom M, Gunnarsson B, Schaefer M, Knez I, Thorsson P, Lundström JN. (2019) Sounds of Nature in the City: No Evidence of Bird Song Improving Stress Recovery. Int J Environ Res Public Health. *16,* E1390.

Hung LY, Sen D, Oniskey TK, Katzen J, Cohen NA, Vaughan AE, Nieves W, Urisman A, Beers MF, Krummel MF, Herbert DR. (2019) Macrophages promote epithelial proliferation following infectious and non-infectious lung injury through a Trefoil factor 2-dependent mechanism. Mucosal Immunol. *12,* 64-76.

Hwang LD, Lin C, Gharahkhani P, Cuellar-Partida G, Ong JS, An J, Gordon SD, Zhu G, MacGregor S, Lawlor DA, Breslin PAS, Wright MJ, Martin NG, Reed DR. (2019) New insight into human sweet taste: a genome-wide association study of the perception and intake of sweet substances. Am J Clin Nutr. *109,*1724-1737.

Hwang LD, Strike LT, Couvy-Duchesne B, de Zubicaray GI, McMahon K, Breslin PAS, Reed DR, Martin NG, Wright MJ. (2019) Associations between brain structure and perceived intensity of sweet and bitter tastes. Behav Brain Res. *363*,103-108.

Ji PY, Li ZY, Wang H, Dong JT, Li XJ, Yi HL. (2019) Arsenic and sulfur dioxide co-exposure induce renal injury via activation of the NF-κB and caspase signaling pathway. Chemosphere. *224,* 280-288.

Johnson MB, Kingston R, Utell MJ, Wells JR, Singal M, Troy WR, Horenziak S, Dalton P, Ahmed FK, Herz RS, Osimitz TG, Prawer S, Yin S. (2019) Exploring the science, safety, and benefits of air care products: perspectives from the inaugural air care summit. Inhal Toxicol. *31,* 12-24.

Lundström JN, Regenbogen C, Ohla K, Seubert J. (2019) Prefrontal Control Over Occipital Responses to Crossmodal Overlap Varies Across the Congruency Spectrum. Cereb Cortex. *29,* 3023-3033.

Luo XC, Chen ZH, Xue JB, Zhao DX, Lu C, Li YH, Li SM, Du YW, Liu Q, Wang P, Liu M, Huang L. (2019) Infection by the parasitic helminth Trichinella spiralis activates a Tas2r-mediated signaling pathway in intestinal tuft cells. Proc Natl Acad Sci U S A. *116,* 5564-5569.

Malik B, Elkaddi N, Turkistani J, Spielman AI, Ozdener MH. (2019) Mammalian Taste Cells Express Functional Olfactory Receptors. Chem Senses. *44,* 289-301.

Manoel D, Makhlouf M, Scialdone A, Saraiva LR. (2019) Interspecific variation of olfactory preferences in flies, mice, and humans. Chem Senses. *44*, 7-9.

Mennella JA, Papas MA, Reiter AR, Stallings VA, Trabulsi JC. (2019) Early rapid weight gain among formula-fed infants: Impact of formula type and maternal feeding styles. Pediatr Obes. *14,* e12503.

Mutic S, Freiherr J, Cavazzana A, Rocha M, Soares SC, Parma V. (2019) The scent of the other women: Body odor-induced behavioral and physiological effects on face categorization. Physiol Behav. *210,* 112562.

Nolden AA, Hwang LD, Boltong A, Reed DR. (2019) Chemosensory Changes from Cancer Treatment and Their Effects on Patients' Food Behavior: A Scoping Review. Nutrients. *11,* pii: E2285.

Okronipa H, Arimond M, Arnold CD, Young RR, Adu-Afarwuah S, Tamakloe SM, Ocansey ME, Kumordzie SM, Oaks BM, Mennella JA, Dewey KG. (2019) Exposure to a slightly sweet lipid-based nutrient supplement during early life does not increase the level of sweet taste most preferred among 4- to 6-year-old Ghanaian children: follow-up of a randomized controlled trial. Am J Clin Nutr. *109*, 1224-1232.

Patel NN, Triantafillou V, Maina IW, Workman AD, Tong CCL, Kuan EC, Papagiannopoulos P, Bosso JV, Adappa ND, Palmer JN, Kohanski MA, Herbert DR, Cohen NA. (2019) Fungal extracts stimulate solitary chemosensory cell expansion in noninvasive fungal rhinosinusitis. Int Forum Allergy Rhinol. *9*, 730-737.

Peter MG, Porada DK, Regenbogen C, Olsson MJ, Lundström JN. (2019) Sensory loss enhances multisensory integration performance. Cortex. *120*, 116-130. [Epub ahead of print] 6-15-19

Porada DK, Regenbogen C, Seubert J, Freiherr J, Lundström JN. (2019) Multisensory Enhancement of Odor Object Processing in Primary Olfactory Cortex. Neuroscience. pii: S0306-4522(19)30615-3. [Epub ahead of print] 8-29-19

Rane CK, Jackson SR, Pastore CF, Zhao G, Weiner AI, Patel NN, Herbert DR, Cohen NA, Vaughan AE. (2019) Development of solitary chemosensory cells in the distal lung after severe influenza injury. Am J Physiol Lung Cell Mol Physiol. *316*, L1141-L1149.

Reed DR, Mainland JD, Arayata CJ. (2019) Sensory nutrition: The role of taste in the reviews of commercial food products. Physiol Behav. *209*, 112579.

Reisert J, Reingruber J. (2019) Ca^{2+}-activated Cl^- current ensures robust and reliable signal amplification in vertebrate olfactory receptor neurons. Proc Natl Acad Sci U S A. *116*, 1053-1058.

Saraiva LR, Riveros-McKay F, Mezzavilla M, Abou-Moussa EH, Arayata CJ, Makhlouf M, Trimmer C, Ibarra-Soria X, Khan M, Van Gerven L, Jorissen M, Gibbs M, O'Flynn C, McGrane S, Mombaerts P, Marioni JC, Mainland JD, Logan DW. (2019) A transcriptomic atlas of mammalian olfactory mucosae reveals an evolutionary influence on food odor detection in humans. Sci Adv. *5*, eaax0396.

Sarolidou G, Axelsson J, Sundelin T, Lasselin J, Regenbogen C, Sorjonen K, Lundström JN, Lekander M, Olsson MJ. (2019) Emotional expressions of the sick face. Brain Behav Immun. *80*, 286-291.

Shigemura N, Takai S, Hirose F, Yoshida R, Sanematsu K, Ninomiya Y. (2019) Expression of Renin-Angiotensin System Components in the Taste Organ of Mice. Nutrients. *11*, pii: E2251.

Singh V, Murphy NR, Balasubramanian V, Mainland JD. (2019) Competitive binding predicts nonlinear responses of olfactory receptors to complex mixtures. Proc Natl Acad Sci U S A. *116*, 9598-9603.

Spahn JM, Callahan EH, Spill MK, Wong YP, Benjamin-Neelon SE, Birch L, Black MM, Cook JT, Faith MS, Mennella JA, Casavale KO. (2019) Influence of maternal diet on flavor transfer to amniotic fluid and breast milk and children's responses: a systematic review. Am J Clin Nutr. *109*, 1003S-1026S.

Spill MK, Callahan EH, Shapiro MJ, Spahn JM, Wong YP, Benjamin-Neelon SE, Birch L, Black MM, Cook JT, Faith MS, Mennella JA, Casavale KO. (2019) Caregiver feeding practices and child weight outcomes: a systematic review. Am J Clin Nutr. *109*, 990S-1002S.

Spill MK, Johns K, Callahan EH, Shapiro MJ, Wong YP, Benjamin-Neelon SE, Birch L, Black MM, Cook JT, Faith MS, Mennella JA, Casavale KO. (2019) Repeated exposure to food and food acceptability in infants and toddlers: a systematic review. Am J Clin Nutr. *109*, 978S-989S.

Sylvetsky AC, Hiedacavage A, Shah N, Pokorney P, Baldauf S, Merrigan K, Smith V, Long MW, Black R, Robien K, Avena N, Gaine C, Greenberg D, Wootan MG, Talegawkar S, Colon-Ramos U, Leahy M, Ohmes A, Mennella JA, Sacheck J, Dietz WH. (2019) From biology to behavior: a cross-disciplinary seminar series surrounding added sugar and low-calorie sweetener consumption. Obes Sci Pract. *5*, 203-219.

Triantafillou V, Workman AD, Patel NN, Maina IW, Tong CCL, Kuan EC, Kennedy DW, Palmer JN, Adappa ND, Waizel-Haiat S, Cohen NA. (2019) Broncho-Vaxom® (OM-85 BV) soluble components stimulate sinonasal innate immunity. Int Forum Allergy Rhinol. *9*, 370-377.

Trimmer C, Keller A, Murphy NR, Snyder LL, Willer JR, Nagai MH, Katsanis N, Vosshall LB, Matsunami H, Mainland JD. (2019) Genetic variation across the human olfactory receptor repertoire alters odor perception. Proc Natl Acad Sci U S A. *116*, 9475-9480.

Wang Y, Jiao H, Jiang P, Zhao H. (2019) Functional divergence of bitter taste receptors in a nectar-feeding bird. Biol Lett. *15*, 20190461.

Wang Y, Zajac AL, Lei W, Christensen CM, Margolskee RF, Bouysset C, Golebiowski J, Zhao H, Fiorucci S, Jiang P. (2019) Metal Ions Activate the Human Taste Receptor TAS2R7. Chem Senses. *44*, 339-347.

Yasumatsu K, Iwata S, Inoue M, Ninomiya Y. (2019) Fatty acid taste quality information via GPR120 in the anterior tongue of mice. Acta Physiol (Oxf). *226*, e13215.

Zeng Q, Yi H, Huang L, An Q, Wang H. (2019) Long-term arsenite exposure induces testicular toxicity by redox imbalance, G2/M cell arrest and apoptosis in mice. Toxicology. *411*, 122-132.

Zheng X, Tizzano M, Redding K, He J, Peng X, Jiang P, Xu X, Zhou X, Margolskee RF. (2019) Gingival solitary chemosensory cells are immune sentinels for periodontitis. Nat Commun. *10*, 4496.

2018

Ahs,F., Rosen,J., Kastrati,G., Fredrikson,M., Agren,T., and Lundstrom,J.N. (2018). Biological preparedness and resistance to extinction of skin conductance responses conditioned to fear relevant animal pictures: A systematic review. Neurosci. Biobehav. Rev. *95*, 430-437.

Arshamian,A., Iravani,B., Majid,A., and Lundstrom,J.N. (2018). Respiration Modulates Olfactory Memory Consolidation in Humans. J. Neurosci. *38*, 10286-10294.

Brooks,S.G., Trope,M., Blasetti,M., Doghramji,L., Parasher,A., Glicksman,J.T., Kennedy,D.W., Thaler,E.R., Cohen,N.A., Palmer,J.N., and Adappa,N.D. (2018). Preoperative Lund-Mackay computed tomography score is associated with preoperative symptom severity and predicts quality-of-life outcome trajectories after sinus surgery. Int. Forum Allergy Rhinol. *8*, 668-675.

Bryant,B.P. and Kraus,F. (2018). Neural basis of trigeminal chemo- and thermonociception in brown treesnakes, Boiga irregularis (Squamata: Colubridae). J. Comp Physiol A Neuroethol. Sens. Neural Behav. Physiol *204*, 677-686.

Burgan, S.C., Gervasi, S.S., Martin, L.B. (2018) Parasite Tolerance and Host Competence in Avian Host Defense to West Nile Virus. Ecohealth. *15,* 360-371.

Christensen,C.M. (2018). An enduring legacy: Dr. Alina Szczesniak's classification of food texture. J. Texture. Stud. *49*, 146-149.

Dalton,P., Soreth,B., Maute,C., Novaleski,C., and Banton,M. (2018). Lack of respiratory and ocular effects following acute propylene glycol exposure in healthy humans. Inhal. Toxicol. *30*, 124-132.

Dibattista,M. and Reisert,J. (2018). Suction pipette technique: An electrophysiological tool to study olfactory receptor-dependent signal transduction. Methods Mol. Biol. *1820*, 137-145.

Douglas, J. E., Mansfield, C. J., Arayata, C. J., Cowart, B. J., Colquitt, L. R., Maina, I. W., Blasetti, M. T., Cohen, N. A., and Reed, D. R. Taste exam: A brief and validated test. J.Vis.Exp. [138], e56705. 8-17-2018.

Du,Y.W., Liu,Q., Luo,X.C., Zhao,D.X., Xue,J.B., Feng,P., Margolskee,R.F., Wang,H., and Huang,L. (2018). Effects of Taste Signaling Protein Abolishment on Gut Inflammation in an Inflammatory Bowel Disease Mouse Model. J. Vis. Exp. [141]. 11-9-2018

Feng,P., Chai,J., Yi,H., Redding,K., Margolskee,R.F., Huang,L., and Wang,H. (2018). Aggravated gut inflammation in mice lacking the taste signaling protein alpha-gustducin. Brain Behav. Immun. *71*, 23-27.

Fondberg,R., Lundstrom,J.N., Blochl,M., Olsson,M.J., and Seubert,J. (2018). Multisensory flavor perception: The relationship between congruency, pleasantness, and odor referral to the mouth. Appetite *125*, 244-252.

Freund,J.R., Mansfield,C.J., Doghramji,L.J., Adappa,N.D., Palmer,J.N., Kennedy,D.W., Reed,D.R., Jiang,P., and Lee,R.J. (2018). Activation of airway epithelial bitter taste receptors by Pseudomonas aeruginosa quinolones modulates calcium, cyclic-AMP, and nitric oxide signaling. J. Biol. Chem. *293*, 9824-9840.

Gao,K., Li,S., Zhuang,L., Qin,Z., Zhang,B., Huang,L., and Wang,P. (2018). In vivo bioelectronic nose using transgenic mice for specific odor detection. Biosens. Bioelectron. *102*, 150-156.

Genovese,F. and Tizzano,M. (2018). Microvillous cells in the olfactory epithelium express elements of the solitary chemosensory cell transduction signaling cascade. PLoS ONE *13*, e0202754.

Gervasi, S.S., Opiekun, M., Martin, T., Beauchamp, G.K., and Kimball, B.A. (2018). Sharing an environment with sick conspecifics alters odors of healthy animals. Sci Rep. *8*, 14255. 9-24-2018.

Gordon,A.R., Kimball,B.A., Sorjonen,K., Karshikoff,B., Axelsson,J., Lekander,M., Lundstrom,J.N., and Olsson,M.J. (2018). Detection of Inflammation via Volatile Cues in Human Urine. Chem Senses. *43*, 711-719.

Hoppu, U., Puputti, S., Aisala, H., Laaksonen, O., and Sandell, M. (2018). Individual differences in the perception of color solutions. Foods. *7*, 154. 9-18-2018.

Hwang,L.D., Gharahkhani,P., Breslin,P.A.S., Gordon,S.D., Zhu,G., Martin,N.G., Reed,D.R., and Wright,M.J. (2018). Bivariate genome-wide association analysis strengthens the role of bitter receptor clusters on chromosomes 7 and 12 in human bitter taste. BMC. Genomics *19*, 678.

Jiao, H., Wang, Y., Zhang, L., Jiang, P., and Zhao, H. (2018). Lineage-specific duplication and adaptive evolution of bitter taste receptor genes in bats. Mol.Ecol. *27*, 4475-4488.

Kida,H., Fukutani,Y., Mainland,J.D., de March,C.A., Vihani,A., Li,Y.R., Chi,Q., Toyama,A., Liu,L., Kameda,M., Yohda,M., and Matsunami,H. (2018). Vapor detection and discrimination with a panel of odorant receptors. Nat. Commun. *9*, 4556.

Kohanski,M.A., Workman,A.D., Patel,N.N., Hung,L.Y., Shtraks,J.P., Chen,B., Blasetti,M., Doghramji,L., Kennedy,D.W., Adappa,N.D., Palmer,J.N., Herbert,D.R., and Cohen,N.A. (2018). Solitary chemosensory cells are a primary epithelial source of IL-25 in patients with chronic rhinosinusitis with nasal polyps. J. Allergy Clin. Immunol. *142*, 460-469.

Lei,W., Ren,W., Ohmoto,M., Urban,J.F., Jr., Matsumoto,I., Margolskee,R.F., and Jiang,P. (2018). Activation of intestinal tuft cell-expressed Sucnr1 triggers type 2 immunity in the mouse small intestine. Proc. Natl. Acad. Sci. U. S. A *115*, 5552-5557.

Leong, C.S., Forde, C.G., Tey, S.L., and Henry, C.J. (2018). Taste perception and diet in people of Chinese ancestry. Asia Pac J Clin Nutr. *27*, 478-486.

Li,C., Jiang,J., Kim,K., Otto,B.A., Farag,A.A., Cowart,B.J., Pribitkin,E.A., Dalton,P., and Zhao,K. (2018). Nasal structural and aerodynamic features that may benefit normal olfactory sensitivity. Chem. Senses *43*, 229-237.

Li,X., Huang,L., Wang,N., Yi,H., and Wang,H. (2018). Sulfur dioxide exposure enhances Th2 inflammatory responses via activating STAT6 pathway in asthmatic mice. Toxicol. Lett. *285*, 43-50.

Li,X., Yi,H., and Wang,H. (2018). Sulphur dioxide and arsenic affect male reproduction via interfering with spermatogenesis in mice. Ecotoxicol. Environ. Saf *165*, 164-173.

Lin,C., Fesi,B.D., Marquis,M., Bosak,N.P., Lysenko,A., Koshnevisan,M.A., Duke,F.F., Theodorides,M.L., Nelson,T.M., McDaniel,A.H., Avigdor,M., Arayata,C.J., Shaw,L., Bachmanov,A.A., and Reed,D.R. (2018). Burly1 is a mouse QTL for lean body mass that maps to a 0.8-Mb region of chromosome 2. Mamm. Genome *29*, 325-343.

Liu,Q., Li,S., Lu,C., Yu,C.R., and Huang,L. (2018). G protein gamma subunit Ggamma13 is essential for olfactory function and aggressive behavior in mice. NeuroReport *29*, 1333-1339.

Ma,Z., Taruno,A., Ohmoto,M., Jyotaki,M., Lim,J.C., Miyazaki,H., Niisato,N., Marunaka,Y., Lee,R.J., Hoff,H., Payne,R., Demuro,A., Parker,I., Mitchell,C.H., Henao-Mejia,J., Tanis,J.E., Matsumoto,I., Tordoff,M.G., and Foskett,J.K. (2018). CALHM3 Is essential for rapid ion channel-mediated purinergic neurotransmission of GPCR-mediated tastes. Neuron *98*, 547-561.

Maina, I.W., Patel, N.N., and Cohen, N.A. (2018) Understanding the Role of Biofilms and Superantigens in Chronic Rhinosinusitis. Curr Otorhinolaryngol Rep. *6*, 253-262.

Maina,I.W., Workman,A.D., and Cohen,N.A. (2018). The role of bitter and sweet taste receptors in upper airway innate immunity: Recent advances and future directions. World J. Otorhinolaryngol. Head Neck Surg. *4*, 200-208.

Mennella JA, Forestell CA, Ventura AK, and Fisher JO (2018). Development of infant feeding. In Cambridge Handbook of Infant Development, J.Lockman and C.Tamis-LeMonda, eds.

Mennella,J.A., Inamdar,L., Pressman,N., Schall,J.I., Papas,M.A., Schoeller,D., Stallings,V.A., and Trabulsi,J.C. (2018). Type of infant formula increases early weight gain and impacts energy balance: a randomized controlled trial. Am. J. Clin. Nutr. *108*, 1015-1025.

Millet,P., Opiekun,M., Martin,T., Beauchamp,G.K., and Kimball,B.A. (2018). Cytokine contributions to alterations of the volatile metabolome induced by inflammation. Brain Behav. Immun. *69*, 312-320.

Ong,J.S., Hwang,D.L., Zhong,V.W., An,J., Gharahkhani,P., Breslin,P.A.S., Wright,M.J., Lawlor,D.A., Whitfield,J., MacGregor,S., Martin,N.G., and Cornelis,M.C. (2018). Understanding the role of bitter taste perception in coffee, tea and alcohol consumption through Mendelian randomization. Sci. Rep. *8*, 16414.

Pan,H.R., Tian,M., Xue,J.B., Li,S.M., Luo,X.C., Huang,X., Chen,Z.H., and Huang,L. (2018). Mammalian Taste Bud Cells Utilize Extragemmal 5-Hydroxy-L-Tryptophan to Biosynthesize the Neurotransmitter Serotonin. Front Cell Neurosci. *12*, 461.

Parker,M.R., Patel,S.M., Zachry,J.E., and Kimball,B.A. (2018). Feminization of Male Brown Treesnake methyl ketone expression via steroid hormone manipulation. J. Chem. Ecol. *44*, 189-197.

Patel, N. N., Kohanski, M. A., Maina, I. W., Triantafillou, V., Workman, A. D., Tong, C. C. L., Kuan, E. C., Bosso, J. V., Adappa, N. D., Palmer, J. N., Herbert, D. R., and Cohen, N. A. (2018) Solitary chemosensory cells producing interleukin-25 and group-2 innate lymphoid cells are enriched in chronic rhinosinusitis with nasal polyps. Int.Forum Allergy Rhinol. 5-9-2018.

Patel, N. N., Kohanski, M. A., Maina, I. W., Workman, A. D., Herbert, D. R., and Cohen, N. A. (2018) Sentinels at the wall: epithelial-derived cytokines serve as triggers of upper airway type 2 inflammation. Int.Forum Allergy Rhinol. *9*, 93-99.

Patel,N.N., Workman,A.D., and Cohen,N.A. (2018). Role of Taste Receptors as Sentinels of Innate Immunity in the Upper Airway. J. Pathog. *2018*, 9541987.

Qian, J., Mummalaneni, S., Larsen, J., Grider, J. R., Spielman, A. I., Ozdener, M. H., and Lyall, V. (2018) Nicotinic acetylcholine receptor (CHRN) expression and function in cultured human adult fungiform (HBO) taste cells. PLoS ONE 13[3], e0194089.

Qin,Y., Sukumaran,S.K., Jyotaki,M., Redding,K., Jiang,P., and Margolskee,R.F. (2018). Gli3 is a negative regulator of Tas1r3-expressing taste cells. PLoS Genet. *14*, e1007058.

Rao,P.D., Nanding,H., Strasser,A.A., and Wise,P.M. (2018). Pilot Experiment: The effect of added flavorants on the taste and pleasantness of mixtures of glycerol and propylene glycol. Chemosens. Percept. *11*, 1-9.

Regenbogen,C., Seubert,J., Johansson,E., Finkelmeyer,A., Andersson,P., and Lundstrom,J.N. (2018). The intraparietal sulcus governs multisensory integration of audiovisual information based on task difficulty. Hum. Brain Mapp. *39*, 1313-1326.

Ripp, I., Zur Nieden, A. N., Blankenagel, S., Franzmeier, N., Lundstrom, J. N., and Freiherr, J. (2018) Multisensory integration processing during olfactory-visual stimulation-An fMRI graph theoretical network analysis. Hum.Brain Mapp. *39*, 3713-3727.

Rocha, M., Parma, V., Lundstrom, J. N., and Soares, S. C. Anxiety body odors as context for dynamic faces: categorization and psychophysiological biases. Perception, *47*, 1054-1069.

Sanematsu,K., Nakamura,Y., Nomura,M., Shigemura,N., and Ninomiya,Y. (2018). Diurnal variation of sweet taste recognition thresholds is absent in overweight and obese humans. Nutrients, *10*, 297.

Schriever,V.A., Agosin,E., Altundag,A., Avni,H., Cao,V.H., Cornejo,C., de Los,S.G., Fishman,G., Fragola,C., Guarneros,M., Gupta,N., Hudson,R., Kamel,R., Knaapila,A., Konstantinidis,I., Landis,B.N., Larsson,M., Lundstrom,J.N., Macchi,A., Marino-Sanchez,F., Martinec,N.L., Mori,E., Mullol,J., Nord,M., Parma,V., Philpott,C., Propst,E.J., Rawan,A., Sandell,M., Sorokowska,A., Sorokowski,P., Sparing-Paschke,L.M., Stetzler,C., Valder,C., Vodicka,J., and Hummel,T. (2018). Development of an international odor identification test for children: The Universal Sniff Test. J. Pediatr. *198*, 265-272.e3.

Shaw,L., Mansfield,C., Colquitt,L., Lin,C., Ferreira,J., Emmetsberger,J., and Reed,D.R. (2018). Personalized expression of bitter 'taste' receptors in human skin. PLoS ONE, *13*, e0205322.

Spence-Aizenberg, A., Kimball, B. A., Williams, L. E., and Fernandez-Duque, E. (2018) Chemical composition of glandular secretions from a pair-living monogamous primate: Sex, age, and gland differences in captive and wild owl monkeys (Aotus spp.). Am.J.Primatol. *80*, e22730.

Spielman, A. I. and Brand, J. G. (2018) Wiring taste receptor cells to the central gustatory system. Oral Dis. *24*, 1388-1389.

Wittekind,A., Higgins,K., McGale,L., Schwartz,C., Stamataki,N.S., Beauchamp,G.K., Bonnema,A., Dussort,P., Gibson,S., de,G.C., Halford,J.C.G., Marsaux,C.F.M., Mattes,R.D., McLaughlin,J., Mela,D.J., Nicklaus,S., Rogers,P.J., and Macdonald,I.A. (2018). A workshop on 'Dietary Sweetness-Is it an Issue?'. Int. J. Obes. (Lond) *42*, 934-938.

Workman,A.D., Brooks,S.G., Kohanski,M.A., Blasetti,M.T., Cowart,B.J., Mansfield,C., Kennedy,D.W., Palmer,J.N., Adappa,N.D., Reed,D.R., and Cohen,N.A. (2018). Bitter and sweet taste tests are reflective of disease status in chronic rhinosinusitis. J. Allergy Clin. Immunol. Pract. *6*, 1078-1080.

Workman,A.D., Kohanski,M.A., and Cohen,N.A. (2018). Biomarkers in Chronic Rhinosinusitis with Nasal Polyps. Immunol. Allergy Clin. North Am. *38*, 679-692.

Workman,A.D., Maina,I.W., Brooks,S.G., Kohanski,M.A., Cowart,B.J., Mansfield,C., Kennedy,D.W., Palmer,J.N., Adappa,N.D., Reed,D.R., Lee,R.J., and Cohen,N.A. (2018). The role of quinine-responsive taste receptor family 2 in airway immune defense and chronic rhinosinusitis. Front Immunol. *9*, 624.

Xu,J., Lewandowski,B.C., Miyazawa,T., Shoji,Y., Yee,K., and Bryant,B.P. (2018). Spilanthol enhances sensitivity to sodium in mouse taste bud cells. Chem. Senses. *44*, 91-103.

Yoshida,R., Takai,S., Sanematsu,K., Margolskee,R.F., Shigemura,N., and Ninomiya,Y. (2018). Bitter taste responses of gustducin-positive taste cells in mouse fungiform and circumvallate papillae. Neuroscience, *369*, 29-39.

Yoshikawa,K., Wang,H., Jaen,C., Haneoka,M., Saito,N., Nakamura,J., Adappa,N.D., Cohen,N.A., and Dalton,P. (2018). The human olfactory cleft mucus proteome and its age-related changes. Sci. Rep. *8*, 17170.

2017

Ambrosi, T. H., Scialdone, A., Graja, A., Gohlke, S., Jank, A. M., Bocian, C. et al. (2017). Adipocyte Accumulation in the Bone Marrow during Obesity and Aging Impairs Stem Cell-Based Hematopoietic and Bone Regeneration. *Cell Stem Cell, 20,* 771-784.

Arshamian, A., Laska, M., Norberg, M., Lahger, C., Gordon, A. R., Porada, D., … and Lundström, J.N. (2017). A mammalian blood odor component serves as an approach-avoidance signal across taxa. *Scientific Reports, 7, 13635.*

Barbarossa, I. T., Ozdener, M. H., Melis, M., Love-Gregory, L., Mitreva, M., Abumrad, N. A. et al. (2017). Variant in a common odorant-binding protin gene is associated with bitter sensitivity in people. *Behavioural Brain Research, 30,* 200-204.

Bobowski, N. & Mennella, J. A. (2017). Personal Variation in Preference for Sweetness: Effects of Age and Obesity. *Child Obes., 13,* 369-376.

Boesveldt, S., Postma, E. M., Boak, D., Welge-Luessen, A., Schopf, V., Mainland, J. D. et al. (2017). Anosmia-A Clinical Review. *Chem Senses, 42,* 513-523.

Boesveldt, S., Yee, J. R., McClintock, M. K., & Lundstrom, J. N. (2017). Olfactory function and the social lives of older adults: a matter of sex. *Sci Rep., 7,* 45118.

Borisevich, V., Ozdener, M. H., Malik, B., & Rockx, B. (2017). Hendra and Nipah Virus Infection in Cultured Human Olfactory Epithelial Cells. *mSphere., 2*.

Carey, R. M., Workman, A. D., Hatten, K. M., Siebert, A. P., Brooks, S. G., Chen, B. et al. (2017). Denatonium-induced sinonasal bacterial killing may play a role in chronic rhinosinusitis outcomes. *Int Forum Allergy Rhinol., 7,* 699-704.

Cavazzana, A., Wesarg, C., Schriever, V. A., Hummel, T., Lundstrom, J. N., & Parma, V. (2017). A cross-cultural adaptation of the Sniffin' Sticks olfactory identification test for US children. *Chem Senses, 42,* 133-140.

Chang, E. H., Willis, A. L., McCrary, H. C., Noutsios, G. T., Le, C. H., Chiu, A. G. et al. (2017). Association between the CDHR3 rs6967330 risk allele and chronic rhinosinusitis. *J Allergy Clin Immunol., 139,* 1990-1992.

Cohen, N. A. (2017). The genetics of the bitter taste receptor T2R38 in upper airway innate immunity and implications for chronic rhinosinusitis. *Laryngoscope, 127,* 44-51. doi: 10.1002/lary.26198

Cornelis, M. C., Tordoff, M. G., El-Sohemy, A., & van Dam, R. M. (2017). Recalled taste intensity, liking and habitual intake of commonly consumed foods. *Appetite, 109,* 182-189.

Cottrill, E. E., Chen, B., Adappa, N. D., Palmer, J. N., Kennedy, D. W., Lee, R. J. et al. (2017). Expression of dermcidin in human sinonasal secretions. *Int Forum Allergy Rhinol., 7,* 154-159.

Dibattista, M., Pifferi, S., Boccaccio, A., Menini, A., & Reisert, J. (2017). The long tale of the calcium activated Cl- channels in olfactory transduction. *Channels (Austin.),* 1-16.

Douglas, J. E. & Cohen, N. A. (2017). Taste receptors mediate sinonasal immunity and respiratory disease. *Int J Mol Sci., 18.* pii: E437. doi: 10.3390/ijms18020437.

Ernstgård, L., Dwivedi, A. M., Lundström, J.N., and Johansson, G. (2017). Measures of odor and lateralization thresholds of acrolein, crotonaldehyde, and hexanal using a novel vapor delivery technique. *PLoS One.* 12(9): e0185479. doi: 10.1371/journal.pone.0185479.

Forestell, C. A. & Mennella, J. A. (2017). The Relationship between Infant Facial Expressions and Food Acceptance. *Curr.Nutr.Rep., 6,* 141-147.

Gervasi, S. S., Stephens, P. R., Hua, J., Searle, C. L., Xie, G. Y., Urbina, J. et al. (2017). Linking Ecology and Epidemiology to Understand Predictors of Multi-Host Responses to an Emerging Pathogen, the Amphibian Chytrid Fungus. *PLoS.One., 12,* e0167882.

Gervasi, S. S., Burgan, S. C., Hofmeister, E., Unnasch, T. R., & Martin, L. B. (2017). Stress hormones predict a host superspreader phenotype in the West Nile virus system. *Proc.Biol.Sci., 284*.

Gigante, C. M., Dibattista, M., Dong, F. N., Zheng, X., Yue, S., Young, S. G. et al. (2017). Lamin B1 is required for mature neuron-specific gene expression during olfactory sensory neuron differentiation. *Nat.Commun., 8,* 15098.

Glendinning, J. I., Tang, J., Morales Allende, A. P., Bryant, B. P., Youngentob, L., & Youngentob, S. L. (2017). Fetal alcohol exposure reduces responsiveness of taste nerves and trigeminal chemosensory neurons to ethanol and its flavor components. *J.Neurophysiol., 118,* 1198-1209.

Guo, Y., Hwang, L. D., Li, J., Eades, J., Yu, C. W., Mansfield, C. et al. (2017). Genetic analysis of impaired trimethylamine metabolism using whole exome sequencing. *BMC.Med.Genet., 18,* 11.

Hariri, B. M., McMahon, D. B., Chen, B., Freund, J. R., Mansfield, C. J., Doghramji, L. J. et al. (2017). Flavones modulate respiratory epithelial innate immunity: Anti-inflammatory effects and activation of the T2R14 receptor. *J.Biol.Chem., 292,* 8484-8497.

Ibarra-Soria, X., Nakahara, T. S., Lilue, J., Jiang, Y., Trimmer, C., Souza, M. A. et al. (2017). Variation in olfactory neuron repertoires is genetically controlled and environmentally modulated. *eLife, 6*.

Keller, A., Gerkin, R. C., Guan, Y., Dhurandhar, A., Turu, G., Szalai, B. et al. (2017). Predicting human olfactory perception from chemical features of odor molecules. *Science, 355,* 820-826.

Kleinman, R.E., Greer, F., Cowart, B.J., Hetherington, M.M., Johnson, S.L., Keller, K.L., Klurfeld, D.M., Moshfegh, A.J., Murray, R., Welsh, J., Coletta, F.A., Marr, L. (2017). Roundtable proceedings: The role of innate sweet taste perception in supporting a nutrient-dense diet for toddlers, 12 to 24 months old. *Nutrition Today,* 52(2):S14-S24.

Kochem, M. & Breslin, P. A. (2017). Clofibrate inhibits the umami-savory taste of glutamate. *PLoS.One., 12,* e0172534.

Kochem, M. & Breslin, P. A. (2017). Lipid-Lowering Pharmaceutical Clofibrate Inhibits Human Sweet Taste. *Chem.Senses, 42,* 79-83.

Lemons, K., Fu, Z., Aoude, I., Ogura, T., Sun, J., Chang, J. et al. (2017). Lack of TRPM5-Expressing Microvillous Cells in Mouse Main Olfactory Epithelium Leads to Impaired Odor-Evoked Responses and Olfactory-Guided Behavior in a Challenging Chemical Environment. *eNeuro., 4*.

Li, X., Huang, L., Wang, N., Yi, H., & Wang, H. (2017). Sulfur dioxide exposure enhances Th2 inflammatory responses via activating STAT6 pathway in asthmatic mice. *Toxicol.Lett., 285,* 43-50.

Lipchock, S. V., Spielman, A. I., Mennella, J. A., Mansfield, C. J., Hwang, L. D., Douglas, J. E. et al. (2017). Caffeine bitterness is related to daily caffeine intake and bitter receptor mRNA abundance in human taste tissue. *Perception, 46,* 245-256.

Lowe, G. (2017). The symphony of smell: a role for electrical synapses. *J.Physiol, 595,* 5725-5726.

Lundstrom, J. N., Arshamian, A., & Olofsson, J. K. (2017). Twenty shades of chemosensory perception. *Perception, 46,* 241-244.

MacLean, P. S., Blundell, J. E., Mennella, J. A., & Batterham, R. L. (2017). Biological control of appetite: A daunting complexity. *Obesity.(Silver.Spring), 25 Suppl 1,* S8-S16.

Mennella, J. A., Bobowski, N., Liem, D.G. (2017). Taste and Smell. In K. Swaiman, S. Ashwal, D. Ferriero, N. Schor, R. Finkel, A. Gropman, P. Pearl, & M. Shevell (Eds.), *Swainman's Pediatric Neurology, Principles and Practice, Sixth Edition* (pp. 58-64). Elsevier.

Mennella, J. A., Colquhoun, T. A., Bobowski, N. K., Olmstead, J. W., Bartoshuk, L., & Clark, D. (2017). Farm to Sensory Lab: Taste of Blueberry Fruit by Children and Adults. *J.Food Sci., 82,* 1713-1719.

Mennella, J. A., Daniels, L. M., & Reiter, A. R. (2017). Learning to like vegetables during breastfeeding: a randomized clinical trial of lactating mothers and infants. *Am.J.Clin.Nutr., 106,* 67-76.

Mennella, J. A., Mathew, P. S., & Lowenthal, E. D. (2017). Use of Adult Sensory Panel to Study Individual Differences in the Palatability of a Pediatric HIV Treatment Drug. *Clinical Therapeutics, 39,* 2038-2048. .

Murtaza, B., Berrichi, M., Bennamar, C., Tordjmann, T., Djeziri, F. Z., Hichami, A. et al. (2017). Zizyphin modulates calcium signalling in human taste bud cells and fat taste perception in the mouse. *Fundam.Clin.Pharmacol., 31,* 486-494.

Ohla, K., Höchenberger, R., Freiherr, J., and Lundström, J.N. (2017). Super- and subadditive neural processing of dynamic auditory-visual objects in the presence of congruent odors. *Chemical Senses, 43,* 35-44.

Ohmoto, M., Ren, W., Nishiguchi, Y., Hirota, J., Jiang, P., & Matsumoto, I. (2017). Genetic Lineage Tracing in Taste Tissues Using Sox2-CreERT2 Strain. *Chem.Senses, 42,* 547-552.

Poole, R. L. & Tordoff, M. G. (2017). The Taste of Caffeine. *J.Caffeine Res., 7,* 39-52.

Qian, J., Mummalaneni, S., Phan, T. T., Heck, G. L., DeSimone, J. A., West, D. et al. (2017). Cyclic-AMP regulates postnatal development of neural and behavioral responses to NaCl in rats. *PLoS One, 12*(2): e0171335.

Regenbogen, C., Axelsson, J., Lasselin, J., Porada, D. K., Sundelin, T., Peter, M. G. et al. (2017). Behavioral and neural correlates to multisensory detection of sick humans. *Proc Natl Acad Sci USA., 114,* 6400-6405.

Ren, W., Aihara, E., Lei, W., Gheewala, N., Uchiyama, H., Margolskee, R. F. et al. (2017). Transcriptome analyses of taste organoids reveal multiple pathways involved in taste cell generation. *Sci Rep., 7,* 4004.

Schwartz, J. S., Tajudeen, B. A., & Cohen, N. A. (2017). Medical management of chronic rhinosinusitis - a review of traditional and novel medical therapies. *Expert Opin Investig Drugs., 26,* 1123-1130.

Seubert, S., Regenbogen, C., Habel, U., & Lundstrom, J. N. (2017). Behavioral and Neural Determinants of Odor Valence Perception. In Springer (Ed.), *Springer Handbook of Odor* (pp. 769-785).

Spector, A. C., le Roux, C. W., Munger, S. D., Travers, S. P., Sclafani, A., & Mennella, J. A. (2017). Proceedings of the 2015 ASPEN Research Workshop-Taste Signaling. *JPEN J Parenter Enteral Nutr., 41,* 113-124.

Sukumaran, S. K., Lewandowski, B. C., Qin, Y., Kotha, R., Bachmanov, A. A., & Margolskee, R. F. (2017). Whole transcriptome profiling of taste bud cells. *Sci Rep., 7,* 7595.

Talaga, A. K., Dong, F. N., Reisert, J., & Zhao, H. (2017). Cilia- and Flagella-Associated Protein 69 Regulates Olfactory Transduction Kinetics in Mice. *J Neurosci., 37,* 5699-5710.

Tomassini, B., I, Ozdener, M. H., Melis, M., Love-Gregory, L., Mitreva, M., Abumrad, N. A. et al. (2017). Variant in a common odorant-binding protein gene is associated with bitter sensitivity in people. *Behav Brain Res., 329,* 200-204.

Tordoff, M. G., Pearson, J. A., Ellis, H. T., & Poole, R. L. (2017). Does eating good-tasting food influence body weight? *Physiol Behav., 170,* 27-31.

Tordoff, M. G. (2017). Phosphorus Taste Involves T1R2 and T1R3. *Chem Senses, 42,* 425-433.

Trimmer, C. & Mainland, J. D. (2017). Simplifying the Odor Landscape. *Chem Senses, 42,* 177-179.

Ventura, A. K. & Mennella, J. A. (2017). An experimental approach to study individual differences in infants' intake and satiation behaviors during bottle-feeding. *Child Obes., 13,* 44-52.

Virtue, A., Johnson, C., Lopez-Pastrana, J., Shao, Y., Fu, H., Li, X. et al. (2017). MicroRNA-155 deficiency leads to decreased atherosclerosis, increased white adipose tissue obesity, and non-alcoholic fatty liver disease: A novel model of obesity paradox. *J Biol Chem., 292,* 1267-1287.

Workman, A. D., Carey, R. M., Chen, B., Saunders, C. J., Marambaud, P., Mitchell, C. H. et al. (2017). CALHM1-Mediated ATP Release and Ciliary Beat Frequency Modulation in Nasal Epithelial Cells. *Sci Rep., 7,* 6687.

Xu, J. J., Elkaddi, N., Garcia-Blanco, A., Spielman, A. I., Bachmanov, A. A., Chung, H. Y. et al. (2017). Arginyl dipeptides increase the frequency of NaCl-elicited responses via epithelial sodium channel alpha and delta subunits in cultured human fungiform taste papillae cells. *Sci Rep., 7,* 7483.

Xu, M., Horrell, J., Snitow, M., Cui, J., Gochnauer, H., Syrett, C. M. et al. (2017). WNT10A mutation causes ectodermal dysplasia by impairing progenitor cell proliferation and KLF4-mediated differentiation. *Nat Commun., 8,* 15397.

Yamashita, J., Ohmoto, M., Yamaguchi, T., Matsumoto, I., & Hirota, J. (2017). Skn-1a/Pou2f3 functions as a master regulator to generate Trpm5-expressing chemosensory cells in mice. *PLoS.One., 12,* e0189340.

Yoshida, R., Shin, M., Yasumatsu, K., Takai, S., Inoue, M., Shigemura, N. et al. (2017). The Role of Cholecystokinin in Peripheral Taste Signaling in Mice. *Front Physiol, 8,* 866.

2016

Adappa, N. D., Farquhar, D., Palmer, J. N., Kennedy, D. W., Doghramji, L., Morris, S. A. et al. (2016). TAS2R38 genotype predicts surgical outcome in nonpolypoid chronic rhinosinusitis. *Int Forum Allergy Rhinol., 6,* 25-33.

Adappa, N. D., Truesdale, C. M., Workman, A. D., Doghramji, L., Mansfield, C., Kennedy, D. W. et al. (2016). Correlation of T2R38 taste phenotype and in vitro biofilm formation from nonpolypoid chronic rhinosinusitis patients. *Int Forum Allergy Rhinol., 6,* 783-791.

Adappa, N. D., Workman, A. D., Hadjiliadis, D., Dorgan, D. J., Frame, D., Brools, S. et al. (2016). T2R38 genotype is correlated with sinonasal quality of life in homozygous ΔF508 cystic fibrosis patients. *International Forum of Allergy and Rhinology, 6,* 356-361.

Aihara, E., Matthis, A. L., Karns, R. A., Engevik, K. A., Jiang, P., Wang, J. et al. (2016). Epithelial regeneration after gastric ulceration causes prolonged cell type alterations. *Cellular and Molecular Gastroenterology and Hepatology, 2,* 625-647.

Archer, N. K., Adappa, N. D., Palmer, J. N., Cohen, N. A., Harro, J. M., Lee, S. K. et al. (2016). Interleukin-17A (IL-17A) and IL-17F are critical for antimicrobial peptide production and clearance of Staphylococcus aureus nasal colonization. *Infect Immun., 84,* 3575-3583.

Bachmanov, A. A., Bosak, N. P., Glendinning, J. I., Inoue, M., Li, X., Manita, S. et al. (2016). Genetics of amino acid taste and appetite. *Advances in Nutrition, 7,* 806S-822S.

Beauchamp, G. K. (2016). Why do we like sweet taste: A bitter tale? *Physiol Behav., 164,* 432-437.

Bobowski, N., Reed, D. R., & Mennella, J. A. (2016). Variation in the TAS2R31 bitter taste receptor gene relates to liking for the nonnutritive sweetener Acesulfame-K among children and adults. *Sci Rep., 6,* 39135.

Cavazzana, A., Wesarg, C., Parish-Morris, J., Lundstrom, J. N., & Parma, V. (2016). When preschoolers follow their eyes and older children follow their noses: visuo-olfactory social affective matching in childhood. *Dev Sci.,* doi: 10.1111/desc.12507.

Chang, E. H., Willis, A. L., McCrary, H. C., Noutsios, G. T., Le, C. H., Chiu, A. G. et al. (2016). Association between the CDHR3 rs6967330 risk allele and chronic rhinosinusitis. *J Allergy Clin Immunol.* doi: 10.1016/j.jaci.2016.10.027.

Coppin, G., Parma, V., & Pause, B. M. (2016). Editorial: Affective sciences through the chemical senses. *Front Psychol., 7,* 1590.

Dibattista, M. & Reisert, J. (2016). The odorant receptor-dependent role of olfactory marker protein in olfactory receptor neurons. *The Journal of Neuroscience, 36,* 2995-3006.

Douglas, J. E., Saunders, C. J., Reed, D. R., & Cohen, N. A. (2016). A role for airway taste receptor modulation in the treatment of upper respiratory infections. *Expert Review of Respiratory Medicine, 10,* 157-170.

Gerbe, F., Sidot, E., Smyth, D. J., Ohmoto, M., Matsumoto, I., Dardalhon, V. et al. (2016). Intestinal epithelial tuft cells initiate type 2 mucosal immunity helminth parasites. *Nature, 529,* 226-230.

Gervasi, S. S., Burkett-Cadena, N., Burgan, S. C., Schrey, A. W., Hassan, H. K., Unnasch, T. R. et al. (2016). Host stress hormones alter vector feeding preferences, success, and productivity. *Proc.Biol.Sci., 283*.

Goto, T. K., Yeung, A. W., Tanabe, H. C., Ito, Y., Jung, H. S., & Ninomiya, Y. (2016). Enhancement of combined umami and salty taste by glutathione in the human tongue and brain. *Chemical Senses, 41,* 623-630.

Howitt, M. R., Lavoie, S., Michaud, M., Blum, A. M., Tran, S. V., Weinstock, J. V. et al. (2016). Tuft cells, taste-chemosensory cells, orchestrate parasite type 2 immunity in the gut. *Science, 351,* 1329-1333.

Hwang, L. D., Zhu, G., Breslin, P. A., Reed, D. R., Martin, N. G., & Wright, M. J. (2016). Is the association between sweet and bitter perception due to genetic variation? *Chem Senses.* pii: bjw083. doi: 10.1093/chemse/bjw083

Hwang, L. D., Cuellar-Partida, G., Ong, J. S., Breslin, P. A., Reed, D. R., MacGregor, S. et al. (2016). Sweet taste perception is associated with body mass index at the phenotypic and genotypic level. *Twin Research and Human Genetics, 19,* 465-471.

Isogai, T. & Wise, P. M. (2016). The effects of odor quality and temporal asynchrony on modulation of taste intensity by retronasal odor. *Chemical Senses, 41,* 557-566.

Joseph, P. V., Reed, D. R., & Mennella, J. A. (2016). Individual differences among children in sucrose detection thresholds: Relationship with age, gender and bitter taste genotype. *Nursing Research, 65,* 3-12.

Jude, J., Koziol-White, C., Scala, J., Yoo, E., Jester, W., Maute, C. et al. (2016). Formaldehyde induces Rho-associated kinase activity to evoke airway hyperresponsiveness. *American Journal of Respiratory Cell and Molecular Biology, 55,* 542-553.

Juran, S. A., Lundström, J. N., Geigant, M., Kumlien, E., Fredrikson, M., Ahs, F. et al. (2016). Unilateral resection of the anterior medial temporal lobe impairs odor identification and valence perception. *Frontiers in Psychology*, *6*, 2015. doi: 10.3389/fpsyg.2015.02015

Jyotaki, M., Sanematsu, K., Shigemura, N., Yoshida, R., & Ninomiya, Y. (2016). Leptin suppresses sweet taste responses of enteroendocrine STC-1 cells. *Neuroscience, 332,* 76-87.

Kimball, B. A., Stelting, S. A., McAuliffe, T. W., Stahl, R. S., Garcia, R. A., & Pitt, W. C. (2016). Development of artificial bait for brown treesnake suppression. *Biological Invasions, 18,* 359-369.

Kimball, B. A. (2016). Volatile metabolome: Problems and prospects. *Bioanalysis, 8,* 1987-1991.

Kimball, B. A., Cohen, A. S., Gordon, A. R., Opiekun, M., Martin, T., Elkind, J. et al. (2016). Brain injuries alter volatile metabolome. *Chemical Senses, 41,* 407-414.

Kimball, B. A., Wilson, D. A., & Wesson, D. W. (2016). Alterations of the volatile metabolome in mouse models of Alzheimer's disease. *Scientific Reports, 6,* 19495. doi: 10.1038/srep19495.

Kohno, D., Koike, M., Ninomiya, Y., Kojima, I., Kitamura, T., & Yada, T. (2016). Sweet taste receptor serves to activate glucose- and leptin-responsive neurons in the hypothalamic arcuatenucleus and participates in glucose responsiveness. *Front Neurosci., 10,* 502.

Lee, R. J., Workman, A. D., Carey, R. M., Chen, B., Rosen, P. L., Doghramji, L. et al. (2016). Fungal aflatoxins reduce respiratory mucosal ciliary function. *Scientific Reports, 6,* 33221.

Lekander, M., Karshikoff, B., Johansson, E., Soop, A., Fransson, P., Lundstrom, J. N. et al. (2016). Intrinsic functional connectivity of insular cortex and symptoms of sickness during acute experimental inflammation. *Brain Behavior and Immunity, 56,* 34-41.

Lewandowski, B. C., Sukumaran, S. K., Margolskee, R. F., & Bachmanov, A. A. (2016). Amiloride-insensitive salt taste is mediated by two populations of type III taste cells with distinct transduction mechanisms. *The Journal of Neuroscience, 36,* 1942-1953.

Maeda, N., Ohmoto, M., Yamamoto, K., Kurokawa, A., Narukawa, M., Ishimaru, Y. et al. (2016). Expression of serotonin receptor genes in cranial ganglia. *Neurosci.Lett., 617,* 46-51.

Manyangadze, T., Chimbari, M. J., Gebreslasie, M., Ceccato, P., & Mukaratirwa, S. (2016). Modelling the spatial and seasonal distribution of suitable habitats of schistosomiasis intermediate host snails using Maxent in Ndumo area, KwaZulu-Natal Province, South Africa. *Parasit.Vectors., 9,* 572.

Mennella, J. A. & Bobowski, N. K. (2016). Psychophysical tracking method to measure taste preferences in children and adults. *Journal of Visualized Experiments*, *113*. doi: 10.3791/54163

Mennella, J. A., Bobowski, N. K., & Reed, D. R. (2016). The development of sweet taste: From biology to hedonics. *Reviews in Endocrine and Metabolic Disorders, 17,* 171-178.

Mennella, J. A., Reiter, A., & Pryor, L. (2016). Vegetable and fruit acceptance during infancy: Impact of ontogeny, genetics, and early experiences. *Advances in Nutrition, 7,* 211S-219S.

Mennella, J., Trabulsi, J. R., & Papas, M. (2016). Effects of cow milk versus extensive protein hydrolysate formulas on infant cognitive development. *Amino Acids, 48,* 697-705.

Nakahara, T. S., Cardozo, L. M., Ibara-Soria, X., Bard, A. D., Carvvalho, V. M. A., Trintinalia, G. Z. et al. (2016). Detection of pup odors by non-canonical adult vomeronasal neurons expressing an odorant receptor gene is influenced by sex and parenting status. *BMC Biology, 14*, 12. doi: 10.1186/s12915-016-0234-9

Nigril, A., Ferraro, S., Bruzzone, M. G., Nava, S., D'Incerti, L., Bertolino, N. et al. (2016). Central olfactory processing in patients with disorders of consciousness. *European Journal of Neurology, 23,* 605-612.

Nishiguchi, Y., Ohmoto, M., Koki, J., Enomoto, T., Kominami, R., Matsumoto, I. et al. (2016). Bcl11b/Ctip2 is required for development of lingual papillae in mice. *Developmental Biology, 416,* 98-110.

Novaleski, C. K., Kimball, E. E., Mizuta, M., & Rousseau, B. (2016). Acute exposure to vibration is an apoptosis-inducing stimulus in the vocal fold epithelium. *Tissue Cell, 48,* 407-416.

Pang, B., Yee, K. K., Lischka, F. W., Rawson, N. E., Haskins, M. E., Wysocki, C. J. et al. (2016). The influence of nasal airflow on respiratory and olfactory epithelial distribution in felids. *Journal of Experimental Biology, 219,* 1866-1874.

Parma, V. & de Marchena, A. B. (2016). Motor signatures in Autism Spectrum Disorder: The importance of variability. *Journal of Neurophysiology, 115,* 1081-1084.

Peyrot des Gachons, C., Avrillier, J., Gleason, M., Algarra, L., Zhang, S., Mura, E. et al. (2016). Oral cooling and carbonation sensation increase the perception of drinking and thirst quenching in thirsty adults. *PLoS ONE, 11,* e0162261. doi: 10.1371/journal.pone.0162261.

Peyrot des, G. C. & Breslin, P. A. (2016). Salivary amylase: Digestion and metabolic syndrome. *Current Diabetes Reports, 16,* 102.

Pietra, G., Dibattista, M., Menini, A., Reisert, J., & Boccaccio, A. (2016). The Ca^{2+}-activated Cl^- channel TMEM16B regulates action potential firing and axonal targeting in olfactory sensory neurons. *Journal of General Physiology, 148,* 293-311.

Poole, R. L., Aleman, T. R., Ellis, H. T., & Tordoff, M. G. (2016). Maltodextrin acceptance and preference in eight mouse strains. *Chemical Senses, 41,* 45-52.

Regenbogen, C., Johansson, E., Andersson, P., Olsson, M. J., & Lundstrom, J. N. (2016). Bayesian-based integration of multisensory naturalistic perithreshold stimuli. *Neuropsychologia, 88,* 123-130.

Rickels, M. R., Pelekis, A. J., Markmann, E., Dalton-Bakes, C., Kong, S. M., Teff, K. L. et al. (2016). Long-term improvement in glucose control and counterregulation by islet transplantation for type 1 diabetes. *Journal of Clinical Endocrinology and Metabolism, 101,* 4421-4430. doi: 10.1210/jc.2016-1649

Schwartz, J. S., Tajudeen, B. A., & Cohen, N. A. (2016). Medical management of chronic rhinosinusitis - an update. *Expert Review of Clinical Pharmacology, 9,* 695-704.

Shigemura, N. & Ninomiya, Y. (2016). Recent advances in molecular mechanisms of taste signaling and modifying. *International Review of Cell and Molecular Biology, 323,* 71-106.

Spielman, A. I. & Brand, J. G. (2016). Is tasting innate? *Oral Diseases, 22,* 251-252.

Subramaniam, S., Ozdener, M. H., Abdoul-Azize, S., Saito, K., Malik, B., Maquart, G. et al. (2016). ERK1/2 activation in human taste bud cells regulates fatty acid signaling and gustatory perception of fat in mice and humans. *FASEB Journal, 30,* 3489-3500.

Sukumaran, S. K., Yee, K. K., Iwata, S., Kotha, R., Quezada-Calvillo, R., Nichols, B. L. et al. (2016). Taste cell-expressed alpha-glucosidase enzymes contribute to gustatory responses to disaccharides. *Proceedings of the National Academy of Sciences USA, 113,* 6035-6040.

Untiet, V., Moeller, L. M., Ibarra-Soria, X., Sanchez-Andrade, G., Stricker, M., Neuhaus, E. M. et al. (2016). Elevated cytosolic Cl- concentrations in dendritic knobs of mouse vomeronasal sensory neurons. *Chem.Senses, 41,* 669-676.

Vingtdeux, V., Chang, E. H., Frattini, S. A., Zhao, H., Chandakkr, P., Adrien, L. et al. (2016). CALHM1 deficiency impairs cerebral neuron activity and memory flexibility in mice. *Scientific Reports, 6,* 24250. doi: 10.1038/srep24250.

Wise, P. M., Nattress, L., Flammer, L. J., & Beauchamp, G. K. (2016). Reduced dietary intake of simple sugars alters perceieved sweet taste intensity but not perceieved pleasantness. *American Journal of Clinical Nutrition, 103,* 50-60.

Yee, K. K., Craven, B. A., Wysocki, C. J., & Van, V. B. (2016). Comparative morphology and histology of the nasal fossa in four mammals: Gray Squirrel, Bobcat, Coyote, and White-Tailed Deer. *Anatomical Record, 299,* 840-852.

Yoshida, R. & Ninomiya, Y. (2016). Taste information derived from T1R-expressing taste cells in mice. *The Biochemical Journal, 473,* 525-536.

2015

Alonso-Alonso, M., Woods, S. C., Pelchat, M., Grigson, P. S., Stice, E., Farooqi, S. et al. (2015). Food reward system: current perspectives and future research needs. *Nutrition Reviews, 73,* 296-307.

Baird, J. P., Tordoff, M. G., & McCaughey, S. A. (2015). Bursting by taste-responsive cells in the rodent brain stem. *Journal of Neurophysiology, 113,* 2434-2446.

Beauchamp, G. K. & Jiang, P. (2015). Comparative biology of taste: insights into mechanism and function. *Flavour, 4,* 9.

Bobowski, N. (2015). Shifting human salty taste preference: Potential opportunities and challenges in reducing dietary salt intake of Americans. *Chemosensory Perception* [On-line]. Available: DOI: 10.1007/s12078-015-9179-6

Bobowski, N. & Mennella, J. A. (2015). Disruption in the relationship between blood pressure and salty taste thresholds among overweight and obese children. *Journal of the Academy of Nutrition and Dietetics, 115,* 1272-1282.

Cellini, N. & Parma, V. (2015). Commentary: Olfactory aversive conditioning during sleep reduces cigarette-smoking behavior. *Frontiers in Psychology, 6,* 586.

Challis, R. C., Tian, H., Wang, J., He, J., Jiang, J., Chen, X. et al. (2015). An olfactory cilia pattern in the mammalian nose ensures high sensitivity to odors. *Current Biology, 25,* 2503-2512.

Cornelis, M. C., Byrne, E. M., Esko, T., Nalls, M. A., Ganna, A., Paynter, N. et al. (2015). Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. *Molecular Psychiatry, 20,* 647-656.

Du, L., Zou, L., Wang, Q., Zhao, L., Huang, L., Wang, P. et al. (2015). A novel biomimetic olfactory cell-based biosensor with DNA-directed site-specific immobilization of cells on a microelectrode array. *Sensors and Actuators B: Chemicals, 217,* 186-192.

Feng, P., Jyotaki, M., Kim, A., Chai, J., Simon, N., Zhou, M. et al. (2015). Regulation of bitter taste responses by tumor necrosis factor. *Brain, Behavior, and Immunity, 49,* 32-42.

Filiou, R. P., Lepore, F., Bryant, B., Lundström, J. N., & Frasnelli, J. (2015). Perception of trigeminal mixtures. *Chemical Senses, 40,* 61-69.

Forestell, C. A. & Mennella, J. A. (2015). The ontogeny of taste perception and preference throughout childhood. In R.L.Doty (Ed.), *Handbook of Olfaction and Gustation* (3 ed., pp. 797-830). New York: Marcell Dekker.

Glendinning, J. I., Stano, S., Holter, M., Azenkot, T., Goldman, O., Margolskee, R. F. et al. (2015). Sugar-induced cephalic-phase insulin release is mediated by a T1r2+T1r3-independent taste transduction pathway in mice. *American Journal of Physiology, 309,* R552-R560.

Hu, L., Wang, Q., Qin, Z., Su, K., Huang, L., Hu, N. et al. (2015). Detection of 5-hydroxytryptamine (5-HT) in vitro using a hippocampal neuronal network-based biosensor with extracellular potential analysis of neurons. *Biosensors and Bioelectronics, 66,* 572-578.

Hwang, L. D., Zhu, G., Breslin, P. A., Reed, D. R., Martin, N. G., & Wright, M. J. (2015). A common genetic influence on human intensity ratings of sugars and high-potency sweeteners. *Twin Research and Human Genetics, 18,* 361-367.

Kauer, J., Pelchat, M. L., Rozin, P., & Zickgraf, H. F. (2015). Adult picky eating. Phenomenology, taste sensitivity, and psychological correlates. *Appetite, 90,* 219-228.

Lei, W., Ravoinjohary, A., Li, X., Margolskee, R. F., Reed, D. R., Beauchamp, G. K. et al. (2015). Functional analysis of bitter taste receptors in domestic cats (Felis catus). *PLoS ONE*, *10*, e0139670. doi: 10.1371/journal.pone.0139670

Lin, C., Fesi, B. D., Marquis, M., Bosak, N. P., Theodorides, M. L., Avigdor, M. et al. (2015). Body composition QTLs indentified in intercross populations are reproducible in consomic mouse strains. *PLoS ONE*, *10*, e0141494. doi: 10.1371/journal.pone.0141494

Lowe, G. (2015). Slice blotting. *Methods in Molecular Biology, 1312,* 87-92.

Mainland, J. D., Li Y.R, Zhou, T., Liu, W. L. L., & Matsunami, H. (2015). Human olfactory receptor responses to odorants. *Scientific Data*, *2*, 150002. Available: doi: 10.1038/sdata.2015.2

Malach, E., Shaul, M. E., Peri, I., Huang, L., Spielman, A. I., Seger, R. et al. (2015). Membrane-permeable tastants amplify beta2-adrenergic receptor signaling and delay receptor desensitization via intracellular inhibition of GRK2's kinase activity. *Biochimica et Biophysica Acta, 1850,* 1375-1388.

Mennella, J. A., Robert, K. M., Matthew, P. S., & Reed, D. R. (2015). Children's perceptions about medicines: Individual differences and taste. *BMC Pediatrics, 15,* 130. doi: 10.1186/s12887-015-0447-z

Mennella, J. A. & Bobowski, N. K. (2015). The sweetness and bitterness of childhood: Insights from basic research on taste preferences. *Physiology & Behavior, 152,* 502-507.

Mennella, J. A., Reed, D. R., Mathew, P. S., Roberts, K. M., & Mansfield, C. J. (2015). "A spoonful of sugar helps the medicine go down": Bitter masking by sucrose among children and adults. *Chemical Senses, 40,* 17-25.

Mennella, J. A. (2015). The flavor world of childhood. *Frontiers in Integrated Neuroscence Conference Abstract: Science of Human Flavor Perception* [On-line]. Available: doi: 10.3389/conf.fnint.2015.03.00007

Murovets, V. O., Bachmanov, A. A., & Zolotarev, V. A. (2015). Impaired glucose metabolism in mice lacking the Tas1r3 taste receptor gene. *PLoS ONE, 10,* e0130997. doi: 10.1371/journal.pone.0130997

Mutic, S., Parma, V., Brünner, Y. F., & Freiherr, J. (2015). You smell dangerous: Communicating fight responses through human chemosignals of aggression. *Chemical Senses, 41,* 35-43.

Pak, V. M., Keenan, B. T., Jackson, N., Grandner, M. A., Maislin, G., Teff, K. et al. (2015). Adhesion molecule increases in sleep apnea: beneficial effect of positive airway pressure and moderation by obesity. *International Journal of Obesity, 39,* 472-479.

Parma, V., Ferraro, S., Miller, S. S., Ahs, F., & Lundström, J. N. (2015). Enhancement of odor sensitivity following repeated odor and visual fear conditioning. *Chemical Senses, 40,* 497-506.

Prokop-Prigge, K. A., Mansfield, C. J., Parker, M. R., Thaler, E., Grice, E. A., Wysocki, C. J. et al. (2015). Ethnic/racial and genetic influences on cerumen odorant profiles. *Journal of Chemical Ecology, 41,* 67-74.

Puzantian, H., Teff, K., & Townsend, R. R. (2015). Investigating the effect of glucose on aortic pulse wave velocity using pancreatic clamping methodology. *Biological Research for Nursing, 17,* 270-275.

Reed, D. R. & Xia, M. B. (2015). Recent advances in fatty acid perception and genetics. *Advances in Nutrition, 6,* 353S-360S.

Rowland, H. M., Parker, M. R., Jiang, P., Reed, D. R., & Beauchamp, G. K. (2015). Comparative taste biology with special focus on birds and reptiles. In *Handbook of Olfaction and Gustation* (pp. 957-982). John Wiley & Sons Inc.

Seubert, J., Ohla, K., Yokomukai, Y., Kellermann, T., & Lundström, J. N. (2015). Superadditive opercular activation to food flavor is mediated by enhanced temporal and limbic coupling. *Human Brain Mapping, 36,* 1662-1676.

Takai, S., Yasumatsu, K., Inoue, M., Iwata, S., Yoshida, R., Shigemura, N. et al. (2015). Glucagon-like peptide-1 is specifically involved in sweet taste transmission. *FASEB Journal, 29,* 2268-2280.

Teff, K. L., Rickels, K., Alshehabi, E., & Rickels, M. R. (2015). Metabolic impairments precede changes in hunger and food intake following short-term administration of second-generation antipsychotics. *Journal of Clinical Psychopharmacology, 35,* 579-582.

Tordoff, M. G., Aleman, T. R., Ellis, H. T., Ohmoto, M., Matsumoto, I., Shestopalov, V. I. et al. (2015). Normal taste acceptance and preference of PANX1 knockout mice. *Chemical Senses, 40,* 453-459.

Ventura, A., Mennella, J. A., & Inamdar, L. (2015). Consistency in infants' behavioral signaling of satiation during bottle-feeding. *Pediatric Obesity, 10,* 180-187.

Vetter, M. L., Wadden, T. A., Teff, K. L., Khan, Z. F., Carvajal, R., Ritter, S. et al. (2015). GLP-1 plays a limited role in improved glycemia shortly after Roux-en-Y gastric bypass: a comparison with intensive lifestyle modification. *Diabetes, 64,* 434-446.

Wahlqvist, M. L., Krawetz, S. A., Rizzo, N. S., Dominguez-Bello, M. G., Szymanski, L. M., Barkin, S. et al. (2015). Early-life influences on obesity: from preconception to adolescence. *Annals of the New York Academy of Sciences, 1347,* 1-28.

Yoshida, R., Noguchi, K., Shigemura, N., Jyotaki, M., Takahashi, I., Margolskee, R. F. et al. (2015). Leptin suppresses mouse taste cell responses to sweet compounds. *Diabetes, 64,* 3751-3762.

Zellner, D. A. & Cobuzzi, J. L. (2015). Just dessert: Serving fruit as a separate "dessert" course increases vegetable consumption in a school lunch. *Food Quality and Preference, 48,* 195-198.

2014

Bachmanov, A. A., Bosak, N. P., Lin, C., Matsumoto, I., Ohmoto, M., Reed, D. R. et al. (2014). Genetics of taste receptors. *Current Pharmaceutical Design, 20,* 2669-2683.

Baldeon, M. E., Mennella, J. A., Flores, N., Fornasini, M., Gabriel, A. S. (2014). Free amino acid content in breast milk of adolescent and adult mothers in Ecuador. *SpringerPlus, 3*, doi: doi:10.1186/2193-1801-3-104.

Boesveldt, S., Lundström, J. N. (2014). Detecting fat content of food from a distance: Olfactory-based fat discrimination in humans. *PLoS ONE, 9,* e85977.

Campbell, M. C., Ranciaro, A., Zinstheyn, D., Rawlings-Goss, R., Hirbo, J., Thompson, S. et al. (2014). Limited evidence for adaptive evolution and functional effect of allelic variation at rs702424 in the promoter of the TAS2R16 bitter taste receptor gene in Africa. *Journal of Human Genetics*, *59*, 349-352.

Campbell, M. C., Ranciaro, A., Zinstheyn, D., Rawlings-Goss, R., Hirbo, J., Thompson, S. et al. (2014). Origin and differential selection of allelic variation at TAS2R16 associated with salicin bitter taste sensitivity in Africa. *Molecular Biology and Evolution, 31,* 288-302.

Chirinos, J. A., Gurubhagavatula, I., Teff, K., Rader, D. J., Wadden, T. A., Townsend, R. et al. (2014). CPAP, weight loss, or both for obstructive sleep apnea. *New England Journal of Medicine, 370,* 2265-2275.

Cornelis, M. C., Byrne, E. M., Esko, T., Nalls, M. A., Ganna, A., Paynter, N. et al. (2014). Genome-wide meta-analysis identifies six novel loci associated with habitual coffee consumption. *Molecular Psychiatry.*

Du, L., Zhao, L., Huang, L., Wang, P., Wu, C. (2014). Label-freefunctional assays of chemical receptors using a bioengineered cell-based biosensor with localized extracellular acidification measurement. *Biosensors and Bioelectronics, 54,* 623-627.

Feng, P., Huang, L., Wang, H. (2014). Taste bud homeostasis in health, disease, and aging. *Chemical Senses, 39,* 3-16.

Feng, P., Chai, J., Zhou, M., Simon, N., Huang, L., Wang, H. (2014). Interleukin-10 is produced by a apecific subset of taste receptor cells and critical for maintaining structural integrity of mouse taste buds. *Journal of Neuroscience, 34,* 2689-2701.

Gelperin, A. (2014). Comparative chemosensory cognition. *Frontiers in Behavioral Neuroscience, 8*.

Hu, L., Du, L., Dong, Q., Wang, B., Huang, L., Wang, P. (2014). A novel cell-based biosensor for bitter taste deection in vitro. *Sensor Letters, 12,* 1134-1138.

Jaén, C., Dalton, P. (2014). Asthma and odors: The role of risk perception in asthma exacerbation. *Journal of Psychosomatic Research*, *77*, 302-308.

Jiang, P., Josue-Almqvist, J., Jin, X., Li, X., Brand, J. G., Margolskee, R. F. et al. (2014). The bamboo-eating giant panda (Ailuropoda melanoleuca) has a sweet tooth: behavioral and molecular responses to compounds that taste sweet to humans. *PLoS One, 9,* e93043.

Jiang, P., Beauchamp, G. K. (2014). Evolution. Sensing nectar's sweetness. *Science, 345,* 878-879.

Kato, A., Reisert, J., Ihara, S., Yoshikawa, K., Touhara, K. (2014). Evaluation of the role of G protein-coupled receptor kinase 3 in desensitization of mouse odorant receptors in a mammalian cell line and in olfactory sensory neurons. *Chemical Senses, 39,* 771-780.

Kimball, B. A., Opiekun, M., Yamazaki, K., Beauchamp, G. K. (2014). Immunization alters body odor. *Physiology & Behavior, 128,* 80-85.

Kokrashvili, Z., Yee, K. K., Ilegems, E., Iwatsuki, K., Li, Y., Mosinger, B. et al. (2014). Endocrine taste cells. *British Journal of Nutrition, 111 Suppl 1,* S23-S29.

Krajnik, J., Kollndorfer, K., Nenning, K. H., Lundström, J. N., Schopf, V. (2014). Gender effects and sexual-orientation impact on androstadienone evoked behavior and neural processing network. *Frontiers in Neuroscience, 8,* 195.

Lahne, J., Trubek, A. B., Pelchat, M. L. (2014). Consumer sensory perception of cheese depends on context: a study using comment analysis and linear mixed models. *Food Quality and Preference, 32,* 184-197.

Lee, R. J., Kofonow, J. M., Rosen, P. L., Siebert, A. P., Chen, B., Doghramji, L. et al. (2014). Bitter and sweet taste receptors regulate human upper respiratory innate immunity. *Journal of Clinical Investigation, 124,* 1393-1405.

Lei, Y. T., Thuault, S. J., Launay, P., Margolskee, R. F., Kandel, E. R., Siegelbaum, S. A. (2014). Differential contribution of TRPM4 and TRPM5 nonselective cation channels to the slow afterdepolarization in mouse prefrontal cortex neurons. *Frontiers in Cellular Neuroscience, 8,* 267.

Maier, A., Vincent, M. J., Gadagbui, B., Patterson, J., Beckett, W., Dalton, P. et al. (2014). Integrating asthma hazard characterization methods for consumer products. *Regulatory Toxicology and Pharmacology, 70,* 37-45.

Mainland, J. D., Keller, A., Li, Y., Zhou, T., Trimmer, C., Snyder, L. L. (2014). The missense of smell: functional variability in the human odorant receptor repertoire. *Nature Neuroscience, 17,* 114-20.

Mainland, J. D., Lundstrom, J. N., Reisert, J., Lowe, G. (2014). From molecule to mind: an integrative perspective on odor intensity. *Trends in Neuroscience, 37,* 443-454.

Mennella, J. A. (2014). Ontogeny of taste preferences: Basic biology and implications for health. *Journal of Clinical Nutrition, 99,* 704S-711S.

Mennella, J. A., Finkbeiner, S., Lipchock, S., Liang-Dar, H., Reed, D. R. (2014). preferences for salty and sweet tastes are elevated and related to each other during childhood. *PLoS ONE, 9,* e92201.

Mennella, J. A., Reed, D. R., Roberts, K. M., Mathew, P. S., Mansfield, C. J. (2014). Age-related differences in bitter taste and efficacy of bitter blockers. *PLoS ONE, 9,* e103107.

Mennella, J. A., Trabulsi, J., Inamdar, L. (2014). The sensory world of formula-fed infants: Differences among artificial milk feedings in flavor learning and satiety. In V.R.Preedy, R. R. Watson, & S. Zibadi (Eds.), *Dietary and Nutritional Aspects of Bottle Feeding* (pp. 95-116). Wageningen Academic Publishers.

Mokadem, M., Zechner, J. F., Margolskee, R. F., Drucker, D. J., Aguirre, V. (2014). Effects of Roux-en-Y gastric bypass on energy and glucose homeostasis are preserved in two mouse models of functional glucagon-like peptide-1 deficiency. *Molecular Metabolism, 3,* 191-201.

Murovets, V. O., Bachmanov, A. A., Travnikov SV, Tchurikova AA, Zolotarev, V. A. (2014). The involvement of the T1R3 receptor protein in the control of glucose metabolism in mice at different levels of glycemia. *Journal of Evolutionary Biochemistry and Physiology, 50,* 334-344.

Olsson, M. J., Lundström, J. N., Gordon, A. R., Karshikoff, B., Hosseini, N., Sorjonen, K. et al. (2014). The scent of disease: Human body odor contains an early chemosensory cue of sickness. *Psychological Science, 25,* 817-823.

Ozdener, M. H., Subramaniam, S., Sundaresan, S., Sery, O., Hashimoto, T., Yoshinori, A. et al. (2014). CD36- and GPR120-mediated Ca^{+} signaling in human taste bud cells mediates differential responses to fatty acids and is alterd in obese mice. *Gastroenterology, 146,* 1-11.

Parker, M. R., Feng, D., Chamuris, B., Margolskee, R. F. (2014). Expression and nuclear translocation of glucocorticoid receptors in type 2 taste receptor cells. *Neuroscience Letters, 571,* 72-77.

Pepino, M. Y., Mennella, J. A. (2014). Cigarette smoking and obesity are associated with decreased fat perception in women. *Obesity, 22,* 1050-1055.

Prokop-Prigge, K. A., Thaler, E., Wysocki, C. J., Preti, G. (2014). Identification of volatile organic compounds in human cerumen. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 953-954,* 48-52.

Qin, Z., Dong, Q., Wang, B., Huang, L., Wang, P. (2014). Recent advances in bioinspired olfaction/gustation sensors and their applications. *Chinese Journal of Biomedical Engineering, 33,* 609-619.

Reisert, J., Golden, G. J., Mastumura, K., Smear, M., Rinberg, D., Gelperin, A. (2014). Comparing thoracic and intra-nasal pressure transients to monitor active odor sampling during odor-guided decision making in the mouse. *Journal of Neuroscience Methods, 221,* 8-14.

Ren, W., Lewandowski, B. C., Watson, J., Aihara, E., Iwatsuki, K., Bachmanov, A. A. et al. (2014). Single Lgr5- or Lgr6-expressing taste stem/progenitor cells generate taste bud cells ex vivo. *Proceedings of the Academy of Sciences USA, 111,* 16401-16406.

Rickels, M. R., Kong, S. M., Fuller, C., Dalton-Bakes, C., Ferguson, J. F., Reilly, M. P. et al. (2014). Insulin sensitivity index in type 1 diabetes and following human islet transplantation: comparison of the minimal model to euglycemic clamp measures. *American Journal of Physiology, 306,* E1217-E1224.

Saitou, K., Lees, J. N., Tordoff, M. G. (2014). Taste hedonics influence the disposition of fat by modulating gastric emptying in rats. *PLoS ONE, 9,* e90717.

Scott, J. W., Sherrill, L., Jiang, J., Zhao, K. (2014). Tuning to odor solubility and sorption pattern in olfactory epithelial responses. *Journal of Neuroscience, 34,* 2025-2036.

Seubert, J., Gregory, K. M., Chamberland, J., Dessirier, J. M., Lundström, J. N. (2014). Odor valence linearly modulates attractiveness, but not age assessment, of invariant facial features in a memory-based rating task. *PLoS ONE, 9,* e98347.

Tordoff, M. G., Downing, A., Voznesenskaya, A. (2014). Macronutrient selection by seven inbred mouse strains and three taste-related knockout strains. *Physiology & Behavior, 135,* 49-54.

Tordoff, M. G., Ellis, H. T., Aleman, T. R., Downing, A., Marambaud, P., Foskett, J. K. et al. (2014). Salty taste deficits in CALHM1 knockout mice. *Chemical Senses, 39,* 515-528.

Tordoff, M. G., Jiang, P., Valmeki, S., Aleman, T., McCaughey, S. A. (2014). Heightened avidity for trisodium pyrophosphate in mice lacking Tas1r3. *Chemical Senses, 40,* 53-59.

Trimmer, C., Snyder, L. L., Mainland, J. (2014). High-throughput analysis of mammalian olfactory receptors: measurement of receptor activation via luciferase activity. *Journal of Visualized Experiments*, doi: 10.3791/51640.

Van Valkenburgh, B., Pang, B., Bird, D., Curtis, A., Yee, K. K., Wysocki, C. J. et al. (2014). Respiratory and olfactory turbinals in Feliform and Caniform carnivorans: the influence of snout length. *Anatomical Records, 297*, 2065-2079.

Wassef, L., Wirawan, R., Chikindas, M., Breslin, P. A. S., Hoffman, D. J., Quadro, L. (2014). Beta-carotene-producing bacteria residing in the intestine provide vitamin A to mouse tissues *in vivo*. *Journal of Nutrition, 144,* 608-613.

Wise, P. M., Breslin, P. A. S., Dalton, P. H. (2014). Effect of taste sensation on cough reflex sensitivity. *Lung, 192,* 9-13.

Wise, P. M. Bryant, B. P. (2014). The effect of temperature and menthol on carbonation bite. *Chemical Senses, 39,* 571-582.

Wu, C., Du, L., Zou, L., Zhao, L., Huang, L., Wang, P. (2014). Recent advances in taste cell- and receptor-based biosensors. *Sensors and Actuators B: Chemical, 201,* 75-85.

Yamaguchi, T., Yamashita, J., Ohmoto, M., Aoude, I., Ogura, T., Luo, W. et al. (2014). Skn-1a/Pou2f3 is required for the generation of Trpm5-expressing microvillous cells in the mouse main olfactory epithelium. *BMC Neuroscience, 15,* 13.

Zhao, K., Dalton, P., Cowart, B. J., Pribitkin, E. A. (2014). In response to regional peak mucosal cooling predicts the perception of nasal patency. *Laryngoscope, 124,* E211-E212.

Zhao, K., Jiang, J. (2014). What is normal nasal airflow? A computational study of 22 healthy adults. *International Forum of Allergy and Rhinology, 4,* 435-446.

Zhao, K., Jiang, J., Pribitkin, E. A., Dalton, P. H., Rosen, D., Lyman, B. J. et al. (2014). Conductive olfactory losses in chronic rhinosinusitis? A computational fluid dynamics study of 29 patients. *International Forum of Allergy and Rhinology, 4,* 298-308.

Zhao, K., Malhotra, P., Rosen, D., Dalton, P., Pribitkin, E. A. (2014). Computational fluid dynamics as surgical planning tool: a pilot study on middle turbinate resection. *Anatomical Record, 297,* 2187-2195.

2013

Adappa, N. D., Howland, T. J., Palmer, J. N., Kennedy, D. W., Doghramji, L., Lysenko, A. et al. (2013). Genetics of the taste receptor T2R38 correlates with chronic rhinosinusitis necessitating surgical intervention. *International Forum of Rhinology and Allergy Journal, 3,* 184-187.

Ahs, F., Miller, S. S., Gordon, A. R., & Lundström, J. N. (2013). Aversive learning increases sensory detection sensitivity. *Biological Psychology, 92,* 135-141.

Breslin, P. A. S. (2013). An evolutionary perspective on food and human taste. *Current Biology, 23,* R409-R418.

Cheruki, C. M., Bachmanov, A. A., & McCaughey, S. A. (2013). A/J and C57BL/6ByJ mice differ in chorda tympani responses to NaCl. *Neuroscience Research, 75,* 283-288.

Coldwell, S. E., Mennella, J. A., Duffy, V. B., Pelchat, M. L., Griffith, J. W., Smutzer, G. et al. (2013). Gustation assessment using the NIH Toolbox. *Neurology, 80,* 1-5.

Cruz, G. & Lowe, G. (2013). Neural coding of binary mixtures in a structurally related odorant pair. *Scientific Reports, 3,* 1220.

Dalton, P., Wilson, T., Jaen, C., & Maute, C. (2013). Chemosignals of stress influence social judgments. *PLoS ONE, 8,* e77144.

Dalton, P. H., Mennella, J. A., Doty, R. L., Murphy, C., & Slotkin, J. (2013). Olfactory assessment using the NIH Toolbox. *Neurology, 80,* S32-S36.

Du, L., Wu, C., Peng, H., Zhao, L., Huang, L., & Wang, P. (2013). Bioengineered olfactory sensory neuron-based biosensor for specific odorant detection. *Biosensors and Bioelectronics, 40,* 401-406.

Du, L., Wu, C., Liu, Q., Huang, L., & Wang, P. (2013). Recent advances in olfactory receptor-based biosensors. *Biosensors and Bioelectronics, 42,* 580.

Ellis, H. T., Tordoff, M. G., & Parker, M. R. (2013). Itpr3 Is responsible for the mouse tufted (tf) locus. *Journal of Heredity, 104,* 295-297.

Freiherr, J., Lundström, J. N., Habel, U., & Reetz, K. (2013). Multisensory integration mechanisms during aging. *Frontiers in Human Neuroscience, 7,* 863.

Furudono, Y., Cruz, G., & Lowe, G. (2013). Glomerular input patterns in the mouse olfactory bulb evoked by retronasal odor stimuli . *BMC Neuroscience, 14*.

Gelperin, A. (2013). Associate memory mechanisms in terrestrial slugs and snails. In P.Benjamen & R. Menzel (Eds.), *Invertebrate Learning and Memory: Handbook of Behavioral Neuroscience* (pp. 280-290). Elsevier Publication Company.

Horn, C. C., Kimball, B. A., Wang, H., Kaus, J., Dienel, A., Nagy, A. et al. (2013). Why can't rodents vomit? A comparative behavioral, anatomical, and physiological study. *PLoS ONE, 8*.

Kadji, H. G. E. & Woafo, P. (2013). Biorhythmicity, synchonization and chaos in an enzyme-substrate reaction with a ferroelectric behavior. In *Dynamical Systems: Theory, Applications and Future Directions.* New York: Nova Science Publishers.

Kadji, H. G. E. (2013). Effects of a locally injected signal on phase synchronization in a network of self-excited cells. *The European Physical Journal B, 86*.

Kimball, B. A., Yamazaki, K., Kohler, D., Bowen, R. A., Muth, J. P., Opiekun, M. et al. (2013). Avian influenza infection alters fecal odor in mallards. *PLoS ONE, 8,* e75411.

Kwak, J. & Preti, G. (2013). Challenges in the investigation of volatile disease biomarkers in urine. In A.Amann & D. Smith (Eds.), *In Volatile Biomarkers: Non-Invasive Diagnosis in Physiology and Medicine* (Elsevier.

Kwak, J., Gallagher, M., Ozdener, M. H., Wysocki, C. J., Goldsmith, B. R., Isamah, A. et al. (2013). Volatile biomarkers from human melanoma cells. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 931,* 90-96.

Kwak, J., Grigsby, C. C., Preti, G., Rizki, M. M., Yamazaki, K., & Beauchamp, G. K. (2013). Changes in volatile compounds of mouse urine as it ages: Their interactions with water and urinary proteins. *Physiology and Behavior, 120,* 211-219.

Lee, R. J., Chen, B., Redding, K. M., Margolskee, R. F., & Cohen, N. A. (2013). Mouse nasal epithelial innate immune responses to Pseudomonas aeruginosa quorum-sensing molecules require taste signaling components. *Innate Immunity, 20,* 606-617.

Li, F., Ponissery Saidu, S., Yee, K. K., Wang, H., Chen, M.-L., Iguchi, N. et al. (2013). Heterotrimeric G protein subunit Ggamma13 Is critical to olfaction. *The Journal of Neuroscience, 33,* 7975-7984.

Li, Y., Yee, K. K., Redding, K. M., Iwatsuki, K., Margolskee, R. F., & Jiang, P. (2013). Lgr5+ cells in the posterior tongue may identify adult taste stem cells. *Stem Cells, 31,* 992-1000.

Li, Y., Kokrashvili, Z., Mosinger, B., & Margolskee, R. F. (2013). Gustducin couples fatty acid receptors to GLP-1 release in colon. *American Journal of Physiology, 1304,* E651-E660.

Lin, C., Theodorides, M., Tordoff, M. G., Zhang, Q., Bosak, N., Li, X. et al. (2013). QTL analysis of dietary obesity in C57BL/6ByJ X 129P3/J F2 mice: Diet-and sex-dependent effects. *PLoS ONE, 8,* E68776.

Lipchock, S., Mennella, J. A., Spielman, A. I., & Reed, D. R. (2013). Human bitter perception correlates with bitter receptor mRNA expression in taste cells. *American Journal of Clinical Nutrition, 98,* 1136-1143.

Liu, Y. M., Punckt, C., Pope, M. A., Gelperin, A., & Aksay, I. A. (2013). Electrochemical sensing of nitric oxide with functionalized graphene electrodes. *ACS Applied Materials and Interfaces, 5,* 12624-12630.

Lowe, G. (2013). Olfactory bulb: Synaptic organization. Encyclopedia of Life Sciences.

Lundström, J. N., Mathe, A., Schaal, B., Frasnelli, J., Nitzsche, K., Gerber, J. et al. (2013). Maternal status regulates cortical responses to the body odor of newborns. *Frontiers in Psychology, 4,* 1-6.

Ma, J., Dankulich-Nagrudny, L., & Lowe, G. (2013). Cholecystokinin: An excitatory modulator of mitral/tufted cells in the mouse olfactory bulb. *PLoS ONE, 8,* e64170.

Mainland, J. D., Willer, J. R., Matsunami, H., & Katsanis, N. (2013). Next-generation sequencing of the human olfactory receptors. *Methods in Molecular Biology, 1003*.

Matsumoto, I. (2013). Gustatory neural pathways revealed by genetic tracing from taste receptor cells. *Bioscience Biotechnology Biochemistry, 77,* 1359-1362.

Matsumoto, I., Ohmoto, M., & Abe, K. (2013). Functional diversification of taste cells in vertebrates. *Seminars in Cell & Developmental Biology, 24,* 210-214.

Mennella, J. A., Spector, A. C., Reed, D. R., & Coldwell, S. E. (2013). The bad taste of medicines: Overview of basic research on bitter taste. *Clinical Therapeutics, 35,* 1225-1246.

Mosinger, B., Redding, K. M., Parker, M. R., Yevshayeva, V., Yee, K. K., Dyomina, K. et al. (2013). Genetic loss or pharmacological blockade of testes-expressed taste genes causes male sterility. *Proceedings of the National Academy of Sciences USA, 110,* 12319-12324.

Ohmoto, M., Yamaguchi, T., Yamashita, J., Bachmanov, A. A., Hirota, J., & Matsumoto, I. (2013). Pou2f3/Skn-1a is necessary for the generation or differentiation of solitary chemosensory cells in the anterior nasal cavity. *Bioscience, Biotechnology, and Biochemistry, 77,* 2154-2156.

Ozdener, M. H. & Rawson, N. E. (2013). Primary culture of mammalian epithelium. *Methods in Molecular Biology, 945,* 95-107.

Platte, P., Herbert, C., Pauli, P., & Breslin, P. A. S. (2013). Oral perceptions of fat and taste stimuli are modulated by affect and mood Induction. *PLoS ONE, 8,* e65006.

Ponissery Saidu, S., Stephan, A. B., Talaga, A. K., Zhao, H., & Reisert, J. (2013). Channel properties of the splicing isoforms of the olfactory calcium-activated chloride channel Anoctamin 2. *Journal of General Physiology, 141,* 703.

Rawson, N. E. & Ozdener, M. H. (2013). Primary culture of the human olfactory neuroepithelium. *Methods in Molecular Biology, 945,* 81-83.

Reisert, J., Golden, G. J., Matsumura, K., Smear, M., Rinberg, D., & Gelperin, A. (2013). Comparing thoracic and intra-nasal pressure transients to monitor active odor sampling during odor-guided decision making in the mouse. *Journal of Neuroscience Methods, 221,* 8-14.

Riera, W. K., Kadji, H. G. E., & Kawashima, R. (2013). The role of extracellular conductivity profile in compartmental models for neurons: Particulars for layer 5 pyramidal cells. *Neural Computation, 25,* 1807-1852.

Schriever, V. A., Hummel, T., Lundström, J. N., & Freiherr, J. (2013). Size of nostril opening as a measure of intranasal volume. *Physiology and Behavior, 110-111,* 3-5.

Seubert, J., Freiherr, J., Djordjevic, J., & Lundström, J. N. (2013). Statistical localization of human olfactory cortex. *NeuroImage, 66,* 333-342.

Shigemura, N., Iwata, S., Yasumatsu, K., Ohkuri, T., Horio, N., Sanematsu, K. et al. (2013). Angiotensin II modulates salty and sweet taste sensitivities. *Journal of Neuroscience, 33,* 6267-6277.

Solari, P., Stoffolano, J. G., Fitzpatrick, J., Gelperin, A., Thomson, A., Talani, G. et al. (2013). Regulatory mechanisms and the role of calcium and potassium channels controlling supercontractile crop muscles in adult Phormia regina. *Journal of Insect Physiology, 59,* 942-952.

Taruno, A., Vingtdeux, V., Ohmoto, M., Ma, Z., Dvoryanchikov, G., Li, A. et al. (2013). CALHM1 ion channel mediates purinergic neurotransmission of sweet, bitter and umami tastes. *Nature, 495,* 223-226.

Taruno, A., Matsumoto, I., Ma, Z., Marambaud, P., & Foskett, J. K. (2013). How do taste cells lacking synapses mediate neurotransmission? CALHM1, a voltage-gated ATP channel. *BioEssays, 35,* 1111-1118.

Tordoff, M. G. & Ellis, H. T. (2013). Taste dysfunction in BTBR mice due to a mutation of *Itpr3*, the inositol triphosphate receptor 3 gene. *Physiological Genomics, 45,* 834-855.

Voznesenskaya, A. & Tordoff, M. G. (2013). Influence of cross-fostering on preference for calcium chloride in C57BL/6J and PWK/PhJ mice. *Physiology & Behavior, 122,* 159-162.

Voznesenskaya, A. & Tordoff, M. G. (2013). Influence of estrous and circadian cycles on calcium intake of the rat. *Physiology and Behavior, 112-113,* 56-60.

Wise, P. M. & Breslin, P. A. S. (2013). Individual differences in sour and salt sensitivity: Detection and quality recognition thresholds for citric acid and sodium chloride. *Chemical Senses, 38,* 333-342.

Wise, P. M., Wolf, M., Thom, S. R., & Bryant, B. P. (2013). The influence of bubbles on the perception of carbonation bite. *PLoS ONE, 8,* e71488.

Wu, C., Du, L., Zou, L., Huang, L., & Wang, P. (2013). A biomimetic bitter receptor-based biosensor with high efficiency immobilization and purification using self-assembled aptamers. *Analyst, 138,* 5994.

Xu, J., Cao, J., Iguchi, N., Riethmacher, D., & Huang, L. (2013). Functional characterization of bitter taste receptors expressed in mammalian testis. *Molecular Human Reproduction, 19,* 17-28.

Yee, K. K., Yan, L., Redding, K. M., Iwatsuki, K., Margolskee, R. F., & Jiang, P. (2013). Lgr5-EGFP marks taste bud stem/progenitor cells in posterior tongue. *Stem Cells, 31,* 992-1000.

Zhao, K. & Frye, R. (2013). Nasal patency and the aerodynamics of nasal airflow - In relation to olfactory function. In R.L.Doty (Ed.), *Handbook of Olfaction and Gustation* (3rd ed., pp. 439-460). Wiley, John & Sons, Incorporated.

Zhu, X., Jiang, D., Zhao, J., Huang, L., Zhang, J., & Huang, X. (2013). Characterization and expressional analysis of Dleu7 during Xenopus tropicalis embryogenesis. *Gene, 509,* 77-84.

Zukerman, S., Glenndinning, J. I., Margolskee, R. F., & Sclafani, A. (2013). Impact of T1r3 and Trpm5 on carbohydrate preference and acceptance in C57BL/6 mice. *Chemical Senses, 38,* 421-437.

2012

Adipietro, K.A.; Mainland, J.D.; Matsunami, H. (2012) Functional evolution of mammalian odorant receptors. *PloS Genetics,* 8, e1002821.

Bachmanov, A.A.; Boughter, J.D. (2012) Genetics of taste perception. *eLS.* (Electronic Citation) doi: 10.1002/9780470015902.a0023587

Campbell, M.C.; Ranciaro, A.; Froment, A.; Hirbo, J.; Omar, S.; Bodo, J.M.; Nyambo, T.; Lema, G.; Zinshteyn, D.; Drayna, D.; Breslin, P.A.; Tishkoff, S.A. (2012) Evolution of functionally diverse alleles associated with PTC bitter taste sensitivity in Africa. *Molecular Biology & Evolution*, 29, 1141-1153.

Dalton, P.H. (2012) There's something in the air: Effects on beliefs and expectations on response to environmental odors. In: Zucco, G.M.; Herz, R.S; Schaal, B. (Eds.) *Olfactory Cognition: From Perception and Memory to Environmental Odours and Neuroscience*. John Benjamins Publishing Company. pp. 23-38.

Dalton, P.H.; Caraway, E.A.; Gibb, H.; Fulcher, K. (2012) A multi-year field olfactometry study near a concentrated animal feeding operation. *Journal of the Air and Waste Management Association,* 61*,* 1398-1408.

Drewnowski, A.; Mennella, J.A.; Johnson, S.; Bellisle, F. (2012) Sweetness and food preference. *Journal of Nutrition,* 142, 1142-1148S.

Eddy, M.C.; Eschle, B.K.; Peterson, D.; Lauras, N.; Margolskee, R.F.; Delay, E.R. (2012) A conditioned aversion study of sucrose and SC45647 taste in TRPM5 knockout mice. *Chemical Senses,* 37*,* 391-401.

Feng, P.; Zhao, H.; Chai, J.; Huang, L.; Wang, J. (2012) Expression and secretion of TNF-α In mouse taste buds: a novel function of a specific subset of type II taste cells. *PloS ONE,* 7, e43140.

Forestell, C.A.; Mennella, J.A. (2012) More than just a pretty face: the relationship between infant's temperament, food acceptance, and mothers' perceptions of their enjoyment of food. *Appetite,* 58*,* 1136-1142.

Frasnelli,J.; Albrecht,J.; Bryant,B.P.; Lundström,J.N. (2012) Perception of specific trigeminal chemosensory receptor agonists. *Neuroscience*, 189, 377-383

Frasnelli, J.; Lundström, J.N.; Schöpf, V.; Negoias, S.; Hummel, T.; Lepore, F. (2012) Dual processing streams in chemosensory processing. *Frontiers in Human Neuroscience,* 6, 288.

Glendinning, J.I.; Gillman, J.; Zamer, H.; Margolskee, R.F.; Sclafani, A. (2012) The role of T1R3 and TRPM5 in carbohydrate-induced obesity in mice. *Physiology & Behavior,* 107, 50-58.

Golden, G.J.; Hussey, A.M.; Kimball, B.A. (2012) Do gastrointestinal taste receptors contribute to associative learning and foraging behavior? *Journal of Animal Science,* 90, 4297-4307.

Golden, G.J.; Voznesenskaya, A.; Tordoff, M. (2012) Chorda tympani nerve modulates the rat's avoidance of calcium chloride. *Physiology & Behavior,* 105, 1214-1218.

Gyekis, J.P.; Dingman, M.A.; Revitsky, A.R.; Bryant, B.P.; *et al*. (2012) Gustatory, trigeminal, and olfactory aspects of nicotine intake in three mouse strains. *Behavior Genetics,* 42, 820-829.

Hanai, Y.; Shimono, K.; Oka, H.; Baba, Y.; Yamazaki, K.; Beauchamp, G.K. (2012) Analysis of volatile organic compounds released from human lung cancer cells and from the urine of tumor-bearing mice. *Cancer Cell International,* 12, 7.

Hanai, Y.; Shimono, K.; Matsumura, K.; Vachani, A.; Albedla, S.; Yamazaki, K.; Beachamp, G.K.; Oka, H. (2012) Urinary volatile compounds as biomarkers for lung cancer. *Bioscience, Biotechnology, and Biochemistry,* 76, 679-684.

Ishiwatari Y.; Bachmanov A.A. (2012) NaCl taste thresholds in 13 inbred mouse strains. *Chemical Senses,* 37, 497-508.

Jadauji, J.B.; Djordjevic, J.; Lundström, J.N.; Pack, C.C. (2012) Modulation of olfactory perception by visual cortex stimulation. *Journal of Neuroscience,* 32, 3095-3100.

Jiang, P.; Josue, J.; Li, X.; Glaser, D.; Li, W.; Brand, J.G.; Margolskee, R.F.; Reed, D.R.; Beauchamp, G.K. (2012) Major taste loss in carnivorous mammals. *Proceedings of the National Academy of Sciences, USA,* 109, 4956-4961.

Jiang, P.; Josue, J.; Li, X.; Glaser, D.; Li, W.; Brand, J.G.; Margolskee, R.F.; Reed, D.R.; Beauchamp, G.K. (2012) Reply to Zhao and Zhang: Loss of taste receptor function in mammals is directly related to feeding specializations. *Proceedings of the National Academy of Science, USA*, 109, e1465.

Khamis, S.M.; Jones, R.A.; Johnson, A.T.C.; Preti, G.; Kwak, J.; Gelperin, A. (2012) DNA-decorated carbon nanotube-based FETS as ultrasensitive chemical sensors: Discrimination of homologues, structural isomers, and optical isomers. *AIP Advances*, 2, 022110-1-11.

Kim, A.; Feng, P.; Ohkuri, T.; Sauers, D.; Cohn, Z.J.; Chai, J.; Nelson, T.; Bachmanov, A.A.; Huang, L.; Wang, H. (2012) Defects in the peripheral taste structure and function in the MRL/lpr mouse model of autoimmune disease. *PloS ONE*, 7, e35588.

Knaapila, A.; Gu, Z.; Medland, S.; Wysocki, C.; Montgomery, G. W.; Martin, N.G.; Wright, M.J.; Reed, D.R. (2012) A genome-wide study on the perception of the odorants androstenone and galaxolide. *Chemical Senses*, 37, 541-552.

Knaapila, A.; Hwang, L.D.; Lysenko, A.; Duke, F.F.; Fesi, B.; Khoshnevisan, A.; James, R.S.; Wysocki, C.J.; Rhyu, M.; Tordoff, M.G.; Bachmanov, A.A.; Mura, E.; Naga,i H.; Reed, D.R. (2012) Genetic analysis of chemosensory traits in human twins. *Chemical Senses*, 37, 869-881.

Kwak, J. (2012) Challenges in quantitative analyses for volatile organic compounds bound to lipocalins. *Journal of Separation Science*, 35, 2929-2931.

Kwak, J.; Grigsby, C.; Rizki, M.; Preti, G.; Köksal, M.; Josue, J.; Kunio, Y.; Beauchamp, G.K. (2012) Differential binding between volatile ligands and major urinary proteins due to genetic variation in mice. *Physiology & Behavior,* 107, 112-120.

Lipchock, S.V.; Reed, D.R.; Mennella, J.A. (2012) Relationship between bitter-taste receptor genotype and solid mediation formulation usage among young children: a retrospective analysis. *Clinical Therapeutics*, 34, 728-733.

Lowe, G. (2012) Introduction to olfaction - physiology. In: Nakamoto, T. (Ed.) *Human Olfactory Displays and Interfaces: Odor Sensing and Presentation*. IGI Global. pp.1-43.

Lukasewycz, L.D.; Mennella, J.A. (2012) Lingual tactile acuity and food texture preference in children and their mothers. *Food Quality and Preference,* 26, 58-66.

Lunde, K.; Egelandsdal, B.; Skuterud, E.; Mainland, J.; Hersleth, M.; Matsunami, H. (2012) Genetic variation of an odorant receptor OR7D4 and sensory perception of cooked meat containing androstenone. *PloS ONE,* 7, e35259.

Lundström, J.N.; Gordon, A.R.; Wise, P.; Frasnelli, J. (2012) Individual differences in the chemical senses: is there a common sensitivity? *Chemical Senses,* 37, 371-378.

Mainland, J.; Matsunami, H. (2012) RAMP like proteins: RTP and REEP family of proteins. In: Spielman, W.S.; Parameswaran, N. (Eds.). *RAMPS*. pp. 75–86.

Maislin, G.; Ahmed, M.M.; Gooneratne, N; Thorne-Fitzgerald, M.; Kim, C.; Teff, K.L; *et al.* (2012) Single slice vs. volumetric MR assessment of visceral adipose tissue: Reliability and validity among the overweight and obese. *Obesity,* 20, 2124-2132.

Mandel, A.L.; Breslin, P.A. (2012) High endogenous salivary amylase activity is associated with improved glycemic homeostasis following starch ingestion in adults. *Journal of Nutrition,* 142, 853-858.

Matsumoto, I.; Makoto, O. (2012) Taste receptor cell fate determined by Skn-1a. *Chemistry & Biology*, 50, 312-314.

McRae, J.F.; Mainland, J.D.; Jaeger, S.R.; Adipietro, K.A.; Matsunami, H.; Newcomb, R.D. (2012). Genetic variation in the odorant receptor OR2J3 is associated with the ability to detect the "grassy" smelling odor, cis-3-hexen-1-ol. *Chemical Senses,* 37, 585-593.

Mennella, J.A. (2012) Alcohol use during lactation: Effects on the mother-infant dyad. In: Watson, R.R.; Preedy, V. (Eds.). *Nutrition and Alcohol: Linking Nutrient Interactions and Dietary Intake.* CRC Press. pp. 63-82.

Mennella, J.A.; Castor, S.M. (2012) Sensitive period in flavor learning: effects of duration of exposure to formula flavors on food likes during infancy. *Clinical Nutrition*, 31, 1022-1025.

Mennella, J.A.; Finkbeiner, S.; Reed, D.R. (2012) The proof is in the pudding: children prefer lower fat but higher sugar than do mothers. *International Journal of Obesity*, 36, 1285-1291.

Mennella, J.A.; Trabulsi, J.C. (2012) Complementary foods and flavor experiences: setting the foundation. *Annals of Nutrition and Metabolism,* 60 S2, 40-50.

Miller, S.S.; Gordon, A.R.; Olsson, M.J.; Lundström, J.N.; Dalton, P. (2012) Mind over age: Social priming and olfactory function. *Chemical Senses*, 38, 167-174.

Mitro, S.; Gordon, A.R.; Olsson, M.J.; Lundström, J.N. (2012) The smell of age: perception and discrimination of body odors of different ages. *PloS ONE,* 7, e38110.

Nosrat, I.V.; Margolskee, R.F.; Nosrat, C.A. (2012) Targeted taste cell-specific overexpression of brain-derived neurotrophic factor in adult taste buds elevates phosphorylated trkb protein levels in taste cells, increases taste bud size, and promotes gustatory innervation. *Journal of Biological Chemistry*, 287, 16791-16800.

Ohla, K.; Busch, N.A.; Lundström, J.N. (2012) Time for taste – early cerebral processing of gustatory perception. *Chemosensory Perception*, 5, 87-99.

Olender, T.; Waszak, S.; Viavant, M.; Khen, M.; Ben-Asher, E.; Reyes, A.; Nativ, N.; Wysocki, C.; Ge, D.; Lancet, D. (2012) Personal receptor repertoires: Olfaction as a model. *BMC Genomic,* 13, 414.

Ozdener, M.H. (2012) Fishing for flavors: Where and how. *Nature*. (Electronic Citation) doi:10.1038/486S14a

Ozdener, M.H.; Rawson, N.E. (2012) Exogenous EGF and BDNF treatment triggered cultured taste cell differentiation and proliferation. *Turkish Journal of Medical Sciences*, 42, 1-14.

Ozdener, M.H.; Spielman, A.I.; Rawson, N.E. (2012) Isolation and culture of human fungiform taste papillae cells. *Journal of Visualized Experiments,* 63, e3730.

Pepino, M.Y.; Mennella, J.A. (2012) Habituation to the pleasure elicited by sweetness in lean and obese women. *Appetite,* 58, 800-805.

Peyrot des Gachons, C.P.; Mura, E.; Speziale, C.; Favreau, C.J.; Dubreuil, G.F.; Breslin, P.A.S (2012) Opponency of astringent and fat sensations. *Current Biology*, 22, R829-830.

Ponissery Saidu, S.; Dibattista, M.; Matthews, H.R.; Reisert, J. (2012) Odorant-induced responses recorded from olfactory receptor neurons using the suction pipette technique. *Journal of Visualized Experiments*, 62, e3862.

Rawson, N.E.; Gomez, G.; Cowart, B.J.; Kriete, A.; Pribitkin, E.; Restrepo, D. (2012) Age-associated loss of selectivity in human olfactory sensory neurons. *Neurobiology of Aging*, 33, 1913-1919.

Reisert, J.; Gelperin, A. (2012) When does more give less in the olfactory system? *Physiology News,* 86, 18-21.

Stein, L.J.; Cowart, B.J.; Beauchamp, G.K. (2012) The development of salty taste acceptance is related to dietary experience in human infants: a prospective study. *American Journal of Clinical Nutrition*, 95, 123-129.

Stephan, A.B.; Tobochnik, S.; Dibattista, M.; Wall, C.M.; Reisert, J.; Zhao, H. (2012) The Na^{+}/Ca^{2+} exchanger NCKX4 governs termination and adaptation of the mammalian olfactory response. *Nature Neuroscience,*15, 131-137.

Su, C.Y.; Menuz, K.; Reisert, J.; Carlson, J.R. (2012) Non-synaptic inhibition between grouped neurons in an olfactory circuit. *Nature*, 492, 66-71.

Tordoff, M.G.; Alarcón, L.K.; Valmeki, S.; Jiang, P. (2012) T1R3: A human calcium taste receptor. *Scientific Reports 2*, 496, 1-4.

Tordoff, M.G.; Aleman, T.R.; Murphy, M.C. (2012) No effects of monosodium glutamate consumption on the body weight or composition of adult rats and mice. *Physiology & Behavior*, 10, 338-345.

Tordoff, M.G.; Jaji, S.A.; Marks, J.M.; Ellis, H.T. (2012) Macronutrient choice of BTBR.NZW mice cogenic for a 21-gene region of chromosome 17. *Physiology & Behavior,* 106, 556-561.

Trabulsi, J.C.; Mennella, J.A. (2012) Diet, sensitive periods in flavor learning, and growth. *International Journal of Psychiatry,* 24, 219-230.

Ventura, A.K.; Beauchamp, G.K.; Mennella, J.A. (2012) Infant regulation of intake: the effect of free glutamate content in infant formulas. *American Journal of Clinical Nutrition*, 95, 875-881.

Ventura, A.K.; San Gabriel, A.; Hirota, M.; Mennella, J.A. (2012) Free amino acid content in infant formulas. *Nutrition and Food Science,* 42, 271-278.

Wise, P.M.; Breslin, P.A.S.; Dalton, P. (2012) Sweet taste and menthol increases cough reflex thresholds. *Pulmonary Pharmacology and Therapeutics,* 25, 236-241.

Wise, P.; Mennella, J.A.; Finkbeiner, S. (2012) Impaired cough sensitivity in children of smokers. *Nicotine and Tobacco Research,*15, 603-607.

Wise, P.M.; Wysocki, C.J.; Lundström, J.N. (2012) Stimulus selection for intranasal sensory isolation: eugenol is an irritant. *Chemical Senses*, 37, 509-514.

Xu, J.; Cao, J.; Iguchi, N.; Riethmacher, D.; Huang, L. (2012) Functional characterization of bitter taste receptors expressed in mammalian testis. *Molecular Human Reproduction*, 19, 17-28.

Yasumatsu, K.; Ogiwara, Y, Takai S.; Yoshida, R.; Iwatsuki, K.; Torii, K.; Margolskee, R.F.; Ninomiya, Y. (2012) Umami taste in mice uses multiple receptors and transduction pathways. *Journal of Physiology,* 590, 1155-1170.

Zhu, X.; Li, Z.; Jiang, D.; Zhao, J.; Huang, L.; Zhang, J.; Huang, X. (2012) Characterization and expressional analysis of Dleu7 during Xenopus tropicalis embryogenesis. *Gene,* 509, 77-84.

2011

Bachmanov, A. A., Bosak, N., Floriano, W. B., Inoue, M., Li, X., Lin, C. et al. (2011) "Genetics of sweet taste preferences." *Flavour and Fragrance Journal, 26(4)*, 286-294.

Baker, J. F., Morales, M., Qatanani, M., Cucchiara, A., Nackos, E., Lazar, M. A. et al. (2011) "Resistin levels in lupus and associations with disease-specific measures, insulin resistance, and coronary calcification." *Journal of Rheumatology, 38(11)*, 2369-1375.

Beauchamp, G. K. & Mennella, J. A. (2011) "Flavor perception in human infants: development and functional significance." *Digestion, 83 Suppl 1*, 1-6.

Boesveldt, S., Lindau, S. T., McClintock, M. K., Hummel, T., & Lundstrom, J. N. (2011) "Gustatory and olfactory dysfunction in older adults: a national probability study."*Rhinology, 49(4)*, 324-330.

Cherukuri, C., McCaughey, S. A., & Tordoff, M. (2011) "Comparison of differences between PWD/PhJ and C57BL/6J mice in calcium solution preferences and chorda tympani nerve responses." *Physiological Behavior, 102(5)*, 496-502.

Court, M. H., Zhang, X., Ding, X., Yee, K. K., Hesse, L. M., & Finel, M. (2011) "Quantitative distribution of mRNAs encoding the 19 human UDP-glucuronosyltransferase enzymes in 26 adult and 3 fetal tissues." *Xenobiotica, 42(3)*, 266-277.

Cowart, B. J. (2011) "Smell and taste in aging." *Perfumer and Flavorist, 36(1)*, 34-36.

Cowart, B. J. (2011) "Taste dysfunction: a practical guide for oral medicine." *Oral Diseases, 17(1)*, 2-6.

Dalton, P., Mennella, J. A., Maute, C., Castor, S. M., Silva-Garcia, A., Slotkin, J. et al. (2011) "Development of a test to evaluate olfactory function in a pediatric population." *The Laryngoscope, 121(9)*, 1843-1850.

Enomoto, T., Ohmoto, M., Iwata, T., Uno, A., Saitou, M., Yamaguchi, T. et al. (2011) "Bcl11b/Ctip2 controls the differentiation of vomernasal sensory neurons in mice."*Journal of Neuroscience, 31(28)*, 10159-10173.

Frasnelli, J., Lundstrom, J. N., Boyle, J. A., Katsarkas, E., & Jones-Gotman, M. (2011) "The vomeronasal organ is not involved in the perception of endogenous odors."*Human Brain Mapping, 32(3)*, 450-460.

Freiherr, J., Gordon, A. R., Alden, E. C., Ponting, A. L., Hernandez, M. F., Boesveldt, S. et al. (2011) "The 40-item Monell extended Sniffin" Sticks identification test (MONEX-40)" *Journal of Neuroscience Methods, 205(1)*, 10-16.

Ghatpande, A. & Reisert, J. (2011) "Olfactory receptor neuron responses coding for rapid odor sampling." *Journal of Physiology, 589(9)*, 2261-2273.

Golden, G., Ishiwatar, Y., Theodorides, M., & Bachmanov, A. A. (2011) "Effect of chorda tympani nerve transection on salt taste perception in mice." *Chemical Senses, 36(9)*, 811-819.

Goldsmith, B. R., Mitala, J. J., Josue, J., Castro, A., Lerner, M. B., Bayburt, T. H. et al. (2011) "Biomimetic chemical sensors using nanoelectronic read out of olfactory receptor proteins." *ACS Nano, 5(7)*, 5408-16.

Goto, K., Oda, H., Kondo, H., Igaki, M., Suzuki, A., Tsuchiya, S. et al. (2011) "Responses of muscle mass, strength and gene transcripts to long-term heat stress in healthy human subjects." *European Journal of Applied Physiology, 111(1)*, 17-27.

Horn, C. C., Murat, C., Rosazza, M., & Still, L. (2011) "Effects of gastric distension and infusion of umami and bitter taste stimuli on vagal afferent activity." *Brain Research, 1419(24)*, 53-60.

Hussey, A. M., Kimball, B. A., & Friedman, J. M. (2011) "Assessment of tannin variation in tamarisk foliage across a latitudinal gradient." *Open Environmental and Biological Monitoring Journal, 4*, 32-35.

Iguchi, M., Ohkuri, T., Slack, J. P., Zhong, P., & Huang, L. (2011) "Sarco/Endoplasmic reticulum Ca2+-ATPases (SERCA) contribute to GPCR-mediated taste perception."*PLoS ONE, 6(8)*, e23165.

Jaén, C., Ozdener, M. H., & Reisert, J. (2011) "Mechanisms of chloride uptake in frog olfactory receptor neurons." *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural, and Behavioral Physiology, 197(4)*, 339-349.

Kimball, B. A., Pfund, F., Gourley, M., Giffin, D. L., & Russell, J. H. (Electronic Citation) "Silvicultural attempts to induce browse resistance in conifer seedlings."*International Journal Forestry Research*, 2011, doi:10.1155/2011/108529.

Kimball, B. A., Russell, J. H., & Ott, P. K. (2011) "Phytochemical variation within a single plant species influences foraging behavior of deer." *Oikos, 121(5)*, 743-751.

Knaapila, A., Silventoinen, K., Broms, U., Rose, R. J., Perola, M., Kaprio, J. et al. (2011) "Food neophobia in young adults: genetic architecture and relation to personality, pleasantness and use frequency of foods, and body mass index – a twin study." *Behavior Genetics, 41(4)*, 512-521.

Knaapila, A., Tourila, H., Vuoksimaa, E., Keskitalo-Vuokko, K., Rose, R. J., Kaprio, J., Silventoinen K. (2011) "Pleasantness of the odor of androstenone as a function of sexual intercourse experience in women and men." *Archives of Sexual Behavior*, *41*, 1403-8.

Kwak, J. & Preti, G. (2011) "Volatile disease biomarkers in breath: A critique."*Current Pharmaceutical Biotechnology, 12(7)*, 1067-1074.

Kwak, J., Josue, J., Faranda, A., Curran-Opiekun, M., Preti, G., Osada, K. et al. (2011) "Butylated hydroxytoluene is a ligand of urinary proteins derived from female mice." *Chemical Senses, 36*, 443-452.

Li, X., Bachmanov, A. A., Maehashi, K., Li, W., Lim, R., Brand, J. G. et al. (2011) "Sweet taste receptor gene variation and aspertame taste in primates and other species." *Chemical Senses, 36(5)*, 453-475.

Lipchock, S., Reed, D. R., & Mennella, J. A. (2011) "The gustatory and olfactory systems during infancy: implications for development of feeding behaviors in the high-risk neonate." *Clinics in Perinatology, 38(4)*, 627-641.

Lundström, J. N., Boesveldt, S., & Albrecht, J. (2011) "Central processing of the chemical senses: An overview." *ACS Chemical Neuroscience, 2(1)*, 5-16.

Mandel, A. L., Ozdener, H., & Utermohlen, V. (2011) "Characterization of brain-derived neurotrophic factor in human saliva: ELISA optimization and biological correlates." *Journal of Immunoassay and Immunochemistry, 32(1)*, 18-30.

Mandel, A. L., Ozdener, M. H., & Utermohlen, V. (2011) "Brain-derived neurotrophic factor in human saliva: ELISA optimization and biological correlates." *Journal of Immunoassay and Immunochemistry, 32(1)*, 18-30.

Matsumoto, I. (2011) "Cell fate specification to sweet, umami, and bitter taste receptor cells by Skn-1a." *Experimental Medicine, 29*, 2661-2664.

Matsumoto, I. (2011) "Neural pathway of tastes." In K.Touhara (Ed.), *Chemosensory Sciences*. Kyoto, Kagaku Dojin Japan.

Matsumoto, I. (2011) "Skn-1a, a cell fate determinant to sweet, umami, and bitter taste receptor cells." *Aroma Research, 12*, 338-339.

Matsumoto, I., Ohmoto, M., Narukawa, M., Yoshihara, Y., & Abe, K. (2011) "Skn-1a/Pou2f3 specifies taste receptor cell lineage." *Nature Neuroscience, 14*, 685-687.

Mennella, J. A. & Ventura, A. K. (2011) "Early feeding: Setting the stage for healthy eating habits." *Nestle Nutritional Workshop Series Pediatric Program, 68*, 153-168.

Mennella, J. A. (2011) "Taste and smell." In K.F.Swaiman, S. Ashwall, & D. Ferriero (Eds.), *Pediatric Neurology: Principles and Practice; 5th Edition*.

Mennella, J. A., Lukasewycz, L., Castor, S., & Beauchamp, G. K. (2011) "The timing and duration of a sensitive period in human flavor learning: a randomized trial."*American Journal of Clinical Nutrition, 93*, 1019-1024.

Mennella, J. A., Lukasewycz, L., Griffith, J. W., & Beauchamp, G. K. (2011) "Evaluation of the Monell forced-choice, paired-comparison tracking procedure for determining sweet taste preferences across the lifespan." *Chemical Senses, 36*, 345-355.

Mennella, J. A., Ventura, A. K., & Beauchamp, G. K. (2011) "Differential growth patterns among healthy infants fed protein hydrolysate or cow-milk formulas."*Pediatrics, 127*, 110-118.

Mennella, J. A., Ventura, A. K., & Lipchock, S. (2011) "The origins of food preferences." In C.Bellieni (Ed.), *Foetal Sensory Perception*. Sienna, Italy: Edizioni Cantagalli Srl.

Ohmoto, M., Okada, S., Nakamura, S., Abe, K., & Matsumoto, I. (2011) "Mutually exclusive expression of Gaia and Ga14 reveals diversification of taste receptor cells in zebrafish." *Journal of Comparative Neurology, 519*, 1629.

Ozdener, M. H. & Rawson, N. E. (2011) "Culture and maintenance of taste cells in vitro." *In Vitro, 47*, 513-514.

Ozdener, M. H., Brand, J. G., Speilman, F. G., Lischka, F. W., Teeter, J., Breslin, P. A. S. et al. (2011) "Characterization of human fungiform papillae cells in culture."*Chemical Senses, 36*, 601-612.

Ozdener, M. H., Brand, J. G., Spielman, A. I., Lischka, F. W., Teeter, J. H., Breslin, P. A. S. et al. (2011)

"Method for long-term primary culture of human fungiform taste bud cells in culture." *Chemical Senses, 36*, 601-612.

Peyrot des Gachons, C., Beauchamp, G. K., Stern, R. M., Koch, K. L., & Breslin, P. A. S. (2011) "Bitter taste induces nausea." *Current Biology, 21*, R247-R248.

Peyrot des Gachons, C., Uchida, K., Bryant, B. P., Shima, A., Sperry, J. B., Dankulich-Nagrudny, L. et al. (2011) "Unusual pungency from extra-virgin olive oil is attributable to restricted spatial expression of the receptor of oleocanthal." *Journal of Neuroscience, 31*, 999-1009.

Reisert, J. & Zhao, H. (2011) "Perspectives on: Information and coding in mammalian sensory physiology: Response kinetics of olfactory receptor neurons and the implications in olfactory coding." *Journal of General Physiology, 138*, 303-310.

Teff, K. L. & Kim, S. F. (2011) "Atypical antipsychotics and the neural regulation of food intake and peripheral metabolism." *Physiology & Behavior, 104*, 590-598.

Teff, K. L. (2011) "How neural mediation of anticipatory and compensatory insulin release helps us tolerate food." *Physiology & Behavior, 103*, 44-50.

Townsend, R. R., Anderson, A. H., Chen, J., Gadebegku, C. A., Feldman, H. I., Fink, J. C. et al. (2011) "Metabolic syndrome, components, and cardiovascular disease prevalence in chronic kidney disease: findings from the Chronic Renal Insufficiency Cohort (CRIC) study." *American Journal of Nephrology, 33*, 477-484.

Veldhuizen, M. G., Albrecht, J., Zelano, C., Boesveldt, S., Breslin, P. A. S., & Lundstrom, J. N. (2011) "Identification of human gustatory cortex by activation likelihood estimation." *Human Brain Mapping, 32*, 2256-2266.

Ventura, A. K. & Mennella, J. A. (2011) "Innate and learned preferences for sweet taste during childhood." *Current Opinion in Clinical Nutrition and Metabolic Care, 14*, 379-384.

Wise, P. M. & Breslin, P. A. S. (2011) "Relationships among taste qualities assessed with response-context effects." *Chemical Senses, 36*, 581-587.

Wise, P. M., Eades, J., Tjoa, S. S., Fennessey, P. V., & Preti, G. (2011) "Individuals Reporting Idiopathic Malodor Production: Demographics and Incidence of Trimethylaminuria." *The American Journal of Medicine, 124(11)*, 1058-63.

Yamamoto, K., Ishimaru, Y., Ohmoto, M., Matsumoto, I., Asakura, T., & Abe, K. (2011) "Genetic tracing of the gustatory neural pathway originating from PKD1L3-expressing type III taste cells in circumvallate and foliate papillae." *Journal of Neurochemistry, 119*, 506.

Yamashita, N., Mosinger, B., Roy, A., Miyazaki, M., Ugajin, K., Nakamura, F. et al. (2011) "CRMP5

(collapsin response mediator protein 5) regulates dendritic development and synaptic plasticity in the cerebellar Purkinje cells." *Journal of Neuroscience, 35*, 1773-1779.

Yee, K. K., Sukumaran, S. K., Kotha, R., Gilbertson, T. A., & Margolskee, R. F. (2011) "Glucose transporters and ATP-gated K+ (KATP) metabolic sensors are present in type 1 taste receptor 3 (T1r3)-expressing taste cells." *Proceedings of the National Academy of Sciences, 108*, 5431-5436.

Zhao, K., Blacker, K., Luo, Y., Bryant, B. P., & Jiang, J. (2011) "Perceiving Nasal Patency through Mucosal Cooling Rather than Air Temperature or Nasal Resistance."*PLoS ONE, 6*, e24618.

2010

Albrecht, J., Kopietz, R., Frasnelli, J., Wiesmann, M., Hummel, T., and Lundström, J. N. (2010) "The neuronal correlates of intranasal trigeminal function-an ALE meta-analysis of human functional brain imaging data." *Brain Research Reviews, 62*, 183-196.

Antolin, S., Reisert, J., and Matthews, H. R. (2010) "Olfactory response termination involves Ca2+-ATPase in vertebrate olfactory receptor neuron cilia." *Journal of General Physiology, 135*, 367-378.

Bachmanov, A. A. (2010) "Umami: fifth taste? Flavor enhancer?" *Perfumer and Flavorist, 35*, 52-57.

Bhandawhat, V., Reisert, J., and Yau, K.-W. (2010) "Signaling by olfactory receptor neurons near threshold." *Proceedings of the National Academy of Sciences USA, 107*, 18682-18687.

Boesveldt, S., Frasnelli, J., Gordon, A. R., and Lundstrom, J. N. (2010) "The fish is bad: Negative food odors elicit faster and more accurate reactions than other odors."*Biological Psychology, 84*, 313-17.

Boesveldt, S., Olsson, M. J., and Lundström, J. N. (2010) "Carbon chain length and the stimulus problem in olfaction." *Behavioral Brain Research, 215*, 310-3.

Brannon, P. M., Carpenter, T. O., Fernandez, J. R., Gilsanz, V., Gould, J. B., Hall, K., Hui, S. L., Mennella, J. A., Miller N.J., and et al. (2010) "NIH Consensus Development Conference Statement: Lactose Intolerance and Health." *NIH Consensus Science Statements, 24*, 27.

Bryant, B. P., Xu, J., Audige, V., Lischka, F. W., and Rawson, N. E. (2010) "Cellular basis for the olfactory response to nicotine." *ACS Chemical Neuroscience, 1*, 246-256.

Cohn, Z. J., Kim, A., Huang, L., Brand, J., and Wang, H. (2010) "Lipopolysaccharide-induced inflammation attenuates taste progenitor cell proliferation and shortens the life span of taste bud cells." *BMC Neuroscience, 11*, 72.

Colsoul, B., Schraenen, A., Lemaire, K., Quintens, R., Van Lommel, L., Segal, A., Owsianik, G., Talavera, K., Voets, T, Margolskee, R. F., Kokrashvili, Z., Gilon, P., Nilius, B., Schuit, F. C., and Vennekens, R. (2010) "Loss of high-frequency glucose-induced Ca2+ oscillations in pancreatic islets correlates with impaired glucose tolerance in Trpm5-/- mice." *Proceedings of the National Academy of Sciences USA, 107*, 5208-5213.

Corsica, J. A. and Pelchat, M. L. (2010) "Food addiction: true or false?" *Current Opinions in Gastroenterology, 26*, 165-169.

Cowart, B. J. (2010) "Taste dysfunction: a practical guide for oral medicine." *Oral Diseases, 17*, 2-6.

Dalton, P. (2010) "Olfactory toxicity in humans and experimental animals."*Toxicology of the Nose and Upper Airways, 15*, 215-241.

Dalton, P. and Jaen, C. (2010) "Responses to odors in occupational environments."*Current Opinions in Allergy and Clinical Immunology, 10*, 127-132.

Dalton, P. H., Opiekun, R. E., Gould, M., McDermott, R., Wilson, T., Maute, C., Ozdener, M. H., Zhao, K.,

Emmett, E., Lees, P. S., Herbert, R., and Moline, J. (2010) "Chemosensory loss: functional consequences of the World Trade Center disaster."*Environmental Health Perspectives, 118*, 1251-1256.

Feng, P., Wang, H., Feldman, R. S., Pribitkin, E. A., and Breslin, P. A. S. (2010) "The T Cells in peripheral taste tissue of healthy human adults: Predominant memory T cells and Th-1 cells." *Chemical Senses, 35*, 501-509.

Field, K. L., Beauchamp, G. K., Kimball, B. A., Mennella, J. A., and Bachmanov, A. A. (2010) "Bitter avoidance in guinea pigs (Cavia porcellus) and mice (Mus musculus and Peromyscus leucopus)" *Journal of Comparative Psychology, 124*, 455-459.

Frasnelli, J., Lundstrom, J. N., Boyle, J. A., Djordjevic, J., Zatorre, R. J., and Jones-Gotman, M. (2010) "Neuroanatomical correlates of olfactory performance."*Experimental Brain Research, 201*, 1-11.

Frasnelli, J., Reden, J., Lundström, J. N., and Landis, B. N. (2010) "Comment on "Olfactory hallucinations as a manifestation of hidden rhinosinusitis." *Journal of Clinical Neuroscience, 17*, 543.

Gelperin, A. (2010) "Human olfactory perception." In: Hermann, A., *The Chemistry and Biology of Volatiles*. Hoboken: John Wiley Pub. Co., 253 – 290.

Goldstein, B. Sr. Ed. and Breslin, P. A. S. et al. Assoc. Eds. (2010) *Encyclopedia of Perception*. Thousand Oaks, CA: Sage Publications.

Iacono, A., Gómez, R., Sperry, J., Conde, J., Bianco, G., Meli, R., Smith, A. B., III, and Gualillo, O. (2010) "Effect of oleocanthal and its derivatives on inflammatory response induced by LPS in chondrocyte cell line." *Arthritis and Rheumatism, 62*, 1675-82.

Inoue, T. and Bryant, B. P. (2010) "Multiple cation channels mediate increases in intracellular calcium induced by the volatile irritant, trans-2-pentenal in rat trigeminal neurons." *Cellular and Molecular Neurobiology, 30*, 35-41.

Jiang, J. and Khao, K. (2010) "Airflow and nanoparticle deposition in rat nose under various breathing and sniffing conditions: a computational evaluation of the unsteady effect." *Journal of Aerosol Science, 41*, 1030-1043.

Johnson, A. T. C., Kahmis, S. M., Preti, G., Kwak, J., and Gelperin, A. (2010) "DNA-coated nanosensors for breath analysis." *IEEE Sensor Journal, 10*, 159-166.

Katsube, T., Yamasaki, M., Shiwaku, K., Ishijima, T., Matsumoto, I., Abe, K., and Yamasaki, Y. (2010) "Effect of flavonol glycoside in mulberry (Morus alba L.) leaf on glucose metabolism and oxidative stress in liver in diet-induced obese mice." *Journal of the Science of Food and Agriculture, 90*, 2386-2392.

Kimball, B. A. (2010) "Taste aversion learning." In: Weiner, I. B. and Craighead, W. E, *The Corsini Encyclopedia of Psychology, 4th Edition*. John Wiley and Sons, New Jersey, 1753 – 1755.

Kimball, B. A. and Taylor, J. D. (2010) "Mammalian herbivore repellents: Tools for altering plant palatability." *Pest Management Science, 21*, 181-187.

Kimball, B. A., Taylor, J., Perry, K. R., and Capelli, C. (2010) "Deer responses to repellent stimuli." *Journal of Chemical Ecology, 35*, 1461-1470.

Knaapila, A., Silventoinen, K., Broms, U., Rose, R. J., Perola, M., Kaprio, J., and Tuorila, H. M. (2010)

"Food neophobia in young adults: genetic architecture and relation to personality, pleasantness and use frequency of foods, and body mass index – A twin study." *Behavioral Genetics, 41*, 512-21.

Kwak, J., Willse, A., Preti, G., Yamazaki, K., and Beauchamp, G. K. (2010) "In search of the chemical basis for MHC odourtypes." *Proceedings of the Royal Society B, 277*, 2417-2425.

Lundstrom, J. N. and Olsson, M. J. (2010) "Functional neuronal processing of human body odors." *Vitamins & Hormones, 83*, 1-23.

Ma, J. and Lowe, G. (2010) "Correlated firing in tufted cells of mouse olfactory bulb."*Neuroscience, 169*, 1715-1738.

Mandel, A. L., Peyrot des Gachons, C., Plank, K. L, Alarcon, S., and Breslin, P. A. S. (2010) "Individual differences in AMY1 gene copy number, salivary a-amylase levels, and the perception of oral starch." *PLoS ONE, 5*, e13352.

Matsumura, K., Opiekun, M., Oka, H., Vachani, A., Albelda, S. M., Yamazaki, K., and Beauchamp, G. K.

(2010) "Urinary volatile compounds as biomarkers for lung cancer: a proof of principle study using odor signatures in mouse models of lung cancer." *PLoS One, 5*, e8819.

McQuade, L. E., Ma, J., Lowe, G., Ghatpande, A., Gelperin, A., and Lippard, S. J. (2010) "Visualization of nitric oxide production in the mouse main olfactory bulb by a cell-trappable copper(II) fluorescent probe." *Proceedings of the National Academy of Sciences USA, 107*, 8525-8530.

Mennella, J. A. and Beauchamp, G. K. (2010) "The role of early life experiences in flavor perception and delight." In: Dube, L., Bechara, A., Dagher, A., Drewnoski, A., LeBel, J., James, P., Richard, D., and

Yamaguchi, M., *Obesity Prevention: The Role of Society and Brain on Individual Behavior*. Elsevier, London, pp 203 – 218.

Mennella, J. A. and Pepino, M. Y. (2010) "Breast pumping and lactational state exert differential effects on ethanol pharmacokinetics." *Alcohol, 44*, 141-148.

Mennella, J. A. and Pepino, M. Y. (2010) "Breastfeeding and prolactin levels in lactating women with a family history of alcoholism." *Pediatrics, 125*, e1162-e1170.

Mennella, J. A. and Ventura, A K. (2010) "The basic biology underlying the flavor world of children." *Current Zoology, 56*, 834-841.

Mennella, J. A., Pepino, M. Y., Duke, F. F., and Reed, D. R. (2010) "Age modifies the genotype-phenotype relationship for the bitter receptor TAS2R38." *BMC Genetics, 11*, 60.

Mennella, J. A., Pepino, M. Y., Duke, F., and Reed, D. R. (2010) "Psychophysical dissection of genotype effects on human bitter perception." *Chemical Senses, 36*, 123-4.

Mennella, J. A., Pepino, M. Y., Lehmann, S., and Yourshaw, L. (2010) "Family history of alcoholism and depressive symptomology are associated with higher bliss points for sweets among children." *Addiction, 105*, 666-675.

Murata, Y., Yasuo, T., Yoshida, R., Obata, K., Yanagawa, Y., Margolskee, R. F., and Ninomiya, Y. (2010) "Action potential-enhanced ATP release from taste cells through hemichannels." *Neurophysiology, 104*, 896-901.

Murovets, V. O., Zolotarev, V. A., and Bachmanov, A. A. (2010) "The role of the Sac locus in the alcohol taste preference in inbred mouse strains." *Doklady Biological Sciences, 432*, 181-183.

Nelson, T. M., LopezJimenez, N. D., Tessarollo, L., Inoue, M., Bachmanov, A. A., and Sullivan, S. L. (2010) "Taste function in mice with a targeted mutation of the Pkd1l3 gene." *Chemical Senses, 35*, 565-577.

Ohmoto, M., Maeda, N., Abe, K., Yoshihara, Y., and Matsumoto, I. (2010) "Genetic tracing of bitter taste neural pathway in t2r5-WGA transgenic mice." *Biochemical and Biophysical Research Communications, 400*, 734-738.

Pelchat, M. L., Bykowski, C., Duke, F., and Reed, D. R. (2010) "Excretion and perception of a characteristic odor in urine after asparagus ingestion: a psychophysical and genetic study." *Chemical Senses, 36*, 9-17.

Pepino, M. Y., Finkbeiner, S., Beauchamp, G. K., and Mennella, J. A. (2010) Obese women have lower monosodium glutamate taste sensitivity and refer higher concentrations than do normal-weight women. *Obesity (Silver Spring), 18*, 965.

Preti, G. and Leyden, J. J. (2010) "Genetic influences on human body odor: From genes to the axillae." *Journal of Investigative Dermatology, 130*, 344-346.

Reed, D. R. (2010) "Heritable variation in fat preference." In: Montmayeur, J. P. and de Coutre, J., *Fat Detection: Taste, Texture, and Post-Ingestive Effects*. CRC Press, 395 – 416.

Reed, D. R. and Knaapila, A. (2010) "Genetics of taste and smell: poisons and pleasures." *Progress in Molecular Biology and Translational Science, 94*, 213-240.

Reed, D. R. and Margolskee, R. F. (2010) "Gustation genetics: Sweet gustducin!" *Chemical Senses, 35*, 549-550.

Reed, D. R., Zhu, G., Breslin, P. A. S., Duke, F. F., Henders, A. K., Campbell, M. J., Montgomery, G. W., Medland, S. E., Martin, N. G., and Wright, M. J. (2010) "The perception of quinine taste intensity is associated with common genetic variants in a bitter receptor cluster on chromosome 12." *Human Molecular Genetics, 19*, 4278–4285.

Reisert, J. (2010) "Origin of basal activity in mammalian olfactory receptor neurons."*Journal of General Physiology, 136*, 529-540.

Rickels, M. R., Mueller, R., Teff, K. L., and Naji, A. (2010) "B-Cell secretory capacity and demand in recipients of islet, pancreas, and kidney transplants." *Journal of Clinical Endocrinology and Metabolism, 95*, 1238-1246.

Sperry, J. B. and Smith, A. B., III. (2010) "Synthesis of diverse phenolic compounds isolated from olive oils." In: Preedy, V. R. and Watson, R. R., *Olives and Olive Oil in Health and Disease*, Academic Press: London, 1439 – 1464.

Suchy F.J.; Brannon P.M.; Carpenter, T.O.; Fernandez, J.R.; Gilsanz, V.; Gould, J. B.; Hall, K.; Hui, S.L.;

Lupton, J.R.; Mennella, J.A., et al. (2010) "National Institutes of Health Consensus Development Conference: Lactose Intolerance and Health." *Annals of Internal Medicine, 152*, 792-796.

Teff, K. L. (2010) "Cephalic phase pancreatic polypeptide responses to liquid and solid stimuli in humans." *Physiology & Behavior, 99*, 317-323.

Tordoff, M. G. (2010) "Taste solution consumption by FHH-Chr nBN consomic rats."*Chemical Senses, 35*, 473-4.

Voznessenskaya, V. V., Klyuchnikova, M. K., and Wysocki, C. J. (2010) "Roles of the main olfactory and vomeronasal systems in the detection of androstenone in inbred strains of mice." *Current Zoology, 56*, 813-818.

Williams, A. L., Heineman, P. H., Wysocki, C. J., Beyer, D. M., and Graves, R. E. (2010) "Prediction of odor pleasantness using electronic nose technology and artificial neural networks." *Applied Engineering in Agriculture, 26*, 343-350.

Wise, P. M., Zhao, K., and Wysocki, C. J. (2010) "Dynamics of nasal irritation from pulsed homologous alcohols." *Chemical Senses, 35(9)*, 823-9.

Wysocki, C. and Preti, G. (2010) " Human pheromones: what"s purported, what"s supported." *Sense of Smell Institute White Paper*,http://www.senseofsmell.org/research/C.Wysocki-White-Paper-Human_Pheromones.pdf.

Yee, K. K., Pribitkin, E. A., Cowart, B. J., Vainius, A. A., Klock, C. T., Rosen, D., Feng, P., McLean, J., Hahn, C-G, and Rawson, N. E. (2010) "Neuropathology of the olfactory mucosa in chronic rhinosinusitis." *American Journal of Rhinology and Allergy, 24*, 110-120.

Yoshida, R., Okhuri, T., Jyotaki, M., Yasuo, T., Horio, N., Yasumatsu, K., Sanematsu, K., Shigemura, N.,

Yanamato, T., Margolskee, R. F., and Ninomiya, Y. (2010) "Endocannabinoids selectively enhance sweet taste." *Proceedings of the National Academy of Sciences USA, 107*, 935-939.

2009

Albrecht, J., Schreder, T., Kleemann, A. M., Schopf, V., Kopietz, R., Anzinger, A., Demmel, M., Linn, J., Kettenmann, B., and Wiesmann, M. (2009). Olfactory detection thresholds and pleasantness of a food-related and a non-food odour in hunger and satiety. *Rhinology*, 47, 160-165.

Arnardottir, E. S., Mackiewicz, M., Gislason, T., Teff, K. L., and Pack, A. I. (2009). Molecular signatures of obstructive sleep apnea in adults: a review and perspective. *Sleep*, 32, 447-470.

Bachmanov, A. A., Inoue, M., Ji, H., Murata, Y., Tordoff, M., and Beauchamp, G. K. (2009). Glutamate taste and appetite in laboratory mice: physiologic and genetic analyses. *American Journal of Clinical Nutrition*, 90, 756S-763S.

Beauchamp, G. K. and Mennella, J. A. (2009). Early flavor learning and its impact on later feeding behavior. *Journal of Pediatric Gastroenterology and Nutrition*, 48, S25-S30.

Beauchamp, G. K. (2009). Sensory and receptor responses to umami: an overview of pioneering work. *American Journal of Clinical Nutrition*, 90, 723S-727S.

Boesveldt, S., Stam, C. J., Knol, D. L., Verbunt, J. P., and Berendse, H. W. (2009). Advanced time-series analysis of MEG data as a method to explore olfactory function in healthy controls and Parkinson's disease patients. *Human Brain Mapping*, 30, 3020-3030.

Boesveldt, S., de Muinck Keizer, R. J., Wolters, E. C., and Berendse, H. W. (2009). Odor recognition memory is not independently impaired in Parkinson's disease. *Journal of Neural Transmission*, 116, 575-578.

Borgmann-Winter, K., Rawson, N. E., Wang, H-Y., Wang, H., MacDonald, M. L., Ozdener, M. H., Yee, K. K., Gomez, G., Xu, J., Bryant, B. P., Adamek, G., Mirza, N., Pribitkin, E. A., and Hahn, C-G. (2009). Human olfactory epithelial cells generated in vitro express diverse neuronal characteristics. *Neuroscience*, 158, 642-653.

Boyle, J. A., Djordjevic, J., Olsson, M. J., Lundström, J. N., and Jones-Gotman, M. (2009). The human brain distinguishes between single odorants and binary mixtures. *Cerebral Cortex*, 19, 66-71.

Breslin, P. A. (2009). The genetics of taste. In: Goldstein, E. B., *Encyclopedia of Perception*. Sage Publications, Thousand Oaks, CA.

Breslin, P. A. S. (2009). The relationship between detection threshold and suprathreshold perception in taste. In: Goldstein, B. Sr. Ed., *Encyclopedia of Perception*. Sage Publications Thousand Oaks, CA.

Breslin, P. A. S. and Spector, A. C. (2009). Mammalian taste perception. *Current Biology*, 18, R148-R155.

Chen, Q. Y., Alarcon, S., Tharp, A., Ahmed, O. M., Estrella, N. L., Greene, T. A., Rucker, J., and Breslin, P. A. S. (2009). Perceptual variation in umami taste and polymorphisms in TAS1R taste receptor genes. *American Journal of Clinical Nutrition*, 90, 770S-779S.

Cicerale, S., Breslin, P. A. S., Beauchamp, G. K., and Keast, R. S. J. (2009). Sensory characterization of the irritant properties of oleocanthal, a natural anti-inflammatory agent in extra virgin olive oils. *Chemical Senses*, 34, 333-339.

Coldwell, S. E., Oswalda, T. K., and Reed, D. R. (2009). A marker of growth differs between adolescents with high vs low sugar preference. *Physiology & Behavior*, 96, 574-580.

Cowart, B. J. (2009). Ageing and chemical senses. In: Goldstein, B., *Encyclopedia of Perception*. Sage Publications, Thousand Oaks, CA, pp 17 - 19.

Cowart, B. J. (2009). Olfaction: disorders. In: Goldstein, B., *Encyclopedia of Perception*. Sage Publications, Thousand Oaks, CA, pp 661 - 664.

Dalton, P., Mennella, J. A., Cowart, B. J., Maute, C., Pribitkin, E. A., and Reilly, J. S. (2009). Evaluating the prevalence of olfactory dysfunction in a pediatric population. *Annals of the New York Academy of Science*, 1170, 537-542.

De Jonghe, B. C. and Horn, C. C. (2009, electronic citation). Chemotherapy agent cisplatin induces 48 h Fos expression in the brain of a vomiting species, the house musk shrew (Suncus murinus). *American Journal of Physiology: Regulatory, Integrative, and Comparative Physiology.*, doi:10.1152/ajpregu.90952.2008.

De Jonghe, B. C., Lawler, M. P., Horn, C. C., and Tordoff, M. G. (2009). Pica as an adaptive response: Kaolin consumption helps rats recover from chemotherapy-induced illness. *Physiology & Behavior*, 97, 87-90.

Esposito, L., Fisher, J. O., Mennella, J. A., Hoelscher, D. M., and Huang, T. T. K. (2009). Developmental perspectives on nutrition and obesity from gestation to adolescence. *Preventing Chronic Disease*, 6, A93.

Feng, P., Yee, K. K., Rawson, N. E., Feldman, L. M., Feldman, R. S., and Breslin, P. A. S. (2009). Immune cells of the human peripheral taste system: Dominant dendritic cells and CD4 T cells. *Brain, Behavior, and Immunity*, 23, 760-766.

Field, K. L., Bachmanov, A. A., Mennella, J. A., Beauchamp, G. K., and Kimball, B. A. (2009). Protein hydrolysates are avoided by herbivores but not by omnivores in two-choice preference tests. *PLoS ONE*, 4, e4126

Figueroa, J. A., Kimball, B. A., and Perry, K. R. (2009). Lagomorph and rodent responses to two protein hydrolysates. *Crop Protection*, 27, 851-854.

Gelperin, A. and Ghatpande, A. (2009). Neural basis of olfactory perception. *Annals of the New York Academy of Sciences*, 1170, 277-285.

Ghatpande, A. S. (2009). Is the olfactory bulb computationally similar to the retina? *Journal of Neurophysiology*, 101, 1-4.

Ghatpande, A. S. and Gelperin, A. (2009). Presynaptic muscarinic receptors enhance glutamate release at the mitral/tufted to granule cell dendrodendritic synapse in the rat main olfactory bulb. *Journal of Neurophysiology*, 101, 2052-2061.

Gidding, S. S., Lichtenstein, A., Faith, M. S., Karpyn, A., Mennella, J. A., Popkin, B., Rowe, J., Van Horn, L., and Whitsel, L. (2009). AHA Scientific Statement: Implementing American Heart Association Pediatric and Adult Nutrition Guidelines. *Circulation*, 119, 1161-1175.

Horn, C. C. (2009). Electrophysiology of vagal afferents: amino acid detection in the gut. *Annals of the New York Academy of Science*, 1170, 69-76.

Horn, C. C. (2009, electronic citation). Brain Fos expression induced by the chemotherapy agent cisplatin in the rat is partially dependent on an intact abdominal vagus. *Autonomic Neuroscience: Basic and Clinical*, doi:10.1016/j.autneu.2009.03.008.

Horn, C. C., De Jonghe, B. C., Matyas, K., and Norgren, R. (2009). Chemotherapy-induced kaolin intake is increased by lesion of the lateral parabrachial nucleus of the rat. *American Journal of Physiology: Regulatory, Integrative, and Comparative Physiology*, 297, R1375-R1382.

Hunter-Smith, S. and Huang, L. (2009). Human taste: peripheral anatomy, taste transduction and coding. *AgroFood Industry Hi-Tech*, 20, 24-27.

Huque, T., Cowart, B. J., Dankulich-Nagrudny, L., Pribitkin, E. A., Bayley, D. L., Spielman, A. I., Feldman, R. S., Mackler, S. A., and Brand, J. G. (2009). Sour ageusia in two individuals implicates ion channels of the ASIC and PKD families in human sour taste perception at the anterior tongue. *PLoS ONE*, 4, e7347

Ishiwatari, Y. and Bachmanov, A. A. (2009). A high-throughput method to measure NaCl and acid taste thresholds in mice. *Chemical Senses*, 34, 277-293.

Kimball, B. A. and Perry, K. R. (2009). Evaluating new protein sources for development of a deer repellent product. *Crop Protection*, 28, 364-366.

Kokrashvili, Z., Mosinger, B., and Margolskee, R. F. (2009). Taste signaling elements expressed in gut enteroendocrine cells regulate nutrient-responsive secretion of gut hormones. *American Journal of Clinical Nutrition,* 90, 822S-825S.

Kokrashvili, Z., Rodriguez, D., Yevshayeva, V., Zhou, H., Margolskee, R. F., and Mosinger, B. (2009). Release of endogenous opioids from duodenal enteroendocrine cells requires Trpm5. *Gastroenterology*, 137, 598-606, 606.

Kokrashvili, Z., Mosinger, B., and Margolskee, R. F. (2009). T1r3 and alpha-gustducin in gut regulate secretion of glucagon-like peptide-1. *Annals of the New York Academy of Sciences*, 1170, 91-94.

Kwak, J., Curran-Opiekun, M., Matsumura, K., Preti, G., Yamazaki, K., and Beauchamp, G. K. (2009). Major histocompatibility complex-regulated odortypes: Peptide-free urinary volatile signals. *Physiology & Behavior*, 96, 184-188.

Lemon, C. H. and Margolskee, R. F. (2009). Contribution of the T1r3 taste receptor to the response properties of central gustatory neurons. *Journal of Neurophysiology*, 101, 2459-2471.

Li, W., Sperry, J. B., Crowe, A., Trojanowski, J. Q., Smith, A. B. III, and Lee, V. M. (2009). Inhibition of tau fibrillization by oleocanthal via reaction with the amino groups of tau. *Journal of Neurochemistry*, 110, 1339-1351.

Li, X., Glaser, D., Li, W., Johnson, W. E., O'Brien, S. J., Beauchamp, G. K., and Brand, J. G. (2009). Analyses of sweet receptor gene (Tas1r2) and preference for sweet stimuli in species of Carnivora. *Journal of Heredity*, 100, S90-S100.

Libants, S., Carr, K., Wu, H, Teeter, J. H., Chung-Davidson, Y-W, Zhang, Z., Wilderson, C., and Li, W. (2010, electronic citation). The sea lamprey Petromyzon marinus genome reveals the early origin of several chemosensory receptor families in the vertebrate lineage. *BMC Evolutionary Biology*, doi:10.1186/1471-2148-9-180.

Lowe, G. (2009). Slice blotting. In: Kurien, B. T. and Schofield, R. H., *Protein Blotting and Detection*. The Humana Press, Inc., pp 67 - 73.

Lundström, J. N., Boyle, J. A., Zatorre, R. J., and Jones-Gotman, M. (2009). The neuronal substrates of human olfactory based kin recognition. *Human Brain Mapping*, 30, 2571-2580.

Lundström, J. N. and Jones-Gotman, M. (2009). Romantic love modulates women's identification of men's body odors. *Hormones and Behavior*, 55, 280-284.

Maehashi, K. and Huang, L. (2009). Bitter peptides and bitter taste receptors. *Cellular and Molecular Life Sciences*, 66, 1661-1671.

Maillet, E. L., Margolskee, R. F., and Mosinger, B. (2009). Phenoxy herbicides and fibrates potently inhibit the human chemosensory receptor subunit T1R3. *Journal of Medicinal Chemistry*, 12, 6931-6935.

Mandel, A. L., Ozdener, M. H., and Ultermohlen, V. (2009). Identification of pro- and mature brain-derived neurotrophic factor in human saliva. *Archives of Oral Biology*, 54, 689-695.

Mennella, J. A., Forestell, C. F., Morgan, L. K., and Beauchamp, G. K. (7-15-2009). Early milk feeding influences taste acceptance and liking during infancy. *American Journal of Clinical Nutrition*, 90, 780S-788S.

Mennella, J. A. (2009). Taste and smell. In: Shweder, R. A., Bidell, T. R., Dailey, A. C., Dixon, S. D., Miller, P. J., and Modell, J., *The Child: An Encyclopedic Companion*. University of Chicago Press, Chicago, pp 980 - 982.

Mennella, J. A. (2009). Flavour programming during breast-feeding. *Advances in Experimental Medicine and Biology*, 639, 113-120.

Mennella, J. A. and Pepino, M. Y. (2009). Biphasic effects of alcohol consumption on prolactin in lactating women. *Alcohol*, 32, 1899-1908.

Miyazawa, T., Gallagher, M., Preti, G., and Wise, P. M. (2009). Psychometric functions for ternary odor mixtures and their unmixed components. *Chemical Senses*, 34, 753-761.

Miyazawa, T., Gallagher, M., Preti, G., and Wise, P. M. (2009). Methodological factors in odor detection by humans. *Chemosensory Perception*, 2, 195-202.

Miyazawa, T., Gallagher, M., Preti, G., and Wise, P. M. (2009). Odor detection of mixtures of homologous carboxylic acids and coffee aroma compounds by humans. *Journal of Agricultural and Food Chemistry*, 57, 9895-9901.

Murata, Y., Beauchamp, G. K., and Bachmanov, A. A. (10-19-2009). Taste perception of monosodium glutamate and inosine monophosphate by129P3/J and C57BL/6ByJ mice. *Physiology & Behavior*, 98, 481-488.

Ninomiya, Y. and Beauchamp, G. K. (2009). Symposium overview: Umami reception in the oral cavity: receptors and transduction. *Annals of the New York Academy of Sciences*, 1170, 39-40.

Ohkuri, T., Yasumatsu, K., Horio, N., Jyotaki, M., Margolskee, R. F., and Ninomiya, Y. (2009). Multiple sweet receptors and transduction pathways revealed in knockout mice by temperature dependence and gurmarin sensitivity. *American Journal of Physiology. Regulatory, Integrative, and Comparative Physiology.*, 296, R960-R971.

Ozdener, M. H., Yee, K. K., McDermott, R., Cowart, B., Vainius, A. A., Dalton, P., and Rawson, N. (2009). Assessment of smoking status based on cotinine levels in nasal lavage fluid. *Tobacco Induced Diseases*, 5, 11.

Pelchat, M. L. (2009). Food addiction in humans. *Journal of Nutrition*, 139, 620-622.

Pepino, M. Y., Finkbeiner, S., and Mennella, J. A. (2009). Similarities in food cravings and mood states between obese women and women who smoke tobacco. *Obesity*, 17, 1158-1163.

Peyrot des Gachons, C and Breslin, P. A. S. (2009). Chemosensory perception. *Food Science and Technology*, 23, 21-22.

Peyrot des Gachons, C, Beauchamp, G. K., and Breslin, P. A. S. (2009). The genetics of bitterness and pungency detection and its impact on phytonutrient evaluation. *Annals of the New York Academy of Sciences*, 1170, 140-144.

Pitt, J., Roth, W., Lacor, P., Smith, A. B. III, Blankenship, M., Velasco, P., De Felice, F., Breslin, P. A. S., and Klein, W. L. (2009). Alzheimer's-associated Abeta oligomers show altered structure, immunoreactivity and synaptotoxicity with low doses of oleocanthal. *Toxicology*, 240, 189-197.

Preti, G., Thaler, E., Hanson, CW., Troy, M., Eades, J., and Gelperin, A. (2009). Volatile compounds characteristic of sinus-related bacteria and infected sinus mucus: analysis by solid-phase microextraction and gas chromatography-mass spectrometry. *Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences*, 877, 2011-2018.

Rawson, N. E. and Huang, L. (2009). Symposium overview: Impact of oronasal inflammation on taste and smell. *Annals of the New York Academy of Sciences*, 1170, 581-584.

Rawson, N. E. and Huang, L. (2009). Impact of oronasal inflammation on taste and smell: an introduction. *Annals of the New York Academy of Sciences*, 1170, 596-603.

Reed, D. R. (2009). Heritable variation in fat preference. In: Montmayeur, J. P. and de Coutre, J., Taylor & Francis.

Reisert, J. and Restrepo, D. (2009). Molecular tuning of odorant receptors and its implication for odor signal processing. *Chemical Senses*, 34, 535-545.

Schumm, L. P., Williams, S., Leitsh, S., Lundström, J. N., Hummel, T., McClintock, M. K., and Tessler-Linday, S. (2009). Assessment of sensory function in the National Social Life, Health and Aging Project. *Journal of Gerontology: Social Sciences*, 64B, i76-i85.

Stephan, A. B., Shum, E. Y., Hirsh, S., Cygnar, K. D., Reisert, J., and Zhao, H. (2009). ANO2 is the cilial calcium-activated chloride channel that may mediate olfactory amplification. *Proceedings of the National Academy of Sciences USA*, 106, 11776-11781.

Teff, K. L., Grudziak, J., Townsend, R. R., Dunn, T. N., Grant, R. W., Adams, S. H., Keim, N. L., Cummings, B. P., Stanhope, K. L., and Havel, P. J. (2009). Endocrine and metabolic effects of consuming fructose- and glucose-sweetened beverages with meals in obese men and women: influence of insulin resistance on plasma triglyceride responses. *Journal of Clinical Endocrinology and Metabolism*, 94, 1562-1569.

Tordoff, M. and Sandell, M. A. (2009). Vegetable bitterness is related to calcium content. *Appetite*, 52, 498-504.

Ventura, A. K., Loken, E., and Birch, L. L. (2009). Developmental trajectories of girls' BMI across childhood and adolescence. *Obesity (Silver Spring)*, 17, 2067-2074.

Wang, H., Zhou, M., Brand, J., and Huang, L. (2009). Inflammation and taste disorders: mechanisms in taste buds. *Annals of the New York Academy of Sciences,* 1170, 596-603.

Wang, H., Iguchi, N., Rong, Q., Zhou, M., Ogukunorode, M., Inoue, M., Pribitkin, E. A., Bachmanov, A. A., Margolskee, R., Pfeifer, K., and Huang, L. (2009). Expression of the voltage-gated potassium channel KCNQ1 in mammalian taste bud cells and the effect of its null-mutation on taste preferences. *Journal of Comparative Neurology*, 512, 384-398.

Wise, P. M., Zhao, K., and Wysocki, C. J. (2009). Dynamics of nasal chemesthesis. *Annals of the New York Academy of Science*, 1170, 206-214.

Wise, P. M., Toczydlowski, S. E., Zhao, K., and Wysocki, C. (2009). Temporal integration in nasal lateralization of homologous propionates. *Inhalation Toxicology*, 21, 819-827.

Wysocki, C. J. and Preti, G. (2009). Pheromones in mammals. In: Squire, L. R., *Encylcopedia of Neuroscience, volume 7*. Academic Press, Oxford, pp 625 - 632.

Wysocki, C. J., Louie, J., Leyden, J. J., Blank, D., Gill, M., Smith, L., McDermott, K., and Preti, G. (2009, electronic citation). Cross-adaptation of a model human stress-related odor with fragrance chemicals and ethyl esters of axillary odorants: gender-specific effects. *Flavour and Fragrance Journal*, doi:10.1002/ffj.1927.

Yee, K. K., Pribitkin, E. A., Cowart, B. J., Vainius, A. A., Klock, C. T., Rosen, D., Hahn, C-G, and Rawson, N. E. (2009). Smoking-associated squamous metaplasia in olfactory mucosa of patients with chronic rhinosinusitis. *Toxicologic Pathology*, 37, 594-598.

Yee, K. K., Pribitkin, E. A., Cowart, B. J., Rosen, D., Feng, P., and Rawson, N. E. (2009). Analysis of the olfactory mucosa in chronic rhinosinusitis. *Annals of the New York Academy of Sciences*, 1170, 595.

Yoshida, R., Miyauchi, A., Yasuo, T., Jyotaki, M., Murata, Y., Yasumatsu, K., Shigemura, N., Yanagawa, Y., Obata, K., Ueno, H., Margolskee, R. F., and Ninomiya, Y. (2009). Discrimination of taste qualities among mouse fungiform taste bud cells. *Journal of Physiology*, 587, 4425-4439.

Zukerman, S., Touzani, K., Margolskee, R. F., and Sclafani, A. (2009). Role of olfaction in the conditioned sucrose preference of sweet-ageusic T1R3 knockout mice. *Chemical Senses*, 34, 685-694.

Zukerman, S., Glenndinning, J. I., Margolskee, R. F., and Sclafani, A. (2009). T1R3 taste receptor is critical for sucrose but not Polycose taste. *American Journal of Physiology.Regulatory, Integrative, and Comparative Physiology.*, 296, R866-R876.

2008

Bachmanov, A. A. & Beauchamp, G. K. (2008). Amino acid and carbohydrate preferences in C57BL/6ByJ and 129P3/J mice. *Physiology & Behavior, 93,* 37-43.

Bachmanov, A. A. (2008). Genetic architecture of sweet taste. In D.K.Weersainghe & G. E. DuBois (Eds.), *Sweetness and Sweeteners: Biology, Chemistry, and Psychophysics* (ACS symposium series, 979 ed., pp. 18-47). Oxford University Press.

Boughter, J. D. & Bachmanov, A. A. (2008). Genetics and evolution of taste. In S.Firestein & G. Beauchamp (Eds.), *The Senses: A Comprehensive Reference. Vol. 4, Olfaction and Taste* (pp. 371-390). San Diego: Elsevier/Academic Press.

Breslin, P. A. S. (2008, electronic publication). Multi-modal sensory integration: Evaluating foods and mates. *Chemosensory Perception*. doi: 10.1007/s12078-008-9021-5

Cardello, A. V. & Wise, P. M. (2008). Taste, smell and chemesthesis in product experience. In: *Product Experience*. Elsevier.

Dalton, P., Maute, C., Oshida, A., Hikichi, S., & Izumi, Y. (2008). The use of semantic differential scaling to define the multi-dimensional representation of odors. *Journal of Sensory Studies, 23,* 485-497.

De Jonghe, B. C. & Horn, C. C. (2008). Chemotherapy-induced pica and anorexia are reduced by common hepatic branch vagotomy in the rat. *American Journal of Physiology, 294,* 756-765.

Field, K. L., Kimball, B. A., Mennella, J. A., Beauchamp, G. K., & Bachmanov, A. A. (2008). Avoidance of hydrolyzed casein by mice. *Physiology & Behavior, 93,* 189-199.

Gallagher, M., Wysocki, C. J., Leyden, J. J., Spielman, A. I., Sun, X., & Preti, G. (2008). Analyses of volatile organic compounds from human skin. *British Journal of Dermatology, 159,* 780-791.

Gallagher, M., Dalton, P., Sitvarin.L., & Preti, G. (2008). Sensory and analytical evaluation of paints with and without Texanol. *Environmental Science & Technology, 42,* 243-248.

Gelperin, A. (2008). Neural computations with mammalian infochemicals. *Journal of Chemical Ecology, 34,* 928-942.

Gelperin, A. & Johnson, A. T. C. (2008, electronic publication). Nanotube-based sensor arrays for clinical breath analysis. *Journal of Breath Research*, doi:10.1088/1752-7155/2/3/037015

Gordesky-Gold, B., Rivers, N., Ahmed, O. M., & Breslin, P. A. S. (2008). Drosophila melanogaster prefers compounds perceived sweet by humans. *Chemical Senses, 33,* 301-309.

Guenthner, C. J., McCaughey, S. A., Tordoff, M. G., & Baird, J. P. (2008). Licking for taste solutions by potassium-deprived rats: specificity and mechanisms. *BMC Genetics, 93,* 937-946.

Horn, C. C. (2008). Why is the neurobiology of nausea and vomiting so important? *Appetite, 50,* 430-434.

Huang, L. (2008). Bitter taste for flavor and health. *Perfumer and Flavorist, 33,* 52-55.

Inoue, M., Glenndinning, J. I., Theodorides, M., Harkness, S., Li, X., Bosak, N. et al. (2008). Allelic variation of the Tas1r3 taste recptor gene selectively affects taste responses to sweeteners: evidence from 129.B6-Tas1r3 congenic mice. *Physiological Genomics, 32,* 82-94.

Jaen, C. (2008). Mecanismos celulares de la olfación. *Revista de Rinología, 8,* 21-25.

Ji, H. & Friedman, M. I. (2008). Reduced hepatocyte fatty acid oxidation in outbred rats pre-screened for susceptibility to diet-induced obesity. *International Journal of Obesity, 32,* 1331-1334.

Kimball, B. A. & Perry, K. R. (2008). Manipulating beaver (*castor canadensis)* feeding responses to invasive tamarisk (*tamarix* spp.). *Journal of Chemical Ecology, 34,* 1050-1056.

Kimball, B. A., Russell, J. H., DeGraan, J. P., & Perry, K. R. (2008). Screening hydrolyzed casein as a deer repellent for reforestation applications. *Western Journal of Applied Forestry, 23,* 172-176.

Kwak, J., Willse, A., Matsumura, K., Preti, G., Yamazaki, K., & Beauchamp, G. K. (2008, electronic publication). Genetically-based olfactory signatures persist despite dietary variation. *PLoS ONE*. doi:10.1371/journal.pone.0003591

Lischka, F. W., Gomez, G., Yee, K. K., Dankulich-Nagrudny, L., Lo, L., Haskins, M. E. et al. (2008). Altered olfactory epithelial structure and function in feline models of mucopolysaccharidoses I and VI. *Journal of Comparative Neurology, 511,* 360-372.

Lowe, G., Buerk, D. G., Ma, J., & Gelperin, A. (2008). Tonic and stimulus-evoked nitric oxide production in the mouse olfactory bulb. *Neuroscience, 153,* 842-850.

Lundstrom, J. N., Boyle, J. A., Zatorre, R. J., & Jones-Gotman, M. (2008). Functional neuronal processing of body odors differs from that of similar common odors. *Cerebral Cortex, 18,* 1466-1474.

Lundstrom, J. N., Wysocki, C. J., Olsson, M. J., Yamazaki, K., & Preti, G. (2008). Explaining the association between kinship and fertility. *Science, 320,* 1160-1161.

Maehashi, K., Matano, M., Wang, H., Vo, L. A., Yamamato, Y., & Huang, L. (2008). Bitter peptides activate hTAS2Rs, the human bitter receptors. *Biochemical and Biophysical Research Communications, 365,* 851-855.

McCaughey, S. A. (2008). The taste of sugars. *Neuroscience and Biobehavioral Reviews, 32,* 1024-1043.

Mennella, J. A., Nicklaus, S., Jagolino, A. L., & Yourshaw, L. M. (2008). Variety is the spice of life: Strategies for promoting fruit and vegetable acceptance in infants. *Physiology & Behavior, 94,* 29-38.

Mennella, J. A. & Beauchamp, G. K. (2008). Optimizing oral medications for children. *Clinical Therapeutics, 30,* 2120-2132.

Mennella, J. A. & Forestell, C. A. (2008). Children's hedonic responses to the odors of alcoholic beverages: A window to emotions. *Alcohol, 42,* 249-260.

Mennella, J. A. (2008). Flavor programming during breast feeding. In G.R.Goldberg & et.al. (Eds.), *Breast-feeding: Early Influences on Later Health* (pp. 113-120). B.V.: Springer Science + Business Media.

Miyazawa, T., Gallagher, M., Preti, G., & Wise, P. M. (2008). The impact of sub-threshold carboxylic acids on the odor intesity of supra-threshold flavor compounds. *Chemosensory Perception, 3,* 163-167.

Miyazawa, T., Gallagher, M., Preti, G., & Wise, P. M. (2008). Synergistic mixture interactions in detection of perithreshold odors by humans. *Chemical Senses, 33,* 363-369.

Naim, M., Shaul, M. E., Spielman, A. I., Huang, L., & Peri, I. (2008). Permeation of amphipathic sweeteners into taste-bud cells and their interactions with post-receptor signaling components: Possible implications for sweet-taste quality. In D.K.Weerasinghe & G. Dubois (Eds.), *Sweetness and Sweeteners: Biology, Chemistry, and Psychophysics* (pp. 241-255). London: Oxford University Press.

Osada, K., Curran, M., Kurachi M, Tsunoda, K., & Yamazaki, K. (2008). Effect of an orally ingested mugwort and mushroom extract mixture on urine odor from aged mice. *Bioscience Biotechnology Biochemistry, 72,* 1249-1256.

Pepino, M. Y. & Mennella, J. A. (2008). Effects of breast pumping on the pharmacokinetics and pharmacodynamics of ethanol during lactation. *Clinical Pharmacology and Therapeutics, 84,* 710-714.

Petrova, M., Diamond, J., Shuster, B., & Dalton, P. (2008). Evaluation of trigeminal sensitivity to ammonia in asthmatics and healthy human volunteers. *Inhalation Toxicology, 20,* 1085-1092.

Rawson, N. E. & Ozdener, M. H. (2008). In vitro models to study taste: Can sweetness be modeled in a dish? In D.K.Weersainghe & G. E. DuBois (Eds.), *Sweetness and Sweeteners Biology, Chemistry and Psychophysics: American Chemical Society symposium series 979* (pp. 76-93). Oxford University Press.

Reed, D. R. (2008). Commentary: Birth of a new breed of supertaster. Chemical Senses, 33, 489-491.

Reed, D.R. (2008). Animal models of gene-nutrient interactions. *Obesity, 16,* S23-S27.

Reed, D. R., Avigdor, M., McDaniel, A. H., & Bachmanov, A. A. (2008). QTL for body composition on chromosome 7 detected using a chromosome substitution mouse strain. *Obesity Research, 10,* 483-487.

Reed, D. R., Lawler, M. P., & Tordoff, M. G. (2008). Reduced body weight is a common effect of gene knockout. *BMC Genetics, 9*, 4.

Sergeant, M. J. T., Louie, J., & Wysocki, C. J. (2008). The influence of sexual orientation on human olfactory function. In J.Benyon, J. Hurst, C. Roberts, & T. Wyatt (Eds.), *Advances in Chemical Signals in Vertebrates* (pp. 121-130). New York: Springer.

Shigemura, N., Ohkuri, T., Sadamitsu, C., Yasumatsu, K., Yoshida, R., Beauchamp, G. K. et al. (2008). Amiloride-sensitive NaCl taste responses are associated with genetic variation of ENaC-subunit in mice. *American Journal of Physiology, 294,* R66-R75.

Song, Y., Cygnar, K. D., Sagdullaev, B., Valley, M., Hirsh, S., Stephan, A. et al. (2008). Olfactory CNG channel desensitization by Ca2+/CaM via the B1b subunit affects response termination but not sensitvity to recurring stimulation. *Neuron,* 374-386.

Teff, K. L. (2008). Visceral nerves: vagal and sympathetic innervation. *Journal of Parenteral and Enteral Nutrition, 32,* 569-571.

Tordoff, M. G. (2008). Gene discovery and the genetic basis of calcium consumption. *Physiology & Behavior, 94,* 649-659.

Tordoff, M. G., Reed, D. R., & Shao, H. (2008). Calcium taste preferences: Genetic analysis and genome screen of C57Bl/6J x PWK/PhJ hybrid mice. *Genes, Brain, and Behavior, 7,* 618-628.

Tordoff, M. G., Shao, H., Alarcón, L. K., Margolskee, R. F., Mosinger, B., Bachmanov, A. A. et al. (2008). Involvement of T1R3 in calcium-magnesium taste. *Physiological Genomics, 34,* 338-348.

Tordoff, M. G., Alarcón, L. K., & Lawler, M. P. (2008). Preferences of 14 rat strains for 17 taste compounds. *Physiology and Behavior, 95,* 308-332.

Trojanowski, J. Q., Hendricks, J. C., Jedrziewski, K., Johnson, F. B., Michel, K. E., Hess, R. S. et al. (2008). Exploring human/animal intersections: Converging lines of evidence in comparative models of aging. *Alzheimer's & Dementia, 4,* 1-5.

Trout, K. K., Basel-Brown, L., Rickels, M. R., Schutta, M. H., Petrova, M., Freeman, E. W. et al. (2008). Insulin sensitivity, food intake, and cravings with premenstrual syndrome: a pilot study. *Journal of.Womens Health, 17,* 657-665.

Watanabe, S., Kirino, Y., & Gelperin, A. (2008). Neural and molecular mechanisms of microcognition in Limax. *Learning & Memory, 15,* 633-642.

Werner, S. J., Kimball, B. A., & Provenza, F. D. (2008). Color, flavor, and conditioned avoidance among red-winged blackbirds. *Physiology & Behavior, 93,* 110-117.

Wise, P. M., Bien, N., & Wysocki, C. J. (2008). Two rapid odor threshold methods compared to a modified method of constant stimuli. *Chemosensory Perception, 1,* 16-23.

2007

Bachmanov, A.A. & Beauchamp, G.K. (2007). Amino acid and carbohydrate preferences in C57BL/6ByJ and 129P3/J mice. *Physiology & Behavior*, 93, 37-43.

Bachmanov, A.A. & Beauchamp, G.K. (2007). Taste receptor genes. *Annual Review of Nutrition*, 27, 389-414.

Boughter, J.D. & Bachmanov, A.A. (2007). Behavioral genetics and taste. *BMC Neuroscience*. Online publication: doi:10.1186/1471-2202-8-S3-S3.

Dalton, P., Gould, M., Dilks, D., Stefaniak, A., Triebig, G., Bader, M., Hungerland, E., & Lees, P.S.J. (2007). Biomonitoring to determine effective occupational exposures to styrene vapour and effects on olfactory function. *Journal of Occupational and Environmental Medicine.*

Dalton, P., Lees, P.S.J., Gould, M., Dilks, D., Stefaniak, A., Bader, M., Ihrig, A., & Triebig.G. (2007). Evaluation of long-term occupational exposure to styrene vapor on olfactory function. *Chemical Senses* , 32, 739-747.

De Jonghe, B.C. & Horn, C.C. (2007). Chemotherapy-induced pica and anorexia are reduced by common hepatic branch vagotomy in the rat. *American Journal of Physiology*. Online publication: doi:10.1152/ajpregu.00820.2007.

Forestell, C.A. & Mennella, J.A. (2007). Early determinants of fruit and vegetable acceptance. *Pediatrics*, 129, 1247-1254.

Forestell, C.A. & Mennella, J.A. (2007). Food, folklore and flavor preference development. In: C. Lammi-Keefe (Eds.), Handbook of Nutrition and Pregnancy, 55-64.

Friedman, M.I. (2007). Obesity and the hepatic control of feeding behavior. *Drug News & Perspectives*, 20, 573-578.

Galindo-Cuspinera, V. & Breslin, P.A.S. (2007). Taste after-images: the science of "water tastes". *Cellular and Molecular Life Sciences*, 64, 2049-2052.

Garcia-Medina, N.E., Jimenez-Capdeville, M.E., Ciucci, M., Martinez, L.M., Delgado, J.M., & Horn, C.C. (2007). Conditioned flavor aversion and brain Fos expression following exposure to arsenic. *Toxicology*, 235, 73-82.

Gelperin, A., Hildebrand, J., & Eisner, T. (2007). Vincent Gaston Dethier. In: Biographical Memoirs, National Academy of Sciences, pp 79-95.

Horn, C.C. (2007). Why is the neurobiology of nausea and vomiting so important? *Appetite*. Online publication: doi:10.1016/j.appet.2007.09.015.

Inoue, M., Glenndinning, J.I., Theodorides, M.L., Harkness, S., Li, X., Bosak, N., Beauchamp, G.K., & Bachmanov, A.A. (2007). Allelic variation of the Tas1r3 taste receptor gene selectively affects taste responses to sweeteners: evidence from 129.B6-Tas1r3 congenic mice. *Physiological Genomics*. Online publication: doi:10.1152/physiolgenomics.00161.2007.

Ji, H. & Friedman, M.I. (2007). Reduced capacity for fatty acid oxidation in rats with inherited susceptibility to diet-induced obesity. *Metabolism: Clinical and Experimental*, 56, 1124-1130.

Ji, H. & Bachmanov, A.A. (2007). Differences in postingestive metabolism of glutamate and glycine between C57BL/6ByJ and 129P3/J mice. *Physiological Genomics*. Online publication: doi:10.1152/physiolgenomics.00013.2007.

Jing, J., Vilim, F.S., Horn, C.C., Alexeeva, V., Hatcher, N.G., Sasaki, K., Yashina, I., Zhurov, Y., Kupfermann, I., Sweedler, J.V., & Weiss, K.R. (2007). From hunger to satiety: Reconfiguration of a feeding network by Aplysia neuropeptide Y. *Journal of Neuroscience*, 27, 3490-3502.

Koulakov, A., Gelperin, A., & Rinberg, D. (2007). Olfactory coding with all-or-nothing glomeruli. *Journal of Neurophysiology*, 98, 3134-3142.

Lowe, G. (2007). Olfactory bulb: Synaptic organization. *Encyclopedia of Life Sciences*. Online publication: www.els.net/doi: 10.1002/9780470015902.a0020289.

Ma, J. & Lowe, G. (2007). Calcium permeable AMPA receptors and autoreceptors in external tufted cells of rat olfactory bulb. *Neuroscience*, 144, 1094-1108.

Mattes, R.D. & Cowart, B.J. (2007). Research methods for human sensory system analysis and food evaluation. In: E.R. Monsen & L. Van Horn (Eds.), Research: Successful Approaches, 3rd edition, Chicago: American Dietetic Association, pp 249-266.

McCaughey, S.A. (2007). Taste-evoked responses to sweeteners in the nucleus of the solitary tract differ between C57BL/6ByJ and 129P3/J mice. *Journal of Neuroscience*, 27, 35-45.

McCaughey, S.A., Giza, B.K., & Tordoff, M.G. (2007). Taste and acceptance of pyrophosphates by rats and mice. *American Journal of Physiology*. Online publication: doi:10.1152/ajpregu.00886.2006.

Mennella, J.A. (2007). Alcohol and lactation: do no harm. *Nutrition and Dietetics*, 64, 128-129.

Mennella, J.A., Yourshaw, L.M., & Morgan, L.K. (2007). Breastfeeding and smoking: Short-term effects on infant feeding and sleep. *Pediatrics*, 120, 497-502.

Mennella, J.A. (2007). The chemical senses and the development of flavor preferences in humans. In: P.E. Hartmann & T. Hale (Eds.), Textbook on Human Lactation, Texas: Hale Publishing, pp 403-414.

Molina, J.C., Mennella, J.A., Lewis, M.J., Spear, N.E., & Spear, I. (2007). Alcohol and development: Beyond fetal alcohol syndrome. *Developmental Psychobiology*, 49, 227-242.

Pepino, M.Y. & Mennella, J.A. (2007). Effects of cigarette smoking and family history of alcoholism on sweet taste perception and food cravings in women. *Alcoholism: Clinical and Experimental Research*, 31, 1891-1899.

Pepino, M.Y., Steinmeyer, A.L., & Mennella, J.A. (2007). Lactational state modifies alcohol pharmacokinetics in women. *Alcoholism: Clinical and Experimental Research*, 31, 909-918.

Reed, D.R., Bachmanov, A.A., & Tordoff, M.G. (2007). Forty mouse strain survey of body composition. *Physiology & Behavior*, 91, 593-600.

Reisert, J., Yau, K.-W., & Margolis, F. (2007). Olfactory marker protein modulates the cAMP kinetics of the odour-induced response in cilia of mouse olfactory receptor neurons. *Journal of Physiology*. Online publication: doi:jphysiol.2007.142471v1.

Rickels, M.R., Naji, A., & Teff, K.L. (2007). Acute insulin responses to glucose and arginine as predictors of beta-cell secretory capacity in human islet transplantation. *Transplantation*, 84, 1357-1360.

Rickels, M.R., Schutta, M.H., Mueller, R., Kapoor, S., Markmann, J.F., Naji, A., & Teff, K.L. (2007). Glycemic thresholds for activation of counterregulatory hormone and symptom responses in islet transplant recipients. *Journal of Clinical Endocrinology and Metabolism*, 92, 873-879.

Shao, H., Reed, D.R., & Tordoff, M.G. (2007). Genetic loci affecting body weight and fatness in a C57BL/6J × PWK/PhJ intercross. *Mammalian Genome*, 18, 839-851.

Smeets, M.A., Bulsing, P.J., van Rooden, S., Steinmann, R., de Ru, J.A., Ogink, N.W.M., van Thriel, C., & Dalton, P. (2007). Odor and irritation thresholds for ammonia: a comparison between static and dynamic olfactometry. *Chemical Senses*, 32, 11-20.

Szymanski, L.A., Schneider, J.E., Friedman, M.I., Ji, H., Kurose, Y., Blache, D., Rao, A., Dunshea, F.R., & Clarke, I.J. (2007). Changes in insulin, glucose and ketone bodies, but not leptin or body fat content precede restoration of luteinising hormone secretion in ewes. *Journal of Neuroendocrinology*, 19, 449-460.

Teff, K.L., Petrova, M., Havel, P.J., & Townsend, R.R. (2007). 48-h glucose infusion in humans: effect on hormonal responses, hunger and food intake. *Physiology & Behavior*, 90, 733-743.

Tordoff, M.G., Bachmanov, A.A., & Reed, D.R. (2007). Forty mouse strain survey of voluntary calcium intake, blood calcium, and bone mineral content. *Physiology & Behavior*, 91, 632-643.

Tordoff, M.G., Reed, D.R., & Bachmanov, A.A. (2007). Forty mouse strain survey of water and sodium intake. *Physiology & Behavior*, 91, 620-631.

Tordoff, M.G. (2007). Taste solution preferences of C57BL/6J and 129X1/SvJ mice: Influence of age, sex, and diet. *Chemical Senses*, 32, 655-671.

Trout, K.K., Rickels, M.R., Schutta, M., Petrova, M., Freeman, E.W., Tkacs, M.C., & Teff, K.L. (2007). Menstrual cycle effects on insulin sensitivity in women with type 1 diabetes: a pilot study. *Diabetes, Technology and Therapeutics*, 9, 176-182.

Wang, H., Zhou, M., Brand, J., & Huang, L. (2007). Inflammation activates the interferon signaling pathways in taste bud cells. *Journal of Neuroscience*, 27, 10703-10713.

Wheeler, E.F., Topper, P.A., Graves, R.E., Bruns, M.A., & Wysocki, C.J. (2007). Odor-reduction performance of constructed wetland treating diluted swine manure. *Applied Engineering in Agriculture*, 23, 621-630.

Whittle, C.L., Fakharzadeh, S., Eades, J., & Preti, G. (2007). Human breath odors and their use in diagnosis. *Annals of the New York Academy of Sciences*, 1098, 252-266.

Wise, P.M., Hansen, J.L., Reed, D.R., & Breslin, P.A.S. (2007). Twin study of the heritability of recognition thresholds for sour and salty taste. *Chemical Senses*, 32, 749-754.

Wise, P.M., Miyazawa, T., Gallagher, M., & Preti, G. (2007). Human odor detection of homologous carboxylic acids and their binary mixtures. *Chemical Senses*, 32, 475-482.

Wise, P.M., Toczydlowski, S.E., & Wysocki, C.J. (2007). Temporal integration in nasal lateralization of homologous alcohols. *Toxicological Sciences*, 99, 254-259.

Yamazaki, K. & Beauchamp, G.K. (2007). Genetic basis for MHC-dependent mate choice. *Advances in Genetics*, 59, 129-145.

Yamazaki, K. (2007). Olfaction and behavior genetics. In: T. Shibuya & M. Ichikawa (Eds.), Nioi to Kaori no kagaku (Olfaction), Asakura Publishers, pp 166-183.

Yang, G.C., Scherer, P.W., Zhao, K., & Mozell, M.M. (2007). Numerical modeling of odorant uptake in the rat nasal cavity. *Chemical Senses*, 32, 273-284.

Zhao, K. & Dalton, P. (2007). The way the wind blows: implications of modeling nasal airflow. *Current Allergy and Asthma Reports*, 7, 117-125.

2006

Andrews, P.L.R. & Horn, C.C. (2006). Signals for nausea and emesis: Implications for models of upper gastrointestinal diseases. *Autonomic Neuroscience: Basic and Clinical*, 125, 100-115.

Breslin, P.A.S. & Huang, L. (2006). Human taste: Peripheral anatomy, taste transduction, and coding. *Advances in Otorhinolaryngology*, 63, 152-190.

Crystal, S.R. & Teff, K.L. (2006). Tasting fat: cephalic phase hormonal responses and food intake in restrained and unrestrained eaters. *Physiology & Behavior*, 89, 213-220.

Dalton, P., Dilks, D.D., & Hummel, T. (2006). Effects of long-term exposure to volatile irritants on sensory thresholds, negative mucosal potentials, and event-related potentials. *Behavioral Neuroscience*, 120, 180-187.

Forestell, C.A. (2006). Prenatal and postnatal influences on fruit and vegetable acceptance throughout childhood. *Scientific Newsletter of the International Fruit and Vegetable Alliance*, 2, 2-2.

Galindo-Cuspinera, V., Winnig, M., Bufe, B., Meyerhof, W., & Breslin, P.A.S. (2006). A TAS1R receptor-based explanation of sweet 'water-taste'. *Nature*, 441, 354-357.

Gelperin, A. (2006). Olfactory computations and network oscillations. *Journal of Neuroscience*, 26, 1663-1668.

Goel, P. & Gelperin, A. (2006). A neuronal network for the logic of Limax learning. *Journal of Computational Neuroscience*, 21, 259-270.

Hakala, M. & Breslin, P.A.S. (2006). Genotypes of the hTAS2R38 receptor predict bitterness of selected vegetables. *Current Biology*, 16, R792-R794.

Horn, C.C., Ciucci, M., & Chaudbury, A. (2006). Brain Fos expression during 48 h after cisplatin treatment: Neural pathways for acute and delayed visceral sickness. *Autonomic Neuroscience: Basic and Clinical* , 132, 44-51.

Huang, L., Cao, J., Wang, H., Vo, L.A., & Brand, J.G. (2006). Identification and functional characterization of a voltage-gated chloride channel and its novel splice variant in taste bud cells. *Journal of Biological Chemistry*, 280, 36150-36157.

Johnson, A.T.C., Stall, C., Chen, M., Khamis, S., Johnson, R., Klein, M.I., & Gelperin, A. (2006). DNA-decorated carbon nanotubes for chemical sensing. *Semiconductor Science and Technology*, 21, S17-S21.

Li, X., Li, W., Wang, H., Bayley, D.L., Cao, J., Reed, D.R., Bachmanov, A.A., Huang, L., Legrand-Defretin, V., Beauchamp, G.K., & Brand, J.G. (2006). Cats lack a sweet taste receptor. *Journal of Nutrition*, 136 (7Suppl), 1932S-1934S.

Manita, S., Bachmanov, A.A., Li, X., Beauchamp, G.K., & Inoue, M. (2006). Is glycine "sweet" to mice? Mouse strain differences in perception of glycine taste. *Chemical Senses*, 31, 785-793.

Mayer-Davis, E.J., Dhawan, A., Liese, A.D., Teff, K.L., & Schulz, M. (2006). Towards understanding of glycaemic index and glycaemic load in habitual diet: associations with measures of glycaemia in the Insulin Resistance Atherosclerosis Study. *British Journal of Nursing*, 95, 397-405.

McDaniel, A.H., Li, X., Tordoff, M.G., Bachmanov, A.A., & Reed, D.R. (2006). A locus on mouse chromosome 9 (*Adip5*) affects the relative weight of the gonadal but not retroperitoneal adipose depots. *Mammalian Genome*, 17, 1078-1092.

Mennella, J.A., Kennedy, J., & Beauchamp, G.K. (2006). The type of formula fed to infants modifies vegetable acceptance. *Early Human Development*, 82, 263-268.

Mennella, J.A. & Pepino, M.Y. (2006). Short-term effects of alcohol consumption on the hormonal milieu and mood states in nulliparous women. *Alcohol*, 38, 29-36.

Mennella, J.A., Ziegler, P.J., Briefel, R.R., & Novak, T.J. (2006). Feeding Infants and Toddlers Study: the types of foods fed to Hispanic infants and toddlers. *Journal of the American Dietetic Association*, 106, S96-106.

Mennella, J.A. (2006). Development of food preferences: lessons learned from longitudinal and experimental studies. *Food Quality and Preference*, 17, 635-636.

Naim, M., Huang, L., Spielman, A.I., Shaul, M.E., & Aliluiko, A.M. (2006). Stimulation of taste cells by sweet taste compounds. In: W.J. Spillane (Eds.), Optimising Sweet Taste in Foods, Cambridge, England: CRC Press, Woodhead Publishing, pp 3-29.

Ozdener, M.H., Yee, K.K., Cao, J., Brand, J.G., Teeter, J.H., & Rawson, N.E. (2006). Characterization and long term maintenance of rat taste cells in culture. *Chemical Senses*, 31, 279-290.

Pepino, M.Y. & Mennella, J.A. (2006). Children's liking of sweet tastes and its biological basis. In: W. Spillane (Eds.), Optimising Sweet Taste in Foods, Cambridge, England: Woodhead Publishing, pp 54-65.

Petrova, M., Townsend, R.R., & Teff, K.L. (2006). Prolonged (48-h) modest hyperinsulinemia decreases nocturnal heart rate variability and attenuates the nocturnal decrease in blood pressure in lean, normotensive humans. *Journal of Clinical Endocrinology and Metabolism*, 91, 851-859.

Preti, G., Willse, A., Labows, J.N., Leyden, J.J., Wahl.J., & Kwak, J. (2006). On the definition and measurement of human scent: comments on Curran et al. *Journal of Chemical Ecology*, 32, 1613-1616.

Rawson, N.E. (2006). Olfactory loss in aging. *Science of Aging: Knowledge Environment*. Online publication: doi: 10.1126/sageke.2006.5.pe6.

Rawson, N.E. & LaMantia, A.S. (2006). Once and again: retinoic acid signaling in the developing and regenerating olfactory pathway. *Journal of Neurobiology*, 66, 653-676.

Rawson, N.E. & Yee, K.K. (2006). Transduction and coding. *Advances in Otorhinolaryngology*, 63, 23-43.

Rawson, N.E. & LaMantia, A.S. (2006). A speculative essay on retinoic acid regulation of neural stem cells in the developing and aging olfactory system. *Experimental Gerontology*, 42, 46-53.

Reed, D.R., McDaniel, A.H., Li, X., Tordoff, M.G., & Bachmanov, A.A. (2006). Quantitative trait loci for individual adipose depot weights in C57BL/6ByJ X 129P3/J $F_{2\ mice}$. *Mammalian Genome*, 17, 1065-1077.

Reed, D.R., Tanaka, T., & McDaniel, A. (2006). Diverse tastes: genetics of sweet and bitter perception. *Physiology & Behavior*, 88, 215-226.

Reed, D.R. & McDaniel, A.H. (2006). The human sweet tooth. *BMC Oral Health*, 6 (Suppl 1), S17.

Restrepo, D., Lin, W., Salcedo, E., Yamazaki, K., & Beauchamp, G.K. (2006). Odortypes and MHC peptides: complimentary chemosignals of MHC haplotype? *Trends in Neurosciences*, 29, 604-609.

Rickels, M.R., Naji, A., & Teff, K.L. (2006). Insulin sensitivity, glucose effectiveness, and free fatty acid dynamics following human islet transplantation for type 1 diabetes. *Journal of Clinical Endocrinology and Metabolism*, 91, 2138-2144.

Rinberg, D., Koulakov, A., & Gelperin, A. (2006). Speed-accuracy tradeoff in olfaction. *Neuron*, 51, 351-358.

Rinberg, D. & Gelperin, A. (2006). Olfactory neuronal dynamics in behaving animals. *Seminars in Cell & Developmental Biology*, 17, 454-461.

Rinberg, D., Koulakov, A., & Gelperin, A. (2006). Sparse odor coding in awake behaving mice. *Journal of Neuroscience*, 26, 8857-8865.

Stein, L.J., Cowart, B.J., & Beauchamp, G.K. (2006). Salty taste acceptance by infants and young children is related to birth weight: longitudinal analysis of infants within the normal birth weight range. *European Journal of Clinical Nutrition*, 60, 272-279.

Teff, K.L. (2006). Learning hunger: conditioned anticipatory ghrelin responses in energy homeostasis. *Endocrinology*, 147, 20-22.

Wahlsten, D., Bachmanov, A.A., Finn, D.A., & Crabbe, J.C. (2006). Stability of inbred mouse strain differences in behavior and brain size between laboratories and across decades. *Proceedings of the National Academy of Sciences USA*, 103, 16364-13369.

Willse, A., Kwak, J., Yamazaki, K., Preti, G., Wahl, J.H., & Beauchamp, G.K. (2006). Individual odortypes: Interaction of MHC and background genes. *Immunogenetics*, 58, 967-982.

Wise, P.M., Canty, T.M., & Wysocki, C.J. (2006). Temporal integration in nasal lateralization of ethanol. *Chemical Senses*, 31, 227-235.

Zhao, K., Pribitkin, E.A., Cowart, B.J., Rosen, D., Scherer, P.W., & Dalton, P. (2006). Numerical modeling of nasal obstruction and endoscopic surgical intervention: outcome to airflow and olfaction. *American Journal of Rhinology*, 20, 308-316.

2005

Andrews, P.L.R., Friedman, M.I., Liu, Y.-L., Smith, J.E., & Sims, D.W. (2005). Potential energetic implications of emesis in the house musk shrew (*Suncus marinus*). *Physiology & Behavior*, 84, 519-524.

Bachmanov, A.A. (2005). Genetic approach to characterize interaction of sweeteners with sweet taste receptors in vivo. *Chemical Senses*, 30 Suppl 1, i82-i83.

Beauchamp, G.K., Keast, R.S.J., Morel, D.L.J., Pika, J., Han, Q., Lee, C.-H., Smith, A.B., III, & Breslin, P.A.S. (2005). Ibuprofen-like activity in extra-virgin olive oil. *Nature*, 437, 45-46.

Beauchamp, G.K. & Yamazaki, K. (2005). Individual differences and the chemical senses. *Chemical Senses*, 30 Suppl 1, i6-i9.

Brezina, V., Horn, C.C., & Weiss, K.R. (2005). Modeling neuromuscular modulation in Aplysia. III. Interaction of central motor commands and peripheral modulatory state for optimal behavior. *Journal of Neurophysiology*, 93, 1523-1556.

Bryant, B.P. (2005). Mechanisms of somatosensory neuronal sensitivity to alkaline pH. *Chemical Senses*, 30 Suppl 1, i196-i197.

Bufe, B., Breslin, P.A.S., Kuhn, C., Reed, D.R., Tharp, C.D., Slack, J.P., Kim, U.K., Drayna, D., & Meyerhof , W. (2005). The molecular basis of individual differences in phenylthiocarbamide and propylthiouracil bitterness perception. *Current Biology*, 22, 322-327.

Chen, D. & Dalton, P. (2005). The effect of emotion and personality on olfactory perception. *Chemical Senses*, 30, 345-351.

Cowart, B.J. (2005). Taste, our body's gustatory gatekeeper. *Cerebrum*, 7, 7-22.

Dalton, P. & Opiekun, R.E. (2005). Effects of inhaled toxicants on the nose and nasal function. In: H. Salem & S. Katz (Eds.), Inhalation Toxicology, 2nd edition, New York: Taylor and Francis.

Diamond, J., Dalton, P., Doolittle, N., & Breslin, P.A.S. (2005). Gender-specific olfactory sensitization: hormonal and cognitive influences. *Chemical Senses*, 30 Suppl 1, i224-i225.

Diamond, J., Breslin, P.A.S., Doolittle, N., Nagata, H., & Dalton, P. (2005). Flavor processing: perceptual and cognitive factors in multi-modal integration. *Chemical Senses*, 30 Suppl 1, i232-i233.

Forestell, C.A. & Mennella, J.A. (2005). Children's hedonic judgments of cigarette odor: Effects of parental smoking and maternal mood. *Psychology of Addictive Behaviors*, 19, 423-432.

Friedman, M.I., Horn, C.C., & Ji, H. (2005). Peripheral signals in the control of feeding behavior. *Chemical Senses*, 30 Suppl 1, i182-i183.

Galindo-Cuspinera, V. & Breslin, P.A.S. (2005). The liaison of sweet and savory. *Chemical Senses*, 31, 221-225.

Gomez, G., Lischka, F.W., Haskins, M.E., & Rawson, N.E. (2005). Evidence for multiple calcium response mechanisms in mammalian olfactory receptor neurons. *Chemical Senses*, 30, 317-326.

Hahn, C.-G., Han, L.-Y., Rawson, N.E., Mirza, N., Borgmann-Winter, K., Lenox, R.H., & Arnold, S.E. (2005). In vivo and in vitro neurogenesis in human olfactory epithelium. *Journal of Comparative Neurology*, 483, 154-163.

Hahn, C.-G., Gomez, G., Restrepo, D., Friedman, E., Josiassen, R., Pribitkin, E.A., Lowry, L.D., Gallop, R.J., & Rawson, N.E. (2005). Aberrant intracellular calcium signaling in olfactory neurons from patients with bipolar disorder. *American Journal of Psychiatry*, 162, 616-618.

Hile, A. & Tordoff, M.G. (2005). Influence of the number of repellent-treated and untreated food or water containers on intake by the European starling, *Sturnus vulgaris*. *Appetite*, 45, 81-85.

Horn, C.C. & Friedman, M.I. (2005). Thoracic cross-over pathways of the rat vagal trunks. *Brain Research*, 1060, 153-161.

Inoue, T. & Bryant, B.P. (2005). Multiple types of sensory neurons respond to irritating volatile organic compounds (VOCs): Calcium fluorimetry of trigeminal ganglion neurons. *Pain*, 117, 193-203.

Ji, H., Outterbridge, L.V., & Friedman, M.I. (2005). Phenotype-based treatment of dietary obesity: differential effects of fenofibrate in obesity-prone and obesity-resistant rats. *Metabolism Clinical and Experimental*, 54, 421-429.

Kaulin, Y.A., Takemoto, J.Y., Schagina, L.V., Ostroumova, O.S., Wangspa, R., Teeter, J.H., & Brand, J.G. (2005). Sphingolipids influence the sensitivity of lipid bilayers to fungicide, syringomycin E. *Journal of Bioenergetics and Biomembranes*, 37, 339-399.

Keast, R.S.J. & Breslin, P.A.S. (2005). Bitterness suppression with zinc sulfate and na-cyclamate: a model of combined peripheral and central neural approaches to flavor modification. *Pharmaceutical Research*, 22, 1970-1979.

Li, X., Li, W., Wang, H., Cao, J., Maehashi, M., Huang, L., Bachmanov, A.A., Reed, D.R., Legrand-Defretin, V., Beauchamp, G.K., & Brand, J.G. (2005). Pseudogenization of a sweet receptor gene accounts for cats' indifference toward sugar. *PLoS Genetics*, 1, e3.

Lu, K., McDaniel, A.H., Tordoff, M.G., Li, X., Beauchamp, G.K., Bachmanov, A.A., VanderWeele, D.A., Chapman, C.D., Dess, N.K., Huang, L., Wang, H., & Reed, D.R. (2005). No relationship between sequence variation in protein coding regions of the *Tas1r3* gene and saccharin preference in rats. *Chemical Senses*, 30, 231-240.

Martins, Y., Preti, G., Crabtree, C.R., & Wysocki, C.J. (2005). Preference for human body odors is influenced by gender and sexual orientation. *Psychological Science*, 16, 694-701.

McCaughey, S.A., Forestell, C.A., & Tordoff, M.G. (2005). Calcium deprivation increases the palatability of calcium solutions in rats. *Physiology & Behavior*, 84, 335-342.

McManus, I.C. & Wysocki, C.J. (2005). Left-handers have a lower prevalence of arthritis and ulcer. *Laterality*, 10, 97-102.

Members of the Complex Trait Consortium (Abiola, O., Angel, M., Avner, P., Bachmanov, A.A., & et al.). (2005). The nature and identification of quantitative trait loci: a community's view. *Nature Reviews Genetics*, 4, 911-916.

Mennella, J.A., Pepino, M.Y., & Teff, K.L. (2005). Acute alcohol consumption disrupts the hormonal milieu of lactating women. *Journal of Clinical Endocrinology and Metabolism*, 90, 1979-1985.

Mennella, J.A., Turnbill, B., Ziegler, P.J., & Martinez, H. (2005). Infant feeding practices and early flavor experiences in Mexican infants: An intra-cultural study. *Journal of the American Dietetic Association*, 105, 908-915.

Mennella, J.A. & Beauchamp, G.K. (2005). Understanding the origin of flavor preferences. *Chemical Senses*, 30 Suppl 1, i242-i243.

Mennella, J.A., Pepino, M.Y., & Reed, D.R. (2005). Genetic and environmental determinants of bitter perception and sweet preferences. *Pediatrics*, 115, e216-e222.

Mennella, J.A. (2005). Taste and smell. In: K.F. Swaiman, S. Ashwall, & D. Ferriero (Eds.), Pediatric Neurology: Principles and Practice, 4th edition, Philadelphia: CV Mosby Company.

Nagata, H., Dalton, P., Doolittle, N., & Breslin, P.A.S. (2005). Psychophysical isolation of the modality responsible for detecting multimodal stimuli: a chemosensory example. *Journal of Experimental Psychology: Human Perception & Performance*, 31, 101-109.

Pepino, M.Y. & Mennella, J.A. (2005). Sucrose-induced analgesia is related to sweet preferences in children but not adults. *Pain*, 119, 210-218.

Pepino, M.Y. & Mennella, J.A. (2005). Factors contributing to individual differences in sucrose preference. *Chemical Senses*, 30 Suppl 1, i319-i320.

Rickels, M.R., Schutta, M.H., Mueller, R., Markman, J.F., Barker, C.F., Naji, A., & Teff, K.L. (2005). Islet cell hormonal responses to hypoglycemia following human islet transplantation for type 1 diabetes. *Diabetes*, 54, 3205-3211.

Rickels, M.R., Schutta, M.H., Markman, J.F., Barker, C.F., Naji, A., & Teff, K.L. (2005). Mechanisms of beta-cell dysfunction following human islet transplantation for type 1 diabetes mellitus. *Diabetes*, 54, 100-104.

Rinberg, D., Simonet, C., & Groisman, A. (2005). Pneumatic capillary gun for ballistic delivery of microparticles. *Applied Physics Letters*, 87, 014103.

Smeets, M.A., Kroeze, J.H.A., & Dalton, P. (2005). Setting occupational exposure limits in humans: contributions from the field of experimental psychology. *International Archives of Occupational and Environmental Health*, 79, 299-307.

Smeets, M.A. & Dalton, P. (2005). Evaluating the human response to chemicals: odor, irritation and non-sensory factors. *Environmental Toxicology & Pharmacology*, 19, 581-588.

Smith, A.B., III, Han, Q., Breslin, P.A.S., & Beauchamp, G.K. (2005). Synthesis and assignment of absolute configuration of (-)-oleocanthal: a potent, naturally occurring non-steroidal anti-inflammatory and anti-oxidant agent derived from extra virgin olive oils. *Organic Letters*, 7, 5075-5078.

Staii, C., Johnson, A.T., Jr., Chen, M., & Gelperin, A. (2005). DNA-Decorated Carbon Nanotubes for Chemical Sensing. *Nano Letters*, 5, 1774-1778.

Stefan, M., Ji, H., Simmons, R.A., Cummings, D.E., Ahima, R.S., Friedman, M.I., & Nichols, R.D. (2005). Hormonal and metabolic defects in a Prader-Willi Syndrome mouse model with neonatal failure to thrive. *Endocrinology*, 146, 4377-4385.

Taniguchi, K. (2005). Expression of sweet receptor protein, T1R3, in the human liver and pancreas. *Journal of Veterinary Medical Science*, 66, 1311-1314.

Teff, K.L. (2005). Carbohydrates, glycemic responses and weight control. In: D.J. Mela (Eds.), Food, Diet and Obesity, Cambridge: Woodhead Publishing.

Tordoff, M.G. (2005). The case for a calcium appetite in humans. In: C.M. Weaver & R.P. Heaney (Eds.), Calcium in Human Health, Totowa, NJ: Humana Press, pp 247-268.

Tordoff, M.G., Alarcón, L.K., Byerly, E.A., & Doman, S.A. (2005). Mice acquire flavor preferences during shipping. *Physiology & Behavior*, 86, 480-486.

Willse, A., Belcher, A.M., Preti, G., Wahl, J.H., Thresher, M., Yang, P., Yamazaki, K., & Beauchamp, G.K. (2005). Identification of MHC-regulated body odorants by statistical analysis of a comparative gas chromatography-mass spectrometry experiment. *Analytical Chemistry*, 77, 2348-2361.

Wise, P.M., Canty, T.M., & Wysocki, C.J. (2005). Temporal integration of nasal irritation from ammonia at threshold and supra-threshold levels. *Toxicological Sciences*, 87, 223-231.

Yamazaki, K. & Beauchamp, G.K. (2005). Chemosensory recognition of olfactory individuality. *Chemical Senses*, 30 Suppl 1, i142-i143.

Yee, K.K. & Rawson, N.E. (2005). Immunolocalization of retinoic acid receptors in the mammalian olfactory system and the effects of olfactory denervation on receptor distribution. *Neuroscience*, 131, 733-743.

Zhao, K., Dalton, P., Yang, G.C., & Scherer, P.W. (2005). Numerical modeling of turbulent and laminar airflow and odorant transport during sniffing in the human and rat nose. *Chemical Senses*, 31, 107-118.

2004

Bullivant, S.B., Sellergren, S.A., Stern, K., Spencer, N.A., Jacob, S., Mennella, J.A., & McClintock, M.K. (2004). Women's sexual experience during the menstrual cycle: Identification of the sexual phase by noninvasive measurement of luteinizing hormone. *Journal of Sex Research*, 41, 82-93.

Chung-Davidson, Y.-W., Yun, S.-S., Teeter, J.H., & Li, W. (2004). Behavioral and brain responses to weak electric fields in parasitic sea lampreys. *Behavioral Neuroscience*, 118, 611-619.

Cowart, B.J., Beauchamp, G.K., & Mennella, J.A. (2004). Development of taste and smell in the neonate. In: R.A. Polin & W.W. Fox (Eds.), Fetal and Neonatal Physiology, Philadelphia: W.B. Saunders Company, pp 1819-1827.

Dalton, P., Gelperin, A., & Preti, G. (2004). Volatile metabolic monitoring of glycemic status in diabetes using electronic olfaction. *Diabetes Technology & Therapeutics*, 6, 534-544.

Dalton, P. (2004). Olfaction and anosmia in rhinosinusitis. *Current Allergy & Asthma Reports*, 4, 230-236.

Dalton, P. & Smeets, M.A. (2004). Olfactometry: The human nose as detection instrument. In: A. Hedge, K. Brookhuis, E. Salas, & H.W. Hendrick (Eds.), Handbook of Human Factors and Ergonomics Methods, Baton Rouge: CRC Press, pp ch 66, 1-8.

Doty, R.L., Cometto-Muñiz, J.E., Jalowayski, A.A., Dalton, P., Kendal-Reed, M., & Hodgson, M. (2004). Assessment of upper respiratory tract and ocular irritative effects of volatile chemicals in humans. *Critical Reviews in Toxicology*, 34, 85-142.

Duffy, V.B., Davidson, A.C., Kidd, K.K., Speed, W.C., Pakstis, A.J., Reed, D.R., Snyder, D.J., & Bartoshuk, L.M. (2004). Bitter receptor gene (TAS2R38), 6-n-propylthiouracil (PROP) bitterness and alcohol intake. *Alcoholism: Clinical and Experimental Research*, 28, 1629-1637.

Epple, G.A., Bryant, B.P., Mezine, I., & Lewis, S. (2004). Zanthoxylum piperitum (DC), a potential feeding deterrent for mammals: studies with Microtus ochrogaster (Wagner). *Pest Management Science*, 60, 624-630.

Ermentrout, B., Wang, J., Flores, J., & Gelperin, A. (2004). Model for transition from waves to synchrony in the olfactory lobe of Limax. *Journal of Computational Neuroscience*, 17, 365-383.

Grosvenor, W., Kaulin, Y.A., Spielman, A., Bayley, D., Kalinoski, D.L., Teeter, J.H., & Brand, J.G. (2004). Biochemical enrichment and biophysical characterization of a taste receptor for L-arginine from the catfish, *Ictalurus punctatus* . *BMC Neuroscience*. Online publication: doi:10.1186/1471-2202-5-25.

Hile, A., Shan, Z., Zhang, S., & Block, E. (2004). Aversion of European Starlings (*Sturnus vulgaris*) to garlic oil treated granules: garlic oil as an avian repellent. garlic oil analysis by nuclear magnetic resonance spectroscopy. *Journal of Agricultural and Food Chemistry*, 52, 2192-2196.

Horn, C.C. & Friedman, M.I. (2004). Separation of hepatic and gastrointestinal signals from the common "hepatic" branch of the vagus. *American Journal of Physiology*, 287, R120-R126.

Horn, C.C., Ji, H., & Friedman, M.I. (2004). Etomoxir, a fatty acid oxidation inhibitor, increases food intake and reduces hepatic energy status in rats. *Physiology & Behavior*, 81, 157-162.

Horn, C.C., Richardson, E.J., Andrews, P.L.R., & Friedman, M.I. (2004). Differential effects on gastrointestinal and hepatic vagal afferent fibers in the rat by the anti-cancer agent cisplatin. *Autonomic Neuroscience: Basic and Clinical*, 115, 74-81.

Horn, C.C., Zhurov, Y., Orekhova, I.V., Proekt, A., Kupfermann, I., Weiss, K.R., & Brezina, V. (2004). Cycle-to-cycle variability of neuromuscular activity in Aplysia feeding behavior. *Journal of Neurophysiology*, 92, 157-180.

Inoue, M., Reed, D.R., Li, X., Tordoff, M.G., Beauchamp, G.K., & Bachmanov, A.A. (2004). Allelic variation of the Tas1r3 taste receptor gene selectively affects behavioral and neural taste responses to sweeteners in the F2 hybrids between C57BL/6ByJ and 129P3/J mice. *Journal of Neuroscience*, 24, 2296-2303.

Inoue, M., Beauchamp, G.K., & Bachmanov, A.A. (2004). Gustatory neural responses to umami taste stimuli in C57BL/6ByJ and 129P3/J mice. *Chemical Senses*, 29, 789-795.

Jacob, S., Spencer, N.A., Bullivant, S.B., Sellergren, S.A., Mennella, J.A., & McClintock, M.K. (2004). Effects of breastfeeding chemosignals on the human menstrual cycle. *Human Reproduction*, 19, 422-429.

Keast, R.S.J., Canty, T.M., & Breslin, P.A.S. (2004). The influence of sodium salts on binary mixtures of bitter-tasting compounds. *Chemical Senses*, 29, 431-439.

Keast, R.S.J., Canty, T.M., & Breslin, P.A.S. (2004). Oral zinc sulfate solutions inhibit sweet taste perception. *Chemical Senses*, 29, 513-521.

Keast, R.S.J., Dalton, P., & Breslin, P.A.S. (2004). Flavor interactions at the sensory level. In: A. Taylor & D. Roberts (Eds.), Flavor Perception, Iowa: Blackwell Publishing.

Kim, U.-K., Breslin, P.A.S., Reed, D.R., & Drayna, D. (2004). Genetics of human taste perception. *Journal of Dental Research*, 83, 448-453.

Kirifides, M.L., Kurnellas, M.P., Clark, L., & Bryant, B.P. (2004). Calcium responses of chicken trigeminal ganglion neurons to methyl anthranilate and capsaicin. *Journal of Experimental Biology*, 207, 715-722.

Kurtz, D.B., Zhao, K., Hornung, D.E., & Scherer, P.W. (2004). Experimental and numerical determination of odorant solubility in nasal and olfactory mucosa. *Chemical Senses*, 29, 763-773.

Lederman, S.A., Akabas, S.R., Moore, B.J., Bentley, M.E., Devaney, B., Gillman, M.W., Kramer, M.S., Mennella, J.A., Ness, A., & Wardle, J. (2004). Summary of the Presentations at the Conference on Preventing Childhood Obesity, December 8, 2003. *Pediatrics*, 114, 1146-1173.

Ma, J. & Lowe, G. (2004). Action potential backpropagation and multiglomerular signaling in the rat vomeronasal system. *Journal of Neuroscience*, 24, 9341-9352.

Mennella, J.A., Griffin, C., & Beauchamp, G.K. (2004). Flavor programming during infancy. *Pediatrics*, 113, 840-845.

Mennella, J.A. (2004). Explorant els prinicipis de la cultura gastronòmica (Exploring the beginnings of gastronomic culture). *Méteode*, 40, 71-76.

Mennella, J.A. (2004). Alcohol use during lactation: Effects on the mother and breastfeeding infant. In: R. Watson (Eds.), Nutrition and Alcohol, Second Edition, CRC Press, pp 337-391.

Moore, B.J., Rolls, B., Mennella, J.A., & Devaney, B. (2004). Soda isn't only low in calcium - Letter. *Journal of Bone and Mineral Research*, 18, 871-871.

Osada, K., Yamazaki, K., & Beauchamp, G.K. (2004). Interrelationship of body odor and MHC mutants: recent progress (in Japanese). *Aroma Research*, 5, 13-18.

Ozdener, M.H. & Rawson, N.E. (2004). Olfactory dysfunction in neurodegenerative diseases (review). *European Journal of General Medicine*, 1, 1-11.

Ozdener, M.H. & Rawson, N.E. (2004). Olfactory dysfunction in neurodegenerative diseases. In: T. Özben & M. Chevion (Eds.), Frontiers in Aging and Neurodegenerative Disorders: Fundamental Aspects, Clinical Perspectives and New Insights, Amsterdam: IOS Press, pp 263-275.

Ozdener, M.H. (2004). Molecular mechanism of HIV-1 associated neurodegeneration. In: T. Özben & M. Chevion (Eds.), Frontiers in Neurodegenerative Disorders and Aging: Fundamental Aspects, Clinical Perspectives and New Insights, IOS Press, pp 251-262.

Pelchat, M.L., Johnson, A., Chan, R., Valdez, J., & Ragland, J.D. (2004). Images of desire: food-craving activation during fMRI. *NeuroImage*, 23, 1486-1493.

Pepino, M.Y. & Mennella, J.A. (2004). Advice given to women living in Argentina about breast-feeding and the use of alcohol. *Pan American Journal of Public Health*, 16, 408-414.

Rawson, N.E. & Li, X. (2004). The cellular basis of flavour perception: taste and aroma. In: Flavour Perception, Oxford, UK: Blackwell Publishers.

Reed, D.R., Li, S., Li, X., Huang, L., Tordoff, M.G., Starling-Rony, R., Taniguchi, K., West, D.B., Beauchamp, G.K., & Bachmanov, A.A. (2004). Polymorphisms in the taste receptor gene (*Tas1r3*) region are associated with saccharin preference in 30 mouse strains. *The Journal of Neuroscience*, 24, 938-946.

Rossier, O., Cao, J., Huque, T., Spielman, A.I., Feldman, R.S., Medrano, J.F., Brand, J.G., & Le Coutre, J. (2004). Analysis of a human fungiform papillae cDNA library and identification of taste-related genes. *Chemical Senses*, 29, 13-23.

Segal, M.E., Sankar, P.S., & Reed, D.R. (2004). Research issues in genetic testing of adolescents for obesity. *Nutrition Reviews*, 62, 307-320.

Spencer, N.A., McClintock, M.K., Sellergren, S.A., Bullivant, S., Jacob, S., & Mennella, J.A. (2004). Social chemosignals from lactating women increase sexual motivation. *Hormones and Behavior*, 46, 362-370.

Spielman, A.I. & Lischka, F.W. (2004). Taste and smell. In: L.R. Johnson (Eds.), Encyclopedia of Gastroenterology, San Diego: Academic Press, pp 487-493.

Teff, K.L. & Townsend, R.R. (2004). Prolonged mild hyperglycemia induces vagally mediated compensatory increase in C-Peptide secretion in humans. *Journal of Clinical Endocrinology and Metabolism*, 89, 5606-5613.

Teff, K.L., Elliott, S.S., Tschop, M., Kieffer, T.J., Rader, D., Heiman, M., Townsend, R.R., Keim, N.L., D'Alessio, D., & Havel, P.J. (2004). Dietary fructose reduces circulating insulin and leptin, attenuates postprandial suppression of ghrelin, and increases triglycerides in women. *Journal of Clinical Endocrinology and Metabolism*, 89, 2963-2972.

Trout, K.K. & Teff, K.L. (2004). Insulin sensitivity and premenstrual syndrome. *Current Diabetes Reports*, 4, 273-280.

Wise, P.M., Radil, T., & Wysocki, C.J. (2004). Temporal integration in nasal lateralization and nasal detection of carbon dioxide. *Chemical Senses*, 29, 137-142.

Wysocki, C.J. & Preti, G. (2004). Facts, fallacies, fears, and frustrations with human pheromones. *The Anatomical Record*, 281A, 1201-1211.

Wysocki, C.J., Yamazaki, K., Curran, M., Wysocki, L.M., & Beauchamp, G.K. (2004). Mice (*Mus musculus*) lacking a vomeronasal organ can discriminate MHC-determined odortypes. *Hormones and Behavior*, 46, 241-246.

Yamazaki, H., Fujieda, M., Togashi, M., Preti, G., Cashman, J.R., & Kamataki, T. (2004). Effects of the dietary supplements, activated charcoal and copper chlorophyllin, on urinary excretion of trimethylamine in Japanese trimethylaminuria patients. *Life Sciences*, 74, 2739-2747.

Yamazaki, K. (2004). Individuality and disease; Models of chemosensation (in Japanese). *Japanese Society of Aromatherapy*, 3, 2-15.

Zhang, Q. & Tordoff, M.G. (2004). No effect of dietary calcium on body weight of lean and obese mice and rats. *American Journal of Physiology*, 286, R669-R677.

Zhao, K., Scherer, P.W., Hajiloo, S.A., & Dalton, P. (2004). Effect of anatomy on human nasal air flow and odorant transport patterns: Implications for olfaction. *Chemical Senses*, 29, 365-379.

2003

Bachmanov, A.A., Reed, D.R., Li, X., & Beauchamp, G.K. (2003). Genetic dissection of sweet taste in mice. In: T. Hofman, C.-T. Ho, & W. Pickenhagen (Eds.), Challenges in Taste Chemistry and Biology. ACS Symposium Series; 867., Washington, DC: American Chemical Society, pp 75-90.

Bachmanov, A.A., Kiefer, S.W., Tordoff, M.G., Molina, J.C., Duffy, V.B., Bartoshuk, L., & Mennella, J.A. (2003). Chemosensory factors influencing alcohol perception, preferences and consumption. *Alcoholism: Clinical and Experimental Research*, 27, 220-231.

Beauchamp, G.K. & Yamazaki, K. (2003). Chemical signalling in mice. *Biochemical Society Transactions*, 31, 147-151.

Cashman, J.R., Camp, K., Fakharzadeh, S.S., Fennessey, P.V., Hines, R.H., Mamer, O.A., Mitchell, S.C., Preti, G., Schlenk, D., Smith, R.L., Tjoa, S.S., Williams, D.E., & Yannicelli, S. (2003). Biochemical and clinical aspects of the human flavin-containing monooxygenase form 3 (FMO3) related to trimethylaminuria. *Current Drug Metabolism*, 4, 151-170.

Dalton, P., Gould, M., Girten, B., Stodieck, L.S., & Bateman, T.A. (2003). Preventing annoyance from odors in spaceflight: a method for evaluating the sensory impact of rodent housing. *Journal of Applied Physiology*, 95, 2113-2121.

Dalton, P. (2003). Upper airway irritation, odor perception and health risk due to airborne chemicals. *Toxicology Letters*, 140-141, 239-248.

Dalton, P., Cowart, B.J., Dilks, D.D., Gould, M., Emmett, E., Stefaniak, A., & Lees, P.S.J. (2003). Olfactory function in workers exposed to styrene in the reinforced-plastics industry. *American Journal of Industrial Medicine*, 44, 1-11.

Friedman, M.I., Graczyk-Millbrandt, G., Ji, H., Rawson, N.E., & Osbakken, M.D. (2003). 2,5-Anhydro-D-mannitol increases hepatocyte sodium: transduction of a hepatic hunger stimulus? *Biochimica et Biophysica Acta*, 1642, 53-58.

Ganchow, J.R. & Mennella, J.A. (2003). The ontogeny of human flavor perception. In: R.L. Doty (Eds.), Handbook of Olfaction and Gustation, New York: Marcel Dekker, pp 823-846.

Havel, P.J., Elliott, S.S., Stern, J.S., Keim, N.L., & Teff, K.L. (2003). Reply to TJ Vasankari. *American Journal of Clinical Nutrition*, 78, 805-806.

Heinemann, P.H., Preti, G., Wysocki, C.J., Graves, R.E., Walker, S.P., Beyer, D.M., Holcomb, E.J., Heuser, C.W., & Miller, F.C. (2003). In-vessel processing of spent mushroom substrate for odor control. *Applied Engineering in Agriculture*, 19, 461-471.

Horn, C.C. & Friedman, M.I. (2003). Detection of single unit activity from the rat vagus using cluster analysis of principal components. *Journal of Neuroscience Methods*, 122, 141-147.

Ji, H. & Friedman, M.I. (2003). Fasting plasma triglyceride levels and fat oxidation predict dietary obesity in rats. *Physiology & Behavior*, 78, 119-129.

Keast, R.S.J. & Breslin, P.A.S. (2003). An overview of binary taste-taste interactions. *Food Quality and Preference*, 14, 111-124.

Keast, R.S.J., Bournazel, M.M., & Breslin, P.A.S. (2003). A psychophysical investigation of binary bitter-compound interactions. *Chemical Senses*, 28, 301-313.

Keast, R.S.J. (2003). The effect of zinc on human taste perception. *Journal of Food Science*, 68, 1871-1877.

La Fleur, S.E., Ji, H., Manolo, S.L., Friedman, M.I., & Dallman, M.F. (2003). The hepatic vagus mediates fat-induced inhibition of diabetic hyperphagia. *Diabetes*, 52, 2321-2330.

Lees, P.S.J., Stefaniak, A., Emmett, E., & Dalton, P. (2003). Exposure assessment for study of olfactory function in workers exposed to styrene in the reinforced-plastics industry. *American Journal of Industrial Medicine*, 44, 12-23.

Li, W., Siefkes, A.P., Scott, A.P., & Teeter, J.H. (2003). Sex pheromone communication in the sea lamprey: implications for integrated management. *Journal of Great Lakes Research*, 29, suppl 1, 85-94.

Liem, D.G. & Mennella, J.A. (2003). Heightened sour preferences during childhood. *Chemical Senses*, 28, 173-180.

Lowe, G. (2003). Flash photolysis reveals a diversity of ionotropic glutamate receptors on the mitral cell somatodendritic membrane. *Journal of Neurophysiology*, 90, 1737-1746.

Lowe, G. (2003). Electrical signaling in the olfactory bulb. *Current Opinion in Neurobiology*, 13, 476-481.

McCaughey, S.A., Fitts, D.A., & Tordoff, M.G. (2003). Lesions of the subfornical organ decrease the calcium appetite of calcium-deprived rats. *Physiology & Behavior*, 79, 605-612.

Mennella, J.A., Pepino, M.Y., & Beauchamp, G.K. (2003). Modification of bitter taste in children. *Developmental Psychobiology*, 43, 120-127.

Mennella, J.A., Forestell, C.A., & Pepino, Y.M. (2003). The flavor world of infants. *Perspectives on Swallowing and Swallowing Disorders*, 12, 10-18.

Opiekun, R.E., Smeets, M.A., Sulewski, M., Rogers, R., Prasad, N., Vedula, U., & Dalton, P. (2003). Assessment of ocular and nasal irritation in asthmatics resulting from fragrance exposure. *Clinical & Experimental Allergy*, 33, 1256-1265.

Osada, K., Yamazaki, K., Curran, M., Bard, J., Smith, B.P.C., & Beauchamp, G.K. (2003). The scent of age. *Proceedings of the Royal Society of London B*, 270, 929-933.

Preti, G., Wysocki, C.J., Barnhart, K.T., Sondheimer, S.J., & Leyden, J.J. (2003). Male axillary extracts contain pheromones that affect pulsatile secretion of luteinizing hormone and mood in women recipients. *Biology of Reproduction*, 68, 2107-2113.

Pribitkin, E.A., Rosenthal, M.D., & Cowart, B.J. (2003). Prevalence and causes of severe taste loss in a chemosensory clinic population. *Annals of Otology, Rhinology & Laryngology*, 112, 971-978.

Pribitkin, E.A., Getz, A., Roberge, E.A., Krein, H., Rawson, N.E., Andrews, D.A., Simeone, F.A., Maus, M., Bilyk, J.R., & Cowart, B.J. (2003). Olfactory function following transorbital craniotomy through a suprabrow approach. *Internet Journal of Otorhinolaryngology*, 2,

Rawson, N.E. (2003). Age-related changes in perception of flavor and aroma. *Generations: Journal of the American Aging Association*, 27, 20-26.

Rawson, N.E., Ji, H., & Friedman, M.I. (2003). 2,5-Anhydro-D-mannitol increases hepatocyte calcium: implications for a hepatic hunger stimulus. *Biochimica et Biophysica Acta*, 1642, 59-66.

Reed, D.R., Li, X., Bachmanov, A.A., Mascioli, K., & Beauchamp, G.K. (2003). The molecular basis of the mammalian sweet tooth. In: G. Medeiros-Neto, A. Halpern, & C. Bouchard (Eds.), Progress in Obesity Research: 9, London: John Libbey Eurotext Ltd, pp 304-306.

Reed, D.R., Li, X., Lu, K., Li, S., Tordoff, M.G., Price, R.A., & Bachmanov, A.A. (2003). Loci on chromosomes 2,4,9 and 16 for body weight, body length and adiposity identified in a genome scan of an F2 intercross between 129P3/J and C57BL/6ByJ mouse strains. *Mammalian Genome*, 14, 302-313.

Reed, D.R. (2003). Progress in human bitter phenylthiocarbamide genetics. In: J. Prescott & B.J. Tepper (Eds.), Genetic Variation in Taste Sensitivity, New York: Marcel Dekker, pp 43-61.

Stein, L.J., Nagai, H., Nakagawa, M., & Beauchamp, G.K. (2003). Effects of repeated exposure and health-related information on hedonic evaluation and acceptance of a bitter beverage. *Appetite*, 40, 119-129.

Tarun, A.S., Bryant, B.P., Zhai, W., Solomon, C., & Shusterman, D. (2003). Gene expression for carbonic anhydrase isoenzymes in human nasal mucosa. *Chemical Senses*, 28, 621-629.

Tordoff, M.G. & Bachmanov, A.A. (2003). Influence of the number of alcohol and water bottles on murine alcohol intake. *Alcoholism: Clinical and Experimental Research*, 27, 600-606.

Tordoff, M.G. & Bachmanov, A.A. (2003). Mouse taste preference tests: why only two bottles? *Chemical Senses*, 28, 315-324.

Wise, P.M., Wysocki, C.J., & Radil, T. (2003). Time-intensity ratings of nasal irritation from carbon dioxide. *Chemical Senses*, 28, 751-760.

Wysocki, C.J. & Preti, G. (2003). Human pheromones: oxymoron, marketing, maya or meaningful messages? *Chemosense*, 5, 1-11.

Wysocki, C.J. & Wise, P. (2003). Methods, approaches, and caveats for functionally evaluating olfaction and chemesthesis. In: K. Deibler & J.F. Delwiche (Eds.), Handbook of Flavor Characterization: Sensory, Chemical and Physiological, New York: Marcel Dekker, pp 1-40.

2002

Ambro, B.T., Pribitkin, E.A., Wysocki, L., Brand, J.G., & Keane, W.M. (2002). Evidence that taste buds are not present on the human adult uvula. *ENT - Ear, Nose & Throat Journal*, 81, 456-457.

Bachmanov, A.A., Reed, D.R., Li, X., & Beauchamp, G.K. (2002). Genetics of sweet taste preference. *Pure and Applied Chemistry*, 74, 1135-1140.

Bachmanov, A.A., Reed, D.R., Beauchamp, G.K., & Tordoff, M.G. (2002). Food intake, water intake, and drinking spout side preference of 28 mouse strains. *Behavior Genetics*, 32, 435-443.

Bachmanov, A.A., Reed, D.R., Li, S., Beauchamp, G.K., & Tordoff, M.G. (2002). Voluntary ethanol consumption by mice: Genome-wide analysis of quantitative trait loci and their interactions in a C57BL/6ByJ x 129p3/J F2 intercross. *Genome Research*, 12, 1257-1268.

Bachmanov, A.A., Beauchamp, G.K., & Tordoff, M.G. (2002). Voluntary consumption of NaCl, KCl, $CaCl_2$ and NH_4Cl solutions by 28 mouse strains. *Behavior Genetics*, 32, 445-457.

Beauchamp, G.K., Reed, D.R., Tordoff, M.G., & Bachmanov, A.A. (2002). Genetics of sweet taste. In: P. Given & D. Paredes (Eds.), Chemistry of Taste: Mechanisms, Behaviors, and Mimics, Washington, DC: American Chemical Society, pp 40-51.

Breslin, P.A.S., Doolittle, N., & Dalton, P. (2002). Sub-threshold integration of taste and smell: The origins of flavor. *Aroma-chology Review*, 10, 14-17.

Bryant, B.P. & Mezine, I. (2002). Pungency and tingling: Sensations and mechanisms of trigeminal chemical sensitivity. In: P. Given & D. Paredes (Eds.), Chemistry of Taste: Mechanisms, Behaviors, and Mimics, Washington, DC: American Chemical Society, pp 202-213.

Crone, B.K., Dodabalapur, A., Sarpeshkar, R., Gelperin, A., Katz, H.E., & Bao, Z. (2002). Organic oscillator and adaptive amplifier circuits for chemical vapor sensing. *Applied Physics Letters*, 91, 10140-10146.

Dalton, P. (2002). Olfaction. In: S. Yantis (Eds.), Steven's Handbook of Experimental Psychology: Volume 1, *Sensation and Perception,* 3rd Edition, 691-756.

Dalton, P. (2002). Odor, irritation, and perception of health risk. *International Archives of Occupational & Environmental Health*, 75, 283-290.

Dalton, P., Doolittle, N., & Breslin, P.A.S. (2002). Gender specific induction of enhanced sensitivity to odors. *Nature Neuroscience*, 5, 199-200.

Del Punta, K., Leinders-Zufall, T., Rodriguez, I., Jukam, D., Wysocki, C.J., Ogawa, S., Zufall, F., & Mombaerts, P. (2002). Deficient pheromone responses in mice lacking a cluster of vomeronasal receptor genes. *Nature*, 419, 70-74.

Delwiche, J.F. & Pelchat, M.L. (2002). Influence of glass shape on the perception of wine aroma. *Journal of Sensory Studies*, 17, 19-28.

Delwiche, J.F., Buletic, Z., & Breslin, P.A.S. (2002). Clustering bitter compounds via individual sensitivity differences: Evidence supporting multiple receptor-transduction mechanisms. In: P. Given & D. Paredes (Eds.), Chemistry of Taste: Mechanisms, Behaviors, and Mimics, Washington, DC: American Chemical Society, pp 65-77.

Elliott, S., Keim, N., Stern, J., Teff, K.L., & Havel, P.J. (2002). Fructose, weight gain, and the insulin resistance syndrome. *American Journal of Clinical Nutrition*, 76, 911-922.

Friedman, M.I., Koch, J.E., Graczyk-Milbrandt, G., Ulrich, P.M., & Osbakken, M.D. (2002). High-fat diet prevents eating response and attenuates liver ATP decline in rats given 2,5-anhydro-D-mannitol. *American Journal of Physiology*, 282, R710-R714.

Fujie, S., Aonuma, H., Ito, I., Gelperin, A., & Ito, E. (2002). The nitric oxide/cyclic GMP pathway in the olfactory processing system of the terrestrial slug *Limax marginatus*. *Zoological Science*, 19, 15-26.

Gelperin, A. & Hopfield, J.J. (2002). Electronic and computational olfaction. In: P. Given & D. Paredes (Eds.), Chemistry of Taste: Mechanisms, Behaviors, and Mimics, Washington, DC: American Chemical Society, pp 289-317.

Gelperin, A. (2002). Invertebrate learning: Associative learning in Limax. In: J. Byrne (Eds.), Learning and Memory, 2nd Edition, New York: MacMillian Publishing, pp 281-287.

Herz, R.S. (2002). The influence of odors on mood and affective cognition. In: C. Rouby, B. Schaal, D. Dubois, R. Gervais, & A. Holley (Eds.), Olfaction, Taste, and Cognition, New York: Cambridge University Press.

Herz, R.S. & Schooler, J.W. (2002). A naturalistic study of autobiographical memories evoked to olfactory versus visual cues: testing the Proustian hypothesis. *American Journal of Psychology*, 115, 21-32.

Ji, H., Graczyk-Milbrandt, G., Osbakken, M.D., & Friedman, M.I. (2002). Interactions of dietary fat and 2,5-anhydro-D-mannitol on energy metabolism in isolated rat hepatocytes. *American Journal of Physiology* , 282, R715-R720.

Keast, R.S.J. & Breslin, P.A.S. (2002). Cross-adaptation and bitterness inhibition of L-tryptophan, L-phenylalanine and urea: Further support for shared peripheral physiology. *Chemical Senses*, 27, 123-131.

Keast, R.S.J. & Breslin, P.A.S. (2002). Modifying the bitterness of selected oral pharmaceuticals with cation and anion series of salts. *Pharmaceutical Research*, 19, 1020-1027.

Lane, A.P., Gomez, G., Dankulich, T., Wang, H., Bolger, W.E., & Rawson, N.E. (2002). The superior turbinate as a source of functional human olfactory receptor neurons. *The Laryngoscope*, 112, 1183-1189.

Li, X., Bachmanov, A.A., Li, S., Chen, Z., Tordoff, M.G., Beauchamp, G.K., de Jong, P.J., Wu, C., Chen, L., West, D.B., Ross, D.A., Ohmen, J.D., & Reed, D.R. (2002). Genetic, physical and comparative map of the subtelomeric region of mouse chromosome 4. *Mammalian Genome*, 13, 5-19.

Liem, D.G. & Mennella, J.A. (2002). Sweet and sour preferences during childhood: Role of early experiences. *Developmental Psychobiology*, 41, 388-395.

Lowe, G. (2002). Inhibition of backpropagating action potentials in mitral cell secondary dendrites. *Journal of Neurophysiology* , 88, 64-85.

McCaughey, S.A. & Tordoff, M.G. (2002). Magnesium appetite in the rat. *Appetite*, 38, 1-10.

Mennella, J.A. (2002). Alcohol use during lactation: The folklore versus the science. In: K.G. Auerbach (Eds.), Current Issues in Clinical Lactation, Boston: Jones and Bartlett Publishers, pp 3-10.

Mennella, J.A. & Beauchamp, G.K. (2002). Flavor experiences during formula feeding are related to preferences during childhood. *Early Human Development*, 68, 71-82.

Oh, S.-H., Hayashi, Y., Iseki, K., Restrepo, D., Teeter, J., & Mori, T. (2002). Participation of ionotropic and metabotropic glutamate receptors in taste cell responses to MSG. *Sensory Neuron*, 3, 169-183.

Pelchat, M.L. (2002). Of human bondage: Food craving, obsession, compulsion, and addiction. *Physiology & Behavior*, 76, 347-352.

Preti, G. & Leyden, J.J. (2002). Body odor in dermatologic diagnosis: comment. *Cutis*, 64, 315-316.

Rawson, N.E. (2002). Age-related changes in chemosensation. *Geriatric Care Management Journal*, 12, 11-16.

Rawson, N.E. & Gomez, G. (2002). Cell and molecular biology of human olfaction. *Microscopy Research and Technique*, 58, 142-151.

Sato, T., Hirono, J., Yamazaki, K., Beauchamp, G.K., & Yoshino, K. (2002). Basis of odor discrimination in olfaction and odor-type-discriminating sensory system as a medical diagnosis tool (*in Japanese*). *Japanese Society for Electrical and Materials Engineering*, 11, 45-55.

Schaefer, M.L., Yamazaki, K., Osada, K., Restrepo, D., & Beauchamp, G.K. (2002). Olfactory fingerprints for major histocompatibility complex-determined body odors II: Relationships between odor maps, genetics, odor composition and behavior. *Journal of Neuroscience*, 22, 9513-9521.

Smeets, M.A., Maute, C.M., & Dalton, P. (2002). Acute sensory irritation from exposure to isopropanol (2-propanol) at TLV in workers and controls: Objective versus subjective effects. *Annals of Occupational Hygiene*, 46, 359-373.

Smeets, M.A. & Dalton, P. (2002). Perceived odor and irritation of isopropanol: a comparison between naive controls and occupationally exposed workers. *International Archives of Occupational & Environmental Health*, 75, 541-548.

Someya, T., Katz, H.E., Gelperin, A., Lovinger, A.J., & Dodabalapur, A. (2002). Vapor sensing with α,ω-dihexylquarterthiophene field-effect transistors: The role of grain boundaries. *Applied Physics Letters*, 81, 3079-3081.

Someya, T., Dodabalapur, A., Gelperin, A., Katz, H.E., & Bao, Z. (2002). Integration and response of organic electronics with acqueous microfluidics. *Langmuir*, 18, 5299-5302.

Takemoto, J.Y., Brand, J.G., Kaulin, Y.A., Malev, V.V., Schagina, L.V., & Blasko, K. (2002). The syringomycins. Lipodepsipeptide pore formers from plant bacterium, Pseudomonas syringae. In: G. Menestrina, M. Dalla Serra, & P. Lazarovici (Eds.), Pore-Forming Peptides and Protein Toxins, London: Taylor and Francis, pp 260-271.

Tordoff, M.G. (2002). Intragastric calcium infusions support flavor preference learning by calcium-deprived rats. *Physiology & Behavior*, 76, 521-529.

Tordoff, M.G., Pilchak, D.M., Williams, J.A., McDaniel, A.H., & Bachmanov, A.A. (2002). The maintenance diets of C57BL/6J and 129X1/SvJ mice influence their taste solution preferences: Implications for large-scale phenotyping projects. *Journal of Nutrition*, 132, 2288-2297.

Tordoff, M.G. (2002). Obesity by choice: The powerful effect of nutrient availability on nutrient intake. *American Journal of Physiology*, 282, R1536-R1539.

Tordoff, M.G. & Coldwell, S.E. (2002). Some failures of intragastric NaCl infusions to support flavor preference learning. *Physiology & Behavior*, 76, 511-519.

Tordoff, M.G. & Bachmanov, A.A. (2002). Influence of test duration on the sensitivity of the two-bottle choice test. *Chemical Senses*, 27, 759-768.

Wysocki, C.J., Cowart, B.J., & Radil, T. (2002). Nasal-trigeminal chemosensitivity across the adult lifespan. *Perception & Psychophysics*, 65, 115-122.

Yamazaki, K., Boyse, E.A., Bard, J., Curran, M., Kim, D., Ross, S.R., & Beauchamp, G.K. (2002). Presence of mouse mammary tumor virus specifically alters the body odor of mice. *Proceedings of the National Academy of Sciences USA*, 99, 5612-5615.

Yee, K.K. & Wysocki, C.J. (2002). Differential responses to odorant analogs after recovery from nerve transection. *Physiology & Behavior*, 76, 661-667.

2001

Bachmanov, A.A., Tordoff, M.G., & Beauchamp, G.K. (2001). Sweetener preference of C57BL/6ByJ and 129P3/J mice. *Chemical Senses*, 26, 905-921.

Bachmanov, A.A., Reed, D.R., Tordoff, M.G., Price, R.A., & Beauchamp, G.K. (2001). Nutrient preference and diet-induced adiposity in C57BL/6ByJ and 129P3/J mice. *Physiology & Behavior*, 72, 603-613.

Bachmanov, A.A., Li, X., Reed, D.R., Ohmen, J.D., Li, S., Chen, Z., Tordoff, M.G., de Jong, P.J., Wu, C., West, D.B., Chatterjee, A., Ross, D.A., & Beauchamp, G.K. (2001). Positional cloning of the mouse saccharin preference (*Sac*) locus. *Chemical Senses*, 26, 925-933.

Bachmanov, A.A. & Beauchamp, G.K. (2001). Genetics of intake of umami-tasting solutions by mice. *Sensory Neuron*, 3, 202-212.

Bachmanov, A.A., Li, X., Li, S., Neira, M., Beauchamp, G.K., & Azen, E.A. (2001). High-resolution genetic mapping of the sucrose octaacetate taste aversion (*Soa*) locus on mouse chromosome 6. *Mammalian Genome*, 12, 695-699.

Beauchamp, G.K. (2001). Les mécanismes de réception de la saveur sucrée: état des connaissances et perspectives de la recherche. In: R. Desgrez & P. Reiser (Eds.), De la Saveur Sucrée aux Produits Sucrés: La Théorie Mise en Pratique, Paris: L'Alliance 7/Cedus, pp 3-8.

Breslin, P.A.S. & Tharp, C.D. (2001). Reduction of saltiness and bitterness after a chlorhexidine rinse. *Chemical Senses*, 26, 105-116.

Breslin, P.A.S. (2001). Human gustation and flavour. In: A.M. Spanier, F. Shahidi, T.H. Parliament, C. Mussinan, C.-T. Ho, & E. Tratra Contis (Eds.), Food Flavors and Chemistry: Advances of the New Millenium, Cambridge: Royal Society of Chemistry, pp 33-66.

Breslin, P.A.S., Gingrich, T.N., & Green, B.G. (2001). Ibuprofen as a chemesthetic stimulus: Evidence of a novel mechanism of throat irritation. *Chemical Senses*, 26, 55-65.

Breslin, P.A.S. (2001). Human gustation and flavour. *Flavour Fragrance Journal*, 16, 439-456.

Cecil, J.E. (2001). Oral, gastric and intestinal influences on the control of appetite and feeding in humans. *Appetite*, 36, 235-236.

Cowart, B.J. & Rawson, N.E. (2001). Olfaction. In: E.B. Goldstein (Eds.), The Blackwell Handbook of Perception, Oxford: Blackwell Publishers Ltd., pp 567-600.

Dalton, P. (2001). Evaluating the human response to sensory irritation: Implications for setting occupational exposure limits. *American Industrial Hygiene Association Journal*, 62, 723-729.

Dalton, P. (2001). Psychophysical methods in the study of olfaction and respiratory tract irritation. *American Industrial Hygiene Association Journal*, 62, 705-710.

Dalton, P. (2001). Cognitive influences on odor perception. In: T.S. Lorig (Eds.), Compendium of Olfactory Research: 1994-2000, New York: Kendall-Hunt, pp 39-48.

Delwiche, J.F., Buletic, Z., & Breslin, P.A.S. (2001). Relationship of papillae number to bitter intensity of quinine and PROP within and between individuals. *Physiology & Behavior*, 74, 329-337.

Delwiche, J.F., Buletic, Z., & Breslin, P.A.S. (2001). Covariation in individuals' sensitivities to bitter compounds: Evidence supporting multiple receptor/transduction mechanisms. *Perception & Psychophysics* , 63, 761-776.

Epple, G., Bryant, B.P., Mezine, I., & Lewis.S. (2001). Zanthoxylum piperitum, an Asian spice, inhibits food intake in rats. *Journal of Chemical Ecology*, 27, 1627-1640.

Gerrish, C.J. & Mennella, J.A. (2001). Flavor variety enhances food acceptance in formula-fed infants. *American Journal of Clinical Nutrition*, 73, 1080-1085.

Guo, S.W. & Reed, D.R. (2001). The genetics of phenylthiocarbamide perception. *Annals of Human Biology*, 28, 111-142.

Herz, R.S. (2001). Beliefs influence perception of natural and synthetic odors. *Aromachology Review*, 9, 1-7.

Herz, R.S. & von Clef, J. (2001). The influence of verbal labeling on the perception of odors: Evidence for olfactory illusions? *Perception*, 30, 381-391.

Herz, R.S. & Epple, G.A. (2001). The success of our failure-induction experimental design: Response to Black. *Developmental Psychobiology*, 39, 149-150.

Horn, C.C., Geizhals, C.R., & Kupfermann, I. (2001). Further studies of bulk and orosensory decrement in producing satiation of feeding in Aplysia. *Brain Research*, 918, 51-59.

Horn, C.C., Tordoff, M.G., & Friedman, M.I. (2001). Role of vagal afferent innervation in feeding and brain Fos expression produced by metabolic inhibitors. *Brain Research*, 919, 198-206.

Hyman, S. & Rawson, N.E. (2001). Preliminary results of olfactory testing in rats without deprivation. *Lab Animal*, 30, 38-39.

Inoue, M., McCaughey, S.A., Bachmanov, A.A., & Beauchamp, G.K. (2001). Whole-nerve chorda tympani responses to sweeteners in C57BL/6ByJ and 129P3/J mice. *Chemical Senses*, 26, 915-923.

Inoue, M., Li, X., McCaughey, S.A., Beauchamp, G.K., & Bachmanov, A.A. (2001). Soa genotype selectively affects mouse gustatory neural responses to sucrose octaacetate. *Physiological Genomics*, 5, 181-186.

Iseki, K., Hayashi, Y., Oh, S.-H., Teeter, J., Restrepo, D., & Mori, T. (2001). Umami taste: electrophysiological recordings of synergism in mouse taste cells. *Sensory Neuron*, 3, 155-167.

Kang, J., Teeter, J.H., Brazier, S.P., Nguyen, N.D., Chang, C.C., & Puchalski, R.B. (2001). Molecular cloning and functional characterization of a novel delayed rectifier potassium channel from channel catfish (*Ictalurus punctatus*): Expression in taste buds. *Journal of Neurochemistry*, 76, 1465-1474.

Keast, R.S.J., Breslin, P.A.S., & Beauchamp, G.K. (2001). Suppression of bitterness using sodium salts. *Chimia*, 55, 441-447.

Li, X., Inoue, M., Reed, D.R., Huque, T., Puchalski, R.B., Tordoff, M.G., Ninomiya, Y., Beauchamp, G.K., & Bachmanov, A.A. (2001). High-resolution genetic mapping of the saccharin preference locus (*Sac*) and the putative sweet taste receptor (T1R1) gene (*Gpr70*) to mouse distal chromosome 4. *Mammalian Genome*, 12, 13-16.

Mattes, R.D. & DiMeglio, D. (2001). Ethanol perception and ingestion. *Physiology & Behavior*, 72, 217-229.

McCaughey, S.A. & Tordoff, M.G. (2001). Calcium deprivation alters gustatory-evoked activity in the rat nucleus of the solitary tract. *American Journal of Physiology*, 281, R971-R978.

McMahon, D.B.T., Shikata, H., & Breslin, P.A.S. (2001). Are human taste thresholds similar on the right and left sides of the tongue? *Chemical Senses*, 26, 875-883.

Mennella, J.A., Jagnow, C., & Beauchamp, G.K. (2001). Prenatal and postnatal flavor learning by human infants. *Pediatrics*, 107, e88.

Mennella, J.A. & Garcia-Gomez, P.L. (2001). Sleep disturbances following acute exposure to alcohol in mother's milk. *Alcohol*, 25, 153-158.

Mennella, J.A. (2001). Alcohol's effect on lactation. *Alcohol Research and Health*, 25, 230-234.

Mennella, J.A. (2001). Regulation of milk intake following exposure to alcohol in mothers' milk. *Alcoholism: Clinical and Experimental Research*, 25, 590-593.

Owen, K., Ji, H., Maxwell, C., Nelssen, J., Goodband, R., Tokach, M., Tremblay, G., & Koo, S. (2001). Dietary L-carnitine suppresses mitochondrial branched-chain keto acid dehydrogenase activity and enhances protein accretion and carcass characteristics of swine. *Journal of Animal Science*, 79, 3104-3112.

Pelchat, M.L. & Blank, F. (2001). A scientific approach to flavors and olfactory memory. In: H. Walker (Eds.), Food and the Memory: Oxford Symposium on Food and Cookery 2000 proceedings, Devon, UK: Prospect Books, pp 192-198.

Pelchat, M.L. (2001). Is age-related olfactory loss uniform across odorants? In: T.S. Lorig (Eds.), Compendium of Olfactory Research, Dubuque, Iowa: Kendall/Hunt Publishing Company, pp 3-12.

Puchalski, R.B., Kelly, E., Bachmanov, A.A., Brazier, S.P., Kuang, J., Arrighi, I., Barhanin, J., & Tordoff, M.G. (2001). NaCl consumption is attenuated in female *KCNE1* null mutant mice. *Physiology & Behavior*, 74, 267-276.

Reed, D.R., Nanthakumar, E., North, M., Bell, C., & Price, R.A. (2001). A genome-wide scan suggests a locus on chromosome 1q21-q23 contributes to normal variation in plasma cholesterol concentration. *Journal of Molecular Medicine*, 79, 262-269.

Reed, D.R. (2001). Gene mapping for taste related phenotypes in humans and mice. *Appetite*, 35, 189-190.

Sunavala, G., Yan, W., Brand, J., & Spielman, A.I. (2001). Rapid kinetic measurements in chemosensory systems. In: S.A. Simon & M.A.L. Nicolelis (Eds.), Methods and Frontiers in Chemosensory Research, Boca Raton: CRC Press, pp 207-238.

Tordoff, M.G. (2001). Calcium: taste, intake, and appetite. *Physiological Reviews*, 81, 1567-1597.

Tordoff, M.G. & McCaughey, S.A. (2001). Influence of oral and gastric NaCl preloads on NaCl intake and gastric emptying of sodium-deficient rats. *American Journal of Physiology*, 281, R1152-R1160.

Yamazaki, K. (2001). Genetics of chemosensory identity (5) *In Japanese*. *Aroma Research*, 2, 82-87.

Yamazaki, K. (2001). Genetics of chemosensory identity (4) *In Japanese*. *Aroma Research*, 2, 23-34.

Yamazaki, K. (2001). Genetics of chemosensory identity (6) *In Japanese*. *Aroma Research*, 2, 38-43.

Yamazaki, K. (2001). Genetics of olfactory individuality. *Proceedings International Symposium Toward a Development of KANSEI Technology*, 11-13.

Yan, W., Sunavala, G., Rosenzweig, S., Dasso, M., Brand, J.G., & Spielman, A.I. (2001). Bitter taste transduced by PLC-β_2-dependent rise in IP_3 and α-gustducin-dependent fall in cyclic nucleotides.
American Journal of Physiology, 280, C742-C751.

Yee, K.K. & Wysocki, C.J. (2001). Odorant exposure increases olfactory sensitivity: olfactory epithelium is implicated. *Physiology & Behavior*, 75, 705-711.

2000

Bachmanov, A.A., Tordoff, M.G., & Beauchamp, G.K. (2000). Intake of umami-tasting solutions by mice: A genetic analysis. *Journal of Nutrition*, 130, 935S-941S.

Bard, J., Yamazaki, K., Curran, M., Boyse, E.A., & Beauchamp, G.K. (2000). Effect of B2m gene disruption on MHC-determined odortypes. *Immunogenetics*, 51, 514-518.

Bazemore, R., Wysocki, C.J., Murray, S., Lawley, H.J., & Preti, G. (2000). Amelioration of odorous components in spent mushroom compost. *Journal of Agricultural and Food Chemistry*, 48, 3694-3697.

Beauchamp, G.K., Curran, M., & Yamazaki, K. (2000). MHC-mediated odortypes expressed by pregnant females influence male associative behavior. *Animal Behaviour*, 60, 289-295.

Bjerselius, R., Li, W., Teeter, J.H., Johnsen, P.B., Seelye, J.G., Maniak, P.J., Grant, G., Polinghorne, C.N., & Sorensen, P.W. (2000). Direct behavioral evidence that unique bile acids released by larval sea lamprey function as a migratory pheromone. *Canadian Journal of Fisheries and Aquatic Science*, 57, 557-569.

Brand, J.G. (2000). Within reach of an end to unnecessary bitterness? *The Lancet*, 356, 1371-1372.

Brand, J.G. (2000). Receptor and transduction processes for umami taste. *Journal of Nutrition*, 130, 942S-945S.

Breslin, P.A.S. (2000). Human gustation. In: T.E. Finger, W.L. Silver, & D. Restrepo (Eds.), The Neurobiology of Taste and Smell, New York: Wiley Interscience, pp 423-461.

Bryant, B.P. (2000). The role of carbonic anhydrase in gustation, olfaction and chemical irritation. In: W.R. Chegwidden, N.D. Carter, & Y.H. Edwards (Eds.), The Carbonic Anhydrases: New Horizons, Basel: Birkhäuser Verlag, pp 365-374.

Bryant, B.P. & Silver, W. (2000). Chemesthesis: the common chemical sense. In: T.E. Finger, W. Silver, & D. Restrepo (Eds.), Neurobiology of the Chemical Senses, 2nd Edition, New York: Wiley-Liss, Inc., pp 73-100.

Bryant, B.P., Savchenko, A., Clark, L., & Mason, J.R. (2000). Potential for cell culture techniques as a wildlife management tool for screening primary repellents. *International Biodeterioration & Biodegradation*, 45, 175-181.

Chen, D. & Haviland-Jones, J. (2000). Human olfactory communication of emotion. *Perceptual and Motor Skills*, 91, 771-781.

Dalton, P. (2000). Fragrance perception - From the nose to the brain. *Journal of Cosmetic Chemistry*, 25, 142-151.

Dalton, P., Doolittle, N., Nagata, H., & Breslin, P.A.S. (2000). The merging of the senses: integration of subthreshold taste and smell. *Nature Neuroscience*, 3, 431-432.

Dalton, P. & Hummel, T. (2000). Chemosensory function in idiopathic environmental intolerance. *Occupational Medicine: State of the Art Reviews*, 15, 539-556.

Dalton, P., Dilks, D.D., & Banton, M.I. (2000). Evaluation of odor and sensory irritation thresholds for methyl isobutyl ketone in humans. *American Industrial Hygiene Association Journal*, 61, 340-350.

Dalton, P. (2000). Psychophysical and behavioral characteristics of olfactory adaptation. *Chemical Senses*, 25, 487-492.

Davis, J.D. & Breslin, P.A.S. (2000). A behavioral analysis of the ingestion of glucose, maltose, and maltoogliosaccharide by rats. *Physiology & Behavior*, 69, 477-485.

Delwiche, J.F., Lera, M.F., & Breslin, P.A.S. (2000). Selective removal of a target stimulus by taste in humans. *Chemical Senses*, 25, 181-187.

Friedman, M.I. (2000). Too many choices? A critical essay on macronutrient selection. In: H.-R. Berthoud & R.J. Seeley (Eds.), Neural and Metabolic Control of Macronutrient Intake, Boca Raton: CRC Press, pp 11-18.

Gerrish, C.J. & Mennella, J.A. (2000). Short-term influence of breastfeeding on the infants' interaction with the environment. *Developmental Psychobiology*, 36, 40-48.

Gomez, G., Rawson, N.E., Hahn, C.-G., & Restrepo, D. (2000). Characteristics of odorant elicited calcium changes in cultured human olfactory neurons. *Journal of Neuroscience Research*, 62, 737-749.

Gomez, G., Rawson, N.E., Cowart, B.J., Lowry, L.D., Pribitkin, E.A., & Restrepo, D. (2000). Modulation of odor-induced increases in $[Ca^{2+}]_i$ by inhibitors of protein kinases A and C in rat and human olfactory receptor neurons. *Neuroscience*, 98, 181-189.

Gomez, G. (2000). Olfactory receptor neurons are complex odorant information processors. Focus on "Excitation, inhibition, and suppression by odors in isolated toad and rat olfactory receptor neurons.". *American Journal of Physiology*, 279, C19-C20.

Herz, R.S. (2000). Verbal coding in olfactory versus non-olfactory cognition. *Memory & Cognition*, 28, 957-964.

Herz, R.S. (2000). Scents of time. *The Sciences*, July/August, 34-39.

Ji, H., Graczyk-Milbrandt, G., & Friedman, M.I. (2000). Metabolic inhibitors synergistically decrease hepatic energy status and increase food intake. *American Journal of Physiology*, 278, R1579-R1582.

Lin, D.L., Wang, F., Lowe, G., Gold, G.H., Axel, R., Ngai, J., & Brunet, L. (2000). Formation of precise connections in the olfactory bulb occurs in the absence of odorant-evoked neuronal activity. *Neuron*, 26, 69-80.

Mattes, R.D. & Beauchamp, G.K. (2000). Individual differences in bitter taste: Dietary implications. In: B. Kuzendorf & B. Wallace (Eds.), Individual Differences in Conscious Experience, Amsterdam: John Benjamins, pp 99-123.

McCaughey, S. & Tordoff, M.G. (2000). Calcium-deprived rats sham-drink $CaCl_2$ and NaCl. *Appetite*, 34, 305-311.

Mennella, J.A. & Garcia, P.L. (2000). Children's hedonic response to the smell of alcohol: Effects of parental drinking habits. *Alcoholism: Clinical and Experimental Research*, 24, 1167-1171.

Mezine, I., Chavez, M., Vatamaniuk, M., & Teff, K.L. (2000). High-performance liquid chromatography of monoamines on phenyl-bound sorbents using organic free mobile phases. *Biomedical Chromotography*, 14, 205-207.

Pelchat, M.L. (2000). You can teach an old dog new tricks: Olfaction and responses to novel foods by the elderly. *Appetite*, 35, 153-160.

Pelchat, M.L. & Schaefer, S. (2000). Dietary monotony and food cravings in young and elderly adults. *Physiology & Behavior*, 68, 353-359.

Rawson, N.E., Ulrich, P., Jackson, J., & Restrepo, D. (2000). Expression of mRNAs encoding for two different olfactory receptors in a subset of olfactory receptor neurons. *Journal of Neurochemistry*, 75, 185-195.

Rawson, N.E. (2000). Human olfaction. In: T.E. Finger, W. Silver, & D. Restrepo (Eds.), The Neurobiology of Taste and Smell, Second Edition, New York: Wiley-Liss, pp 257-284.

Schiffman, S.S., Walker, J.M., Dalton, P., Lorig, T.S., Raymer, J.H., Shusterman, D., & Williams, C.M. (2000). Potential health effects of odor from animal operations, wastewater treatment, and recycling of byproducts. *Journal of Agromedicine*, 7, 1-81.

Shikata, H., McMahon, D.B.T., & Breslin, P.A.S. (2000). Psychophysics of taste lateralization on anterior tongue. *Perception & Psychophysics*, 62, 684-694.

Smeets, M. & Dalton, P. (2000). The nose of the beholder. *The Aroma-Chology Review*, 8, 1-10.

Teff, K.L. (2000). Nutritional implications of the cephalic phase reflexes: endocrine responses. *Appetite*, 34, 206-213.

Wong, S.T., Trinh, K., Hacker, B., Chan, G.C.K., Lowe, G., Gaggar, A., Xia, Z., Gold, G.H., & Storm, D.R. (2000). Disruption of the type III adenylyl cyclase gene leads to peripheral and behavioral anosmia in transgenic mice. *Neuron*, 27, 487-497.

Wysocki, C.J. & Preti, G. (2000). Human body odors and their perception. *Japanese Journal of Taste and Smell*, 7, 19-42.

Yamazaki, K. (2000). Genetics of chemosensory identity (2) (*in Japanese)*. *Aroma Research*, 1, 40-47.

Yamazaki, K. (2000). Genetics of chemosensory identity (3) *In Japanese*. *Aroma Research*, 1, 30-37.

Yamazaki, K. (2000). Genes That Control Odor *(in Japanese)*.

Yamazaki, K., Beauchamp, G.K., Curran, M., Bard, J., & Boyse, E.A. (2000). Parent-progeny recognition as a function of MHC odortype identity. *Proceedings of the National Academy of Sciences USA*, 97, 10500-10502.

Yamazaki, K. (2000). Genetics of chemosensory identity (1) (*in Japanese)*. *Aroma Research*, 1, 55-59.

Yee, K.K. & Rawson, N.E. (2000). Retinoic acid enhances the rate of olfactory recovery after olfactory nerve transection. *Developmental Brain Research*, 124, 129-132.

1999

Bachmanov, A.A., Inoue, M., Ninomiya, Y., & Beauchamp, G.K. (1999). Modification of behavioral and neural taste responses to NaCl in C57BL/6 mice: Effects of NaCl exposure and DOCA treatment. *Physiology & Behavior*, 65, 817-822.

Beauchamp, G.K. (1999). Factors affecting sweetness. In: A. Corti (Eds.), Low-Calorie Sweetners: Present and Future, Basel: Karger, pp 10-17.

Bryant, B.P. & Mezine, I. (1999). Alkylamides that produce tingling paresthesia activate tactile and thermal trigeminal neurons. *Brain Research*, 842, 452-460.

Chukhrai, E.S., Atyakesheva, L.F., Poltorak, O.M., Kozlenkov, A., V, Voznessenskaya, V.V., & Wysocki, C.J. (1999). Absorbtion and catalytic properties of alakaline phosphatase in native olfactory membranes. *Russian Journal of Physical Chemistry*, 73, 739-742.

Dalton, P. (1999). Cognitive influences on health symptoms from acute chemical exposure. *Health Psychology*, 18, 579-590.

El Hani, A., Mason, J.R., Nolte, D.L., & Schmidt, R.H. (1999). Flavor avoidance learning and its implications in reducing hazards. *Physiology & Behavior*, 64, 585-589.

Epple, G. & Herz, R.S. (1999). Ambient odors associated to failure influence cognitive performance in children. *Developmental Psychobiology*, 35, 1-5.

Feigin, A.M. (1999). Selective modification of sterol composition of hematomas: new opportunities for chemotherapy. *Medical Hypotheses*, 52, 383-388.

Friedman, M.I., Ulrich, P., & Mattes, R.D. (1999). A figurative measure of subjective hunger sensations. *Appetite*, 32, 394-404.

Friedman, M.I., Harris, R.B., Ji, H., Ramirez, I., & Tordoff, M.G. (1999). Fatty acid oxidation affects food intake by altering hepatic energy status. *American Journal of Physiology*, 276, R1046-R1053.

Gold, G.H. (1999). Controversial issues in vertebrate olfactory transduction. *Annual Review of Physiology*, 61, 857-871.

Havel, P.J., Townsend, R.R., Chaump, L., & Teff, K.L. (1999). High fat meals reduce 24-h circulating leptin concentrations in women. *Diabetes*, 48, 334-341.

Herz, R.S. & von Clef, J. (1999). The influence of verbal labeling on the perception of ambiguous odors. *Chemical Senses*, 24, 599-600.

Herz, R.S. (1999). Caffeine effects on mood and memory. *Behavior, Research, and Therapy*, 37, 869-879.

Herz, R.S. (1999). Differential importance of olfactory information in the human heterosexual response as a function of gender. In: R.E. Johnson (Eds.), Advances in Chemical Signals in Vertebrates, New York: Plenum Publishing Corporation, pp 373-382.

Herz, R.S., McCall, C., & Cahill, L. (1999). Hemispheric lateralization in the processing of odor pleasantness versus odor names. *Chemical Senses*, 24, 691-695.

Herz, R.S. (1999). Olfaction and memory. *H&R Contact*, 77, 23-27.

Horn, C.C., Aleymayehu, A., & Friedman, M.I. (1999). Neural substrate for an integrated metabolic control of feeding behavior. *American Journal of Physiology*, 276, R113-R119.

Ji, H. & Friedman, M.I. (1999). Compensatory hyperphagia after fasting tracks recovery of liver energy status. *Physiology & Behavior*, 68, 181-186.

Kurahashi, T. & Gold, G.H. (1999). Ionic channels mediating sensory transduction. In: A. Sitaramayya (Eds.), Introduction to Cellular Signal Transduction, Boston: Birkhäuser, pp 215-234.

Lermer, C.M. & Mattes, R.D. (1999). Perception of dietary fat: Ingestive and metabolic implications. *Progress in Lipid Research* , 38, 117-128.

Lischka, F.W., Zviman, M., Teeter, J., & Restrepo, D. (1999). Characterization of inositol-1,4,5-trisphosophate-gated channels in the plasma membrane of rat olfactory neurons. *Biophysical Journal*, 76, 1410-1422.

Lischka, F.W., Teeter, J., & Restrepo, D. (1999). Odorants suppress a voltage-activated K^+ conductance in rat olfactory neurons. *Journal of Neurophysiology*, 82, 226-236.

Lowe, G. (1999). Slice blotting: a method for detecting the release of immunoreactive substances from living brain tissue. *Journal of Neuroscience Methods*, 90, 117-127.

Mason, J.R., Hollick, J., Kimball, A., & Johnston, J.J. (1999). Repellency of Deer Away Big Game repellent to eastern cottontail rabbits. *Journal of Wildlife Management*, 63, 309-314.

Mattes, R.D. & Faulkner, B. (1999). Salt sensitivity classification in normotensive adults. *Clinical Science*, 96, 449-459.

Mattes, R.D., Westby, E., De Cabo, R., & Falkner, B.L. (1999). Dietary compliance among salt-sensitive and salt-insensitive normotensive adults. *The American Journal of Medical Science*, 317, 287-294.

Mennella, J.A. (1999). Taste and smell. In: K.F. Swaiman & S. Ashwall (Eds.), Pediatric Neurology: Principles and Practice, Philadelphia: CV Mosby Company, pp 104-113.

Mennella, J.A. (1999). The transfer of alcohol to human milk: Sensory implications and effects on mother-infant interaction. In: J.H. Hannigan, N. Spear, L. Spear, & C.R. Goodlett (Eds.), Alcohol and Alcoholism: Brain and Development, Hillsdale, NJ: Lawrence Erlbaum Associates, pp 177-198.

Mennella, J.A. & Beauchamp, G.K. (1999). Experience with a flavor in mother's milk modifies the infant's acceptance of flavored cereal. *Developmental Psychobiology*, 35, 197-203.

Nibu, K., Li, G., Zhang, X., Rawson, N.E., Restrepo, D., Kaga, K., Lowry, L.D., Keane, W.M., & Rothstein, J.L. (1999). Olfactory neuron-specific expression of NeuroD in mouse and human nasal mucosa. *Cell and Tissue Research*, 298, 405-414.

Pelchat, M.L. & Beauchamp, G.K. (1999). Sensory and taste preferences of chocolate. In: I. Knight (Eds.), Chocolate and Cocoa, Oxford: Blackwell Science, pp 310-320.

Picciotto, M.R., Self, D.W., Pohorecky, L.A., Dawson, G.R., Flint, J., Wilkinson, L.S., Hen, R., Tordoff, M.G., Bachmanov, A.A., Friedman, M.I., Beauchamp, G.K., Wahlsten, D., Crabbe, J., & Dudek, B. (1999). Testing the Genetics of Behavior in Mice. *Science*, 285, 2067-2070.

Preti, G. & Wysocki, C.J. (1999). Human pheromones: Releasers or primers - fact or myth. In: R.E. Johnston, D. Müller-Schwartz, & P. Sorensen (Eds.), Advances in Chemical Communication in Vertebrates, New York: Plenum Press, pp 315-331.

Rawson, N.E. (1999). Cell and molecular biology of olfaction. *Quintessence International*, 30, 335-341.

Singleton, M.J. & Mattes, R.D. (1999). Sweetener augmentation of serum triacylglycerol during a fat challenge test in humans. *Journal of the American College of Nutrition*, 18, 179-185.

Teff, K.L. & Townsend, R.R. (1999). Early phase insulin infusion and muscarinic blockade in obese and lean subjects. *American Journal of Physiology*, 277, R198-R208.

Teff, K.L., Alavi, A., Chen, J., Pourdelinad, M., & Townsend, R.R. (1999). Muscarinic blockade inhibits gastric emptying of a mixed nutrient meal: differential effects on weight and gender. *American Journal of Physiology*, 276, R704-R714.

Tordoff, M.G., Bachmanov, A.A., Friedman, M.I., & Beauchamp, G.K. (1999). Testing the genetics of behavior in mice. *Science*, 285, 2069-

Van Dyjk, G., Seeley, R.J., Thiele, T.E., Friedman, M.I., Ji, H., Wilkinson, C.W., Burn, P., Campfield, L.A., Tennenbaum, T., Baskin, D.G., Woods, S.C., & Schwartz, M.W. (1999). Metabolic, gastrointestinal, and hypothalamic neuropeptide effects of brain leptin administration in the rat. *American Journal of Physiology*, 276, R1425-R1433.

Voznessenskaya, V.V., Wysocki, C.J., Chukhrai, E.S., Poltorak, O.M., & Atyaksheva, L.F. (1999). Long lasting effects of chemical exposures in mice. In: R.E. Johnston, D. Müller-Schwartz, & P. Sorensen (Eds.), Advances in Chemical Communication in Vertebrates, New York: Plenum Press.

Voznessenskaya, V.V., Feoktistova, N.Y., & Wysocki, C.J. (1999). Is there a critical period during neonatal development for imprinting odor? In: R.E. Johnston, D. Müller-Schwartz, & P. Sorensen (Eds.), Advances in Chemical Communication in Vertebrates, New York: Plenum Press.

Yamazaki, K., Singer, A.G., Curran, M., & Beauchamp, G.K. (1999). Origins, functions and chemistry of H-2 regulated odorants. *Genetica*, 104, 235-240.

Yamazaki, K. (1999). Development and modification of behavioral responses to MHC odortypes. *Japanese Journal of Taste and Smell Research*, 6, 307.

Yamazaki, K., Singer, A.G., Curran, M., & Beauchamp, G.K. (1999). Origin, functions and chemistry of H-2 regulated odorants. In: R.E. Johnston, D. Müller-Schwartz, & P. Sorensen (Eds.), Advances in Chemical Signals in Vertebrates, New York: Plenum Press, pp 173-180.

Yamazaki, K., Beauchamp, G.K., Singer, A.G., Bard, J., & Boyse, E.A. (1999). Odortypes: Their origin and composition. *Proceedings of the National Academy of Sciences USA*, 96, 1522-1525.

1998

Bachmanov, A.A., Tordoff, M.G., & Beauchamp, G.K. (1998). Voluntary sodium chloride consumption by mice: Differences among five inbred strains. *Behavior Genetics*, 28, 117-124.

Bachmanov, A.A., Schlager, G., Tordoff, M.G., & Beauchamp, G.K. (1998). Consumption of electrolytes and quinine by mouse strains with different blood pressures. *Physiology & Behavior*, 64, 323-330.

Beauchamp, G.K. (1998). The Monell Chemical Senses Center and the Association for Chemoreception Sciences celebrate anniversaries in 1998. *Japanese Journal of Taste and Smell Research*, 5, 151-152.

Beauchamp, G.K. & Mennella, J.A. (1998). Sensitive periods in the development of human flavor perception and preference. *Annales Nestle*, 56, 19-31.

Beauchamp, G.K., Bachmanov, A.A., & Stein, L.J. (1998). Development and genetics of glutamate taste preference. In: C. Murphy (Eds.), Olfaction and Taste XII, New York: New York Academy of Sciences, pp 412-416.

Chavez, M., Seeley, R.J., Havel, P.J., Friedman, M.I., Woods, S.C., & Schwartz, M.W. (1998). Effect of a high-fat diet on food intake and hypothalamic neuropeptide gene expression in streptozotocin diabetes. *Journal of Clinical Investigation*, 102, 340-346.

Chukhrai, E.S., Atyakesheva, L.F., Veselova, M.N., Poltorac, O.M., Voznessenskaya, V.V., & Wysocki, C.J. (1998). Titration of active centers of alkaline phosphatase of olfactory receptors by amino acid inhibitors. *Russian Journal of Physical Chemistry*, 72, 560-563.

Clark, L. (1998). The physiological, behavioral, ecological and evolutionary basis for irritation in birds. *Current Ornithology* , 14, 1-37.

Cowart, B.J. & Beauchamp, G.K. (1998). Development of taste and smell in the neonate. In: R.A. Polin & W.W. Fox (Eds.), Fetal and Neonatal Physiology, Philadelphia: W.B. Saunders Company, pp 2276-2286.

Cowart, B.J. (1998). The addition of CO_2 to traditional taste solutions alters taste quality. *Chemical Senses*, 23, 397-402.

Cummings, J.L., Clark, L., Pochop, P.A., & Davis, J.E. (1998). Laboratory evaluation of a methyl anthranilate bead formulation on mallard feeding behavior. *Journal of Wildlife Management*, 62, 581-584.

Dorr, B., Clark, L., Glahn, J.F., & Mezine, I. (1998). Evaluation of a methyl anthranilate-based bird repellent: toxicity to channel catfish *Ictalurus punctatus* and effect on great blue heron *Ardea herodias* feeding behavior. *Journal of the World Aquaculture Societ*, 29, 451-462.

Dunn-Meynell, A.A., Rawson, N.E., & Levin, B.E. (1998). Distribution and phenotype of neurons containing the ATP-sensitive K^+ channel in rat brain. *Brain Research*, 814, 41-54.

Epple, G.A. & Herz, R.S. (1998). The smell of failure. *The Aroma-Chology Review*, 7, 1-7.

Friedman, M.I. (1998). Fuel partitioning and food intake. *American Journal of Clinical Nutrition*, 67, 5513-5518.

Friedman, M.I., Ji, H., Graczyk-Milbrandt, G., Osbakken, M.D., & Rawson, N.E. (1998). Hepatic sensing in the control of food intake: unresolved issues. In: D. Haussinger & K. Jungermann (Eds.), Liver and Nervous System, London: Kluwer, pp 220-229.

Grosvenor, W., Feigin, A.M., Spielman, A.I., Finger, T.E., Wood, M.R., Hansen, A., Kalinoski, D.L., Teeter, J.H., & Brand, J.G. (1998). The arginine taste receptor: Physiology, biochemistry and immunohistochemistry. In: C. Murphy (Eds.), Olfaction and Taste XII, New York: New York Academy of Sciences, pp 134-142.

Herz, R.S. (1998). An examination of objective and subjective measures of experience associated to odors, music and paintings. *Empirical Studies of the Arts*, 16, 137-152.

Herz, R.S. (1998). Are odors the best cues to memory? A cross-modal comparison of associative memory stimuli. *Annals of the New York Academy of Sciences*, 855, 670-674.

Herz, R.S. & Laneader, A. (1998). An evaluation of caffeine-induced mood and state-dependent memory effects. 160.

Horn, C.C. & Friedman, M.I. (1998). Metabolic inhibition increases feeding and brain Fos-like immunoreactivity as a function of diet. *American Journal of Physiology*, 275, R448-R459.

Horn, C.C. & Friedman, M.I. (1998). Methyl palmoxirate increases eating behavior and brain Fos-like immunoreactivity in rats. *Brain Research*, 781, 8-14.

Horn, C.C. & Friedman, M.I. (1998). 2, 5-Anhydro-D-mannitol induces Fos-like immunoreactivity in hindbrain and forebrain: Relationship to eating behavior. *Brain Research*, 779, 17-25.

Horn, C.C., Kaplan, J.M., Grill, H.J., & Friedman, M.I. (1998). Brain Fos-like immunoreactivity in chronic decerebrate and neurologically-intact rats given 2,5-anhydro-D-mannitol. *Brain Research*, 801, 107-115.

Inoue, M. & Tordoff, M.G. (1998). Calcium deficiency alters chorda tympani nerve responses to oral calcium chloride. *Physiology & Behavior*, 63, 297-303.

Kaulin, Y., Schagina, L.V., Bezrukov, S.M., Malev, V.V., Feigin, A.M., Takemoto, J.Y., Teeter, J.H., & Brand, J.G. (1998). Cluster organization of ion channels formed by the antibiotic syringomycin E in bilayer lipid membranes. *Biophysical Journal*, 74, 2918-2925.

Koch, J.E., Ji, H., Osbakken, M.D., & Friedman, M.I. (1998). Temporal relationships between eating behavior and liver adenine nucleotides in rats treated with 2,5-anhydro-D-mannitol. *American Journal of Physiology*, 274, R610-R617.

Kumazawa, T., Brand, J., & Teeter, J. (1998). Amino acid-activated channels in the catfish taste system. *Biophysical Journal*, 75, 2757-2766.

Labows, J.N., Reilly, J.T., Leyden, J.J., & Preti, G. (1998). Axillary odor determination, formation and control. In: C. Laden (Eds.), Antiperspirants and Deodorants, New York: Marcel-Dekker, pp 59-82.

Lowry, L.D. & Cowart, B.J. (1998). Anosmia. In: G.A. Gates (Eds.), Current Therapy in Otolaryngology - Head and Neck Surgery, St. Louis: Mosby, pp 374-376.

Mason, J.R. & Epple, G.A. (1998). Evaluation of bird repellent additives to a simulated pesticide carrier formulation. *Crop Protection*, 17, 657-659.

Mattes, R.D. (1998). Position paper of The American Dietetic Association: Fat Replacers. *Journal of American Dietetics Association*, 98, 463-468.

Mattes, R.D. (1998). Chemical senses and nutrition. In: M.E. Shils, J.A. Olsen, M. Shike, & A.C. Ross (Eds.), Modern Nutrition in Health and Disease, Baltimore: Williams & Wilkins, pp 667-677.

Mennella, J.A. & Beauchamp, G.K. (1998). The infant's response to scented toys: Effects of exposure. *Chemical Senses*, 23, 11-17.

Mennella, J.A. & Gerrish, C.J. (1998). Effects of exposure to alcohol in mother's milk on infant sleep. *Pediatrics*, 101, e21-e25.

Mennella, J.A. & Beauchamp, G.K. (1998). Early flavor experiences: Research update. *Pediatric Basics*, 82, 14-24.

Mennella, J.A. (1998). Development of the chemical senses and the programming of flavor preference. 201-208.

Mennella, J.A. (1998). Visions of the future in basic chemosensation research. *Food Technology*, 52, 58-61.

Mennella, J.A. & Beauchamp, G. (1998). Smoking and the flavor of breast milk - Letter. *New England Journal of Medicine*, 339, 1559-1560.

Mennella, J.A. (1998). Short-term effects of maternal alcohol consumption on lactational performance. *Alcoholism: Clinical and Experimental Research*, 22, 1389-1392.

Mennella, J.A. & Beauchamp, G.K. (1998). Development and bad taste. *Pediatric Allergy, Asthma and Immunology*, 12, 161-163.

Ninomiya, Y., Bachmanov, A.A., Yatabe, A., & Beauchamp, G.K. (1998). NaCl-preferring NZB/BINJ mice and NaCl-avoiding CBA/J mice have similar amiloride inhibition of chorda tympani responses to NaCl. *Chemical Senses*, 23, 411-415.

Nolte, D.L. & Mason, J.R. (1998). Bioassays for mammals and birds. In: J.G. Millar & K. Haynes (Eds.), Methods in Chemical Ecology: Bioassay Methods, Norwell, MA: Kluver Academic Publishers, pp 326-378.

Okiyama, A. & Beauchamp, G.K. (1998). Taste dimensions of monosodium glutamate (MSG) in a food system: role of glutamate in young American subjects. *Physiology & Behavior*, 65, 177-181.

Pelchat, M.L. (1998). Non-uniformity of olfactory loss with age. *The Aroma-Chology Review*, VII, 3.

Pierce, J.D., Jr., Blank, D.H., Preti, G., & Wysocki, C.J. (1998). Reduction in the sweaty smell of 3-methyl-2-hexenoic acid by cross-adaptation using its pleasant-smelling methyl esters. *Journal of Cosmetic Science*, 49, 369-376.

Radil, T. & Wysocki, C.J. (1998). Spatiotemporal masking in pure olfaction. *Annals of the New York Academy of Sciences*, 855, 641-644.

Radil, T. & Wysocki, C.J. (1998). Does a hierarchical timing mechanism exist in the olfactory system? In: A. Neugebauer (Eds.), Macromolecular Interplay in Brain Associative Mechanisms, Singapore: World Scientific Publishing, pp 111-116.

Radil, T. & Wysocki, C.J. (1998). Spontaneous variability and induced increase of olfactory sensitivity to diulted odorants. In: C. Taddei-Ferretti & P. Marotta (Eds.), High Dilution Effects on Cells and Integrated Systems, Singapore: World Scientific Publishing, pp 154-158.

Rawson, N.E., Gomez, G., Cowart, B.J., & Restrepo, D. (1998). The use of olfactory receptor neurons (ORNs) from biopsies to study changes in aging and neurodegenerative diseases. In: C. Murphy (Eds.), Olfaction and Taste XII, New York: New York Academy of Sciences, pp 701-707.

Schagina, L.V., Kaulin, Y.A., Feigin, A.M., Takemoto, J.Y., Brand, J.G., & Malev, V.V. (1998). Properties of ion channels formed by the antibiotic syringomycin E in lipid bilayers: Dependence on electrolyte concentration of the bathing solution (in Russian). *Biologicheskie Membrany*, 15, 434-447.

Schneider, J.E., Goldman, M.D., Tang, S., Bean, B., Ji, H., & Friedman, M.I. (1998). Leptin indirectly affects estrous cycles by increasing metabolic fuel oxidation. *Hormones and Behavior*, 33, 217-228.

Spielman, A.I., Sunavala, G., Harmony, J.A., Stuart, W.D., Leyden, J.J., Turner, G., Vowels, B.R., Lam, W.C., Yang, S., & Preti, G. (1998). Identification and immunohistochemical localization of protein precursors to human axillary odors in apocrine glands and secretions. *Archives of Dermatology*, 134, 813-818.

Tordoff, M.G. & Rabusa, S.H. (1998). Calcium-deprived rats avoid sweet compounds. *Journal of Nutrition*, 128, 1232-1238.

Tordoff, M.G., Hughes, R.L., & Pilchak, D.M. (1998). Calcium intake by rats: Influence of parathyroid hormone, calcitonin, and 1,25-dihydroxyvitamin D. *American Journal of Physiology*, 274, R214-R231.

Werner, S.A., El Hani, A., & Mason, J.R. (1998). Repellent coatings for irrigation hose: effectiveness against coyotes. *Journal of Wildlife Research*, 2, 146-148.

Wysocki, C.J. & Preti, G. (1998). Pheromonal influences. *Archives of Sexual Behavior*, 27, 627-629.

Wysocki, C.J., Dalton, P., Brody, M.J., & Lawley, H.J. (1998). Are odor and irritation threshold tests safe for subject? - Reply. *American Industrial Hygiene Association Journal*, 59, 369-370.

Yamazaki, K. (1998). Genetics of olfactory identity. *Japanese Journal of Taste and Smell Research*, 5, 133-146.

1997

Andreini, I., DellaCorte, C., Johnson, L.C., Hughes, S., & Kalinoski, D.L. (1997). G-protein(s), G_q/G_{11}, in the olfactory neuroepithelium of the channel catfish (*Ictalurus punctatus*) is altered by the herbicide, dichlobenil. *Toxicology*, 117, 111-122.

Avery, M.L. & Mason, J.R. (1997). Feeding responses of red-winged blackbirds to multisensory repellents. *Crop Protection*, 16, 159-164.

Bachmanov, A.A., Reed, D.R., Ninomiya, Y., Inoue, M., Tordoff, M.G., Price, R.A., & Beauchamp, G.K. (1997). Sucrose consumption in mice: major influence of two genetic loci affecting peripheral sensory responses. *Mammalian Genome*, 8, 545-548.

Bean, N.J., Korff, W.L., & Mason, J.R. (1997). Repellency of plant natural products and predator odors to woodchucks. In: J.R. Mason (Eds.), Repellents in Wildlife Management, Fort Collins, CO: Colorado State University Press, pp 139-146.

Beauchamp, G.K. & Yamazaki, K. (1997). HLA and mate selection in humans: Commentary. *American Journal of Human Genetics*, 61, 494-496.

Beauchamp, G.K. (1997). Salt preference in humans. In: R. Dulbecco (Eds.), Encyclopedia of Human Biology, San Diego: Academic Press, pp 669-675.

Beauchamp, G.K. & Bartoshuk, L. (Eds.). (1997).Handbook of Perception and Cognition: Tasting and Smelling, San Diego: Academic Press.

Brand, J.G. (1997). Biophysics of taste. In: G.K. Beauchamp & L. Bartoshuk (Eds.), Handbook of Perception and Cognition: Tasting and Smelling, San Diego: Academic Press, pp 1-24.

Breslin, P.A.S. & Beauchamp, G.K. (1997). Salt enhances flavour by suppressing bitterness. *Nature*, 387, 563.

Breslin, P.A.S. & Beauchamp, G.K. (1997). Suppression of bitterness by sodium: Implications for flavor enhancement. In: G. Roy (Eds.), Modifying Bitterness: Mechanisms, Ingredients, and Applications, Lancaster, PA: Technomic Publishing Company, pp 179-214.

Bryant, B.P. (1997). Peripheral trigeminal neural processes involved in repellancy. In: J.R. Mason (Eds.), Repellents and Wildlife Management, Fort Collins: Colorado State University Press, pp 19-27.

Burns, R.J. & Mason, J.R. (1997). Effectiveness of Vichos non-lethal collars in deterring coyote attacks on sheep. *Proceedings of the Vertebrate Pest Conference*, 17, 204-208.

Chukhrai, E.S., Poltorack, O.M., Atyaksheva, L.F., Voznessenskaya, V.V., & Wysocki, C.J. (1997). The influence of androstenone on the properties of immobilized alkaline phosphatase in natural membranes responsible for reception of odorants. *Russian Journal of Physical Chemistry*, 71, 1179-1182.

Chukhrai, E.S., Atyaksheva, L.F., Poltorack, O.M., Voznessenskaya, V.V., & Wysocki, C.J. (1997). Modeling of primary reception of odorants on natural transport proteins. *Russian Journal of Physical Chemistry* , 71, 287-290.

Clark, L. (1997). Repellents and attractants for brown tree snakes. In: J.R. Mason (Eds.), Repellents in Wildlife Management, Fort Collins: Colorado State University Press, pp 129-138.

Clark, L. & Belant, J.L. (1997). Contribution of particulates and pH on cowbirds' (*Molothrusater*) avoidance of grain treated with agricultural lime. *Applied Animal Behaviour Science*, 58, 1329-1341.

Clark, L. (1997). Dermal contact repellents: effects of foot exposure to natural plant products. *Journal of Wildlife Management* , 61, 1352-1358.

Clark, L. (1997). A review of the bird repellent activity of 117 aromatic compounds. In: J.R. Mason (Eds.), Repellents in Wildlife Management, Fort Collins: Colorado State University Press, pp 343-352.

Cowart, B.J., Young, I.M., Feldman, R.S., & Lowry, L.D. (1997). Clinical disorders of smell and taste. In: G.K. Beauchamp & L.M. Bartoshuk (Eds.), Handbook of Perception and Cognition: Tasting and Smelling, San Diego: Academic Press, pp 175-198.

Dalton, P., Wysocki, C.J., Brody, M.J., & Lawley, H.J. (1997). The influence of cognitive bias on the perceived odor, irritation and health symptoms from chemical exposure. *International Archives of Occupational & Environmental Health*, 69, 407-417.

Dalton, P. (1997). Cognitive influences on odor perception. *The Aroma-Chology Review*, 7, 2-9.

Dalton, P., Wysocki, C.J., Brody, M.J., & Lawley, H.J. (1997). Perceived odor, irritation and health symptoms following short-term exposure to acetone. *American Journal of Industrial Medicine*, 31, 558-569.

Epple, G. & Niblick, H. (1997). Social memory in saddle-back tamarins, (*Saguinus fuscicollisu*). *Folia Primatologica*, 68, 265-271.

Epple, G., Nolte, D.L., Mason, J.R., Aronov, E., & Wager-Pagé, S. (1997). Behavioral responses to pine needle oil in the northern pocket gopher. In: J.R. Mason (Eds.), Repellents in Wildlife Management, Fort Collins, CO: Colorado State University Press, pp 157-168.

Feigin, A.M., Schagina, L.V., Takemoto, J.Y., Teeter, J.H., & Brand, J.G. (1997). The effect of sterols on the sensitivity of membranes to the channel-forming antifungal antibiotic, syringomycin E. *Biochimica et Biophysica Acta-Biomembranes*, 1324, 102-110.

Friedman, M.I. (1997). An energy sensor for control of energy intake. *Proceedings of the Nutrition Society*, 56, 41-50.

Gilbert, A.N., Knasko, S.C., & Sabini, J. (1997). Sex differences in task performance associated with attention to ambient odor. *Archives of Environmental Health*, 52, 195-199.

Green, B.G. (1997). Rapid recovery from capsaicin desensitization during recurrent stimulation. *Pain*, 68, 245-253.

Herz, R.S. (1997). Emotion experienced during encoding enhances odor retrieval cue effectiveness. *American Journal of Psychology*, 110, 489-505.

Herz, R.S. (1997). The effects of cue distinctiveness on odor-based context dependent memory. *Memory & Cognition*, 25, 375-380.

Herz, R.S. & Cahill, E.D. (1997). Differential use of sensory information in sexual behavior as a function of gender. *Human Nature*, 8, 275-286.

Martins, Y., Pelchat, M.L., & Pliner, P. (1997). "Try it; it's good for you": Effects of taste and nutrition information on willingness to try novel foods. *Appetite*, 28, 89-102.

Mason, J.R. & Linz, G.S. (1997). Repellency of garlic extract to a passerine species. *Crop Protection*, 16, 107-108.

Mason, J.R. & Burns, R.J. (1997). Coyote responsiveness to novel visual stimuli. *Journal of Wildlife Research*, 2, 6-8.

Mason, J.R. & McConnell, J.A. (1997). Hedonic responsiveness of coyotes to 15 aqueous taste solutions. *Journal of Wildlife Research*, 2, 21-24.

Mason, J.R. & Clark, L. (1997). Avian repellents: options, modes of action, and economic considerations. In: J.R. Mason (Eds.), Repellents in Wildlife Management, Fort Collins, CO: Colorado State University Press, pp 371-392.

Mason, J.R. (Ed.). (1997). Repellents in Wildlife Management. Fort Collins: Colorado State University Press.

Mattes, R. & Teff, K.L. (1997). Food and nutrition perception. In: R. Dulbecco (Eds.), Encyclopedia of Human Biology, San Diego: Academic Press, pp F13,2-F13,8.

Mattes, R.D. (1997). Physiological responses to sensory stimulation by food: Nutritional implications. *Journal of the American Dietetic Association*, 97, 406-413.

Mattes, R.D. (1997). The taste for salt in humans. *American Journal of Clinical Nutrition*, 65(suppl), 692S-697S.

Mennella, J.A. (1997). The human infant's suckling responses to the flavor of alcohol in mothers' milk. *Alcoholism: Clinical and Experimental Research*, 21, 581-585.

Mennella, J.A. & Beauchamp, G.K. (1997). Mother's milk enhances the acceptance of cereal during weaning. *Pediatric Research*, 41, 188-192.

Mennella, J.A. & Beauchamp, G.K. (1997). The ontogeny of human flavor perception. In: G.K. Beauchamp & L.M. Bartoshuk (Eds.), Handbook of Perception and Cognition: Tasting and Smelling, San Diego: Academic Press, pp 199-221.

Osada, K., Komai, M., Bryant, B.P., Suzuki, H., Goto, A., Tsunoda, K., Kimura, S., & Furukawa, Y. (1997). Capsaicin modifies responses of rat chorda typmani nerve fibers to NaCl. *Chemical Senses*, 22, 249-255.

Pelchat, M.L. (1997). Food cravings in young and elderly adults. *Appetite*, 28, 103-113.

Preti, G., Spielman, A.I., & Wysocki, C.J. (1997). Vomeronasal organ and human chemical communication. In: R. Dulbecco (Eds.), Encyclopedia of Human Biology, 2nd edition, San Diego: Academic Press, pp 769-783.

Preti, G., Spielman, A.I., & Leyden, J.J. (1997). The structure, origin and function of human axillary odors. In: P.J. Frosch, J.D. Johansen, & I. White (Eds.), Fragrances - Beneficial and Adverse Effects, Berlin: Springer-Verlag, pp 21-27.

Ramirez, I. (1997). Stimulation of fluid intake by nutrients: Oil is less effective than carbohydrate. *American Journal of Physiology*, 272, R289-R293.

Ramirez, I. (1997). Carbohydrate-induced stimulation of saccharin intake: yoked controls. *Animal Learning and Behavior*, 25, 347-356.

Ramirez, I. (1997). Intragastric carbohydrate exerts both intake-stimulating and intake-suppressing effects. *Behavioral Neuroscience*, 111, 613-623.

Ramirez, I., Tordoff, M.G., & Friedman, M.I. (1997). Satiety from fat? Adverse effects of intestinal infusion of sodium oleate. *American Journal of Physiology*, 273, R1779-R1785.

Rankin, K.M. & Mattes, R.D. (1997). Toxic agents, chemosensory function and diet. In: E.J. Massaro (Eds.), Handbook of Human Toxicology, Boca Raton: CRC Press, pp 347-367.

Rawson, N.E., Gomez, G., Cowart, B.J., Brand, J., Lowry, L.D., Pribitkin, E.A., & Restrepo, D. (1997). Selectivity and response characteristics of human olfactory neurons. *Journal of Neurophysiology*, 77, 1606-1613.

Reed, D.R., Bachmanov, A.A., Beauchamp, G.K., Tordoff, M.G., & Price, R.A. (1997). Heritable variation in food preferences and their contribution to obesity. *Behavior Genetics*, 27, 373-387.

Rentmeister-Bryant, H. & Green, B.G. (1997). Perceived irritation during ingestion of capsaicin or piperine: The role of non-trigeminal areas. *Chemical Senses*, 22, 257-266.

Shivik, J. & Clark, L. (1997). Carrion-seeking in brown tree snakes: importance of olfactory and visual cues. *Journal of Experimental Zoology*, 279, 549-553.

Singer, A.G., Beauchamp, G.K., & Yamazaki, K. (1997). Volatile signals of the major histocompatibility complex in male mouse urine. *Proceedings of the National Academy of Sciences USA*, 94, 2210-2214.

Spielman, A.I. & Brand, J.G. (1997). Tongue and taste. In: R. Dulbecco (Eds.), The Encyclopedia of Human Biology, San Diego: Academic Press, pp 455-466.

Tordoff, M.G. (1997). Polyethylene glycol-induced calcium appetite. *American Journal of Physiology*, 273, R587-R596.

Tordoff, M.G. (1997). NaCl ingestion ameliorates plasma indices of calcium deficiency. *American Journal of Physiology*, 273, R423-R432.

Tubbiola, M.L. & Wysocki, C.J. (1997). FOS immunoreactivity after exposure to conspecific or heterospecific urine: Where are chemosensory cues sorted? *Physiology & Behavior*, 62, 867-870.

Wager-Pagé, S., Epple, G., & Mason, J.R. (1997). Variation in avoidance of Siberian pine needle oil by rodent and avian species. *Journal of Wildlife Management*, 61, 235-241.

Wager-Pagé, S., Mason, J.R., Aronov, E., & Epple, G. (1997). The role of sensory cues and feeding context in the mediation of pine needle oil's repellency in prairie voles. In: J.R. Mason (Eds.), Repellents in Wildlife Management, Fort Collins, CO: National Wildlife Research Center, pp 301-312.

Wysocki, C.J., Dalton, P., Brody, M.J., & Lawley, H.J. (1997). Acetone odor and irritation thresholds obtained from acetone-exposed factory workers and from control (occupationally unexposed) subjects. *American Industrial Hygiene Association Journal*, 58, 704-712.

1996

Aronov, E. & Clark, L. (1996). Degradation studies of methyl anthranilate. *Pesticide Science*, 47, 355-362.

Bachmanov, A.A., Tordoff, M.G., & Beauchamp, G.K. (1996). Ethanol consumption and taste preferences in C57BL/6ByJ and 129/J mice. *Alcoholism: Clinical and Experimental Research*, 20, 201-206.

Bachmanov, A.A., Reed, D.R., Tordoff, M.G., Price, R.A., & Beauchamp, G.K. (1996). Intake of ethanol, sodium chloride, sucrose, citric acid and quinine hydrochloride solutions by mice: a genetic analysis. *Behavior Genetics*, 26, 563-573.

Beauchamp, G.K. (1996). Basic flavor research and the food industry. *Trends in Food Science and Technology*, 7, 457-458.

Beauchamp, G.K. & Mennella, J.A. (1996). Early feeding and the acquisition of flavor preference. In: J. Boulton, Z. Laron, & J. Rey (Eds.), Long Term Consequences of Early Feeding, Philadelphia: Lippincott-Raven, pp 163-177.

Bell, R. & Pelchat, M.L. (1996). Strategies for motivating the selection of novel foods: Immediate and carry-over effects of information in a dining hall. In: I. Taub & R. Bell (Eds.), Proceedings of the Food Preservation 2000 Conference, Alexandria, VA: Science and Technology Corporation.

Brand, J.G., Rawson, N.E., & Restrepo, D. (1996). Signal transduction in olfaction and symptomatology of olfactory dysfunction. *Revue Internationale de Psychopathologie*, 22, 281-303.

Brand, J.G. & Feigin, A.M. (1996). Biochemistry of sweet taste transduction. *Food Chemistry*, 56, 199-207.

Breslin, P.A.S. (1996). Interactions among salty, sour and bitter compounds. *Trends in Food Science and Technology*, 7, 390-399.

Breslin, P.A.S., Davis, D.J., & Rosenak, R. (1996). Saccharin increases the effectiveness of glucose in stimulating ingestion in rats but has little effect on negative feedback. *Physiology & Behavior*, 60, 411-416.

Breslin, P.A.S., Beauchamp, G.K., & Pugh, E.N., Jr. (1996). Monogeusia for fructose, glucose, sucrose and maltose. *Perception & Psychophysics*, 58, 327-341.

Breslin, P.A.S. & Beauchamp, G.K. (1996). Suppression of bitterness by sodium: Implications for flavor enhancement. In: W. Pickenhagen, C.T. Ho, & A.M. Spanier (Eds.), Contribution of Low- and Non-Volatile Materials to the Flavor of Foods, Carol Stream, Illinois: Allured Publishing Corporation, pp 95-117.

Brunet, L., Gold, G.H., & Ngai, J. (1996). General anosmia caused by a targeted disruption of the mouse olfactory cyclic nucleotide-gated cation channel. *Neuron*, 17, 681-693.

Clark, L. (1996). Trigeminal repellents do not promote conditioned odor avoidance in European Starlings. *Wilson Bulletin*, 108, 36-52.

Cliff, M.A. & Green, B.G. (1996). Sensitization and desensitization to menthol and capsaicin in the oral cavity: Interactions and individual differences. *Physiology & Behavior*, 59, 487-494.

Coldwell, S.E. & Tordoff, M.G. (1996). Immediate acceptance of minerals and HCl by calcium-deprived rats: brief exposure tests. *American Journal of Physiology*, 271, R11-R17.

Coldwell, S.E. & Tordoff, M.G. (1996). Acceptance of minerals and other compounds by calcium-deprived rats: 24-h tests. *American Journal of Physiology*, 271, R1-R10.

Dalton, P. (1996). Cognitive aspects of perfumery. *Perfumer and Flavorist*, 21, 13-20.

Dalton, P. & Wysocki, C.J. (1996). The nature and duration of adaptation following long-term odor exposure. *Perception & Psychophysics*, 58, 781-792.

Dalton, P. (1996). Odor perception and beliefs about risk. *Chemical Senses*, 21, 447-458.

DellaCorte, C., Restrepo, D., Menco, B.P., Andreini, I., & Kalinoski, D.L. (1996). G_q/G_{11}: Immunolocalization in the olfactory epithelium of the rat (*Rattus rattus*) and the channel catfish (*Ictalurus punctatus*). *Neuroscience*, 74, 261-273.

Epple, G., Niblick, H., Lewis, S., Nolte, D.L., Campbell, D.L., & Mason, J.R. (1996). Pine needle oil causes avoidance behaviors in the pocket gopher *Geomys bursarius*. *Journal of Chemical Ecology*, 22, 1013-1025.

Feigin, A.M., Takemoto, J., Wangspa, R., Teeter, J.H., & Brand, J.G. (1996). Properties of voltage-gated ion channels formed by syringomycin E in planar lipid bilayers. *Journal of Membrane Biology*, 149, 41-47.

Finger, T.E., Bryant, B.P., Kalinoski, D.L., Teeter, J.H., Böttger, B., Grosvenor, W., Cagan, R.H., & Brand, J.G. (1996). Differential localization of putative amino acid taste receptors in taste buds of the channel catfish, *Ictalurus punctatus*. *Journal of Comparative Neurology*, 373, 129-138.

Friedman, M.I., Rawson, N.E., & Tordoff, M.G. (1996). Hepatic signals for control of food intake. In: G.A. Bray & D.H. Ryan (Eds.), The Genetics and Molecular Biology of Obesity, Baton Rouge: LSU Press, pp 318-339.

Friedman, M.I., Ramirez, I., & Tordoff, M.G. (1996). Gastric emptying of ingested fat emulsion in rats: implications for studies of fat-induced satiety. *American Journal of Physiology*, 270, R688-R692.

Friedman, M.I. (1996). The liver brain link in appetite control: implications for overeating. In: A. Angel, H. Anderson, C. Bouchard, D. Lau, L. Leiter, & R. Mendelson (Eds.), Progress in Obesity: 7, London: John Libbey, pp 161-166.

Friedman, M.I. & Tordoff, M.G. (1996). Hepatic metabolic signal for control of food intake: Stimulus generation, signal transduction and neural transmission. In: T. Shimazu (Eds.), Liver Innervation, London: John Libbey, pp 373-380.

Friedman, M.I. (1996). Die Sinne des Geschmacks und ihre Bedeutungen. In: U. Brandes (Eds.), Geschmacksache, Gottingen: Steidl Verlag, pp 25-34.

Gomez, G., Restrepo, D., Rawson, N., Lowry, L.D., Keane, W.M., & Rothstein, J.L. (1996). Induction of differentiation of human olfactory neuroblastoma cells into odorant-responsive cells. *Neuroscience*, 74, 567-577.

Green, B.G. (1996). Regional and individual differences in cutaneous sensitivity to chemical irritants: capsaicin and menthol. *Journal of Toxicology: Cutaneous and Ocular Toxicology*, 15, 277-294.

Green, B.G., Dalton, P., Cowart, B.J., Shaffer, G., Rankin, K., & Higgins, J. (1996). Evaluating the "labeled magnitude scale" for measuring sensations of taste and smell. *Chemical Senses*, 21, 323-334.

Hakim, S., McShea, W.J., & Mason, J.R. (1996). The attractiveness of liquid baits to fawns and adult white-tailed deer. *Journal of Wildlife Diseases*, 32, 395-398.

Hayashi, Y., Zviman, M.M., Brand, J.G., Teeter, J.H., & Restrepo, D. (1996). Measurement of membrane potential and $[Ca^{2+}]_i$ in cell ensembles: Application to the study of glutamate taste in mice. *Biophysical Journal*, 71, 1057-1070.

Herz, R.S. (1996). A comparison of olfactory, visual and tactile cues for emotional and non-emotional associated memories. *Chemical Senses*, 21, 614-615.

Herz, R.S. & Engen, T. (1996). Odor memory: Review and analysis. *Psychonomic Bulletin and Review*, 3, 300-313.

Herz, R.S. (1996). The relationship between odor and emotion in memory. *The Aroma-Chology Review*, 5, 1-8.

Heth, G., Beauchamp, G.K., Nevo, E., & Yamazaki, K. (1996). Species, population and individual specific odors in urine of mole rats (Spalax ehrenbergi) detected by laboratory rats. *Chemoecology*, 7, 107-111.

Horn, C.C., Tordoff, M.G., & Friedman, M.I. (1996). Does ingested fat produce satiety? *American Journal of Physiology*, 270, R761-R765.

Knasko, S.C. (1996). Human responses to ambient olfactory stimuli. In: R. Gammage & B. Beruen (Eds.), Indoor Air and Human Health Revisited, Boca Raton: CRC Press, pp 107-123.

Knasko, S.C. (1996). Olfaction, behavior, and individual differences. In: J. Rose & S. Earle (Eds.), The World of Aromatherapy: Proceedings of the National Association for Holistic Aromatherapy International Conference, Boulder: National Association for Holistic Aromatherapy, pp 87-100.

Kroner, C., Breer, H., Singer, A.G., & O'Connell, R.J. (1996). Pheromone-induced second messenger signaling in the hamster vomeronasal organ. *NeuroReport*, 7, 2989-2992.

Mason, J.R. & Matthew, D.N. (1996). Evaluation of Neem as a bird repellent chemical. *International Journal of Pest Management*, 42, 47-49.

Mason, J.R. & Clark, L. (1996). Mammalian irritants as chemical stimuli for birds: the importance of training. *Aux*, 112, 511-515.

Mason, J.R., Nolte, D.L., & Bryant, B.P. (1996). Effectiveness of 13 vertebrate repellents as rodent trigeminal stimulants. *Physiology & Behavior*, 60, 1449-1452.

Mason, J.R. & Clark, L. (1996). Grazing repellency of methyl anthranilate to snow geese is enhanced by a visual cue. *Crop Protection*, 15, 97-100.

Mason, J.R. & Clark, L. (1996). Avoidance of cabbage fields by free-ranging snow geese *Chen caerulescens*. *Wilson Bulletin*, 108, 369-371.

Mason, J.R. & Clark, L. (1996). Evaluation of methyl anthranilate and activated charcoal as snow goose grazing deterrents. *Crop Protection*, 14, 467-469.

Mason, J.R. & Primus, T. (1996). Response of European starlings to menthane derivatives. Evidence for stereochemical differences in repellency. *Crop Protection*, 15, 723-726.

Mattes, R.D. (1996). Oral fat exposure alters postprandial lipid metabolism in humans. *American Journal of Clinical Nutrition*, 63, 911-917.

Mattes, R.D. (1996). Determinants of dietary fat intake in humans. In: R.E. McDonald & D.B. Min (Eds.), Food Lipids and Health, New York: Marcel Dekkar, pp 437-457.

Mattes, R.D. (1996). Dietary compensation by humans for supplemental energy provided as ethanol or carbohydrate in fluids. *Physiology & Behavior*, 59, 179-187.

Mattes, R.D., Maone, T., Wager-Pagé, S., Beauchamp, G., Bernbaum, J., Stallings, V., Pereira, G.R., Gibson, E., Russell, P., & Bhutani, V. (1996). Effects of sweet taste stimulation of preterm infants on growth and sucking. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 25, 407-414.

Mattes, R.D. (1996). Learned food aversions in patients with cancer. In: R.R. Watson & S.I. Mufei (Eds.), Nutrition and Cancer Prevention, Boca Raton: CRC Press, pp 51-58.

Mennella, J.A. & Beauchamp, G.K. (1996). The early development of human flavor preferences. In: E.D. Capaldi & T.L. Powley (Eds.), Why We Eat What We Eat: The Psychology of Eating, Washington, DC: American Psychological Association, pp 83-112.

Mennella, J.A. & Beauchamp, G.K. (1996). Developmental changes in the acceptance of protein hydrolysate formula. *Developmental & Behavioral Pediatrics*, 17, 386-391.

Mennella, J.A. & Beauchamp, G.K. (1996). The human infants' responses to vanilla flavors in human milk and formula. *Infant Behavior and Development*, 19, 13-19.

Mennella, J.A. (1996). The flavor world of infants: a cross-cultural perspective. *Pediatric Basics*, 77, 2-8.

Ninomiya, Y., Imai, Y., Fukami, Y., Yamazaki, K., & Beauchamp, G.K. (1996). Amiloride inhibition of chorda tympani responses to NaCl and its temperature dependency in mice. *Brain Research*, 708, 153-158.

Nolte, D.L. & Mason, J.R. (1996). Maternal ingestion of ortho-aminoacetophenone during gestation affects intake by offspring. *Physiology & Behavior*, 58, 925-928.

Okiyama, A., Torii, K., & Tordoff, M.G. (1996). Increased NaCl preference of rats fed low-protein diet. *American Journal of Physiology*, 270, R1189-R1196.

Park, C.R., Benthem, L., Seeley, R.J., Friedman, M.I., Wilkinson, C.W., & Woods, S.C. (1996). A comparison of the effects of food deprivation and 2,5-anhydro-D-mannitol on metabolic parameters and ingestive behavior. *American Journal of Physiology*, 270, R1250-R1256.

Pelchat, M.L. (1996). Picky eater profile: What is normal? *Pediatric Basics*, 75, 8-12.

Pelchat, M.L. (1996). Flavor, from the nose to the table. *The Aroma-Chology Review*, 5, 1-8.

Pierce, J.D., Jr., Wysocki, C.J., Aronov, E.V., Webb, J.B., & Boden, R.M. (1996). The role of perceptual and structural similarity in cross-adaptation. *Chemical Senses*, 21, 223-237.

Pierce, J.D., Jr., Blank, D.H., Aronov, E.V., Guo, Z., Preti, G., & Wysocki, C.J. (1996). Cross-adaptation of sweaty-smelling 3-methyl-2-hexenoic acid by its ethyl esters is determined by structural similarity. *Journal of the Society of Cosmetic Chemists*, 47, 363-375.

Radil, T., Roth, J., Ruzicka, E., Tichy, J., & Wysocki, C.J. (1996). Olfactory impairment in Parkinson's Disease. *Zdrav.Vestin*, 65, 63-64.

Ramirez, I. (1996). Is fructose sweeter than glucose for rats? *Physiology & Behavior*, 60, 1299-1306.

Ramirez, I. (1996). Stimulus specificity in flavor acceptance learning. *Physiology & Behavior*, 60, 595-610.

Rankin, K.M. & Mattes, R.D. (1996). Role of food familiarity and taste quality in food preferences of individuals with Prader-Willi Syndrome. *International Journal of Obesity*, 20, 759-762.

Rawson, N.E., Ulrich, P.M., & Friedman, M.I. (1996). Fatty acid oxidation modulates the eating response to the fructose analogue 2,5-anhydro-D-mannitol. *American Journal of Physiology*, 271, R144-R148.

Restrepo, D., Teeter, J.H., & Schild, D. (1996). Second messenger signaling in olfactory transduction. *Journal of Neurobiology*, 30, 37-48.

Sokolov, V.E., Voznessenskaya, V.V., Parfyonova, V.M., & Wysocki, C.J. (1996). Induced sensitivity to odorants in rodents: a new phenomenon. *Proceedings of the Russian Academy of Sciences*, 347, 843-846.

Spielman, A.I., Nagai, H., Sunavala, G., Dasso, M., Breer, H., Boekhoff, I., Huque, T., Whitney, G., & Brand, J.G. (1996). Rapid kinetics of second messenger production in bitter taste. *American Journal of Physiology*, 270, C926-C931.

Stein, L.J., Cowart, B.J., Epstein, A.N., Pilot, L.J., Laskin, C.R., & Beauchamp, G.K. (1996). Increased liking for salty foods in adolescents exposed during infancy to a chloride-deficient feeding formula. *Appetite*, 27, 65-77.

Stevens, J.C. & Green, B.G. (1996). History of research on touch. In: L. Kruger (Eds.), Handbook of Perception and Cognition, New York: Academic Press, pp 1-23.

Teff, K.L. & Engelman, K. (1996). Palatability and dietary restraint: effect on cephalic phase insulin release in women. *Physiology & Behavior*, 60, 567-573.

Teff, K.L. & Engelman, K. (1996). Oral sensory stimulation improves glucose tolerance: effects on post-prandial glucose, insulin, C-peptide and glucagon. *American Journal of Physiology*, 270, R1371-R1379.

Teff, K.L. (1996). Physiological effects of flavour perception. *Trends in Food Science and Technology*, 7, 448-452.

Tordoff, M.G. (1996). Effect of chronic ouabain infusion on food, water, and NaCl intake, body composition and plasma hormones of Sprague-Dawley rats. *Physiology & Behavior*, 59, 87-92.

Tordoff, M.G. (1996). Adrenalectomy decreases NaCl intake of rats fed low-calcium diets. *American Journal of Physiology*, 270, R11-R21.

Tordoff, M.G. (1996). The importance of calcium in the control of salt intake. *Neuroscience and Biobehavioral Reviews*, 20, 89-99.

Tordoff, M.G. (1996). Daily rhythm of NaCl intake in rats fed control or low-Ca^{2+} diets: relation to plasma and urinary minerals and hormones. *American Journal of Physiology*, 270, R505-R517.

Tordoff, M.G. (1996). Some basic psychophysics of calcium salt solutions. *Chemical Senses*, 21, 417-424.

Wager-Pagé, S. & Mason, J.R. (1996). Exposure to volatile d-pulegone alters feeding behavior in European starlings. *Journal of Wildlife Management*, 60, 917-922.

Wager-Pagé, S. & Mason, J.R. (1996). D-pulegone: a feeding deterrent in deer mice (*Preomyscus maniculatsus*) and prairie voles (*Microtus ochrogaster*). *Chemoecology*, 7, 146-149.

Wager-Pagé, S. & Mason, J.R. (1996). Ortho-aminoacetophenone, a non-lethal repellent: The effect of volatile cues versus direct contact on avoidance behavior by rodents and birds. *Pesticide Science*, 46, 55-60.

Zeng, C., Spielman, A.I., Vowels, B.R., Leyden, J.J., Biemann, K., & Preti, G. (1996). A human axillary odorant is carried by apolipoprotein D. *Proceedings of the National Academy of Sciences USA*, 93, 6626-6630.

Zeng, X.N., Leyden, J.J., Spielman, A.I., & Preti, G. (1996). Analysis of the characteristic human female odors: qualitative comparison to males. *Journal of Chemical Ecology*, 22, 237-257.

Zviman, M.M., Restrepo, D., & Teeter, J.H. (1996). Single taste stimuli elicit either increases or decreases in intracellular calcium in isolated catfish taste cells. *Journal of Membrane Biology*, 149, 81-88.

1995

Bean, N.J. & Mason, J.R. (1995). Evaluation of the attractiveness of liquid baits containing natural and artificial sweeteners to white-tailed deer. *Journal of Wildlife Management*, 59, 610-613.

Beauchamp, G.K., Katahira, K., Yamazaki, K., Mennella, J.A., Bard, J., & Boyse, E.A. (1995). Evidence suggesting that the odortypes of pregnant women are a compound of maternal and fetal odortypes. *Proceedings of the National Academy of Sciences USA*, 92, 2617-2621.

Beauchamp, G.K. (1995). Sensory appreciation of flavor. In: Proceedings of the Fifth Scientific & Technical Convention: Institute of Brewery - Central and Southern African Section, Victoria Falls, Zimbabwe: 1-8.

Boswell, T., Richardson, R.D., Seeley, R.J., Ramenofsky, M., Wingfield, J.C., Friedman, M.I., & Woods, S.C. (1995). Regulation of food intake by metabolic fuels in white-crowned sparrows. *American Journal of Physiology*, 269, R1462-R1468.

Brand, J.G. (1995). Mechanismen der Signalumwandlung beim Riechen: Wie Geruche von der Nase wahrgenommen werden (Transduction mechanisms in olfaction: How odors are recognized by the nose). In: Das Riechen (Smell), Gottingen, FRG: Steidl Verlag, pp 98-108.

Breslin, P.A.S. & Beauchamp, G.K. (1995). Suppression of bitterness by sodium: Variation among bitter taste stimuli. *Chemical Senses*, 20, 609-623.

Breslin, P.A.S., Spector, A.C., & Grill, H.J. (1995). Sodium specificity of salt appetite in Fischer-344 and Wistar rats is impaired by chorda tympani nerve transection. *American Journal of Physiology*, 269, R350-R356.

Bryant, B.P. & Moore, P.A. (1995). Factors affecting the sensitivity of the lingual trigeminal nerve to acids. *American Journal of Physiology*, 268, R58-R65.

Bryant, B.P. (1995). Trigeminal nerve recording in rodents. In: A.I. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols, Boca Raton: CRC Press, pp 271-276.

Chukhrai, E.S., Poltorack, O.M., Atyakesheva, L.F., Veselova, M.N., Voznessenskaya, V.V., & Wysocki, C.J. (1995). Soluble alkaline phosphatase as a transport protein for hydrophobic odorants. *Russian Journal of Physical Chemistry*, 69, 306-309.

Clark, L., Cummings, J.L., Racine, C., Steele, B., & Reitsma, L. (1995). Integrated risk assessment model (IRAM) for determining white phosphorous encounter rate by waterfowl. In: C.H. Racine & D. Cates (Eds.), Interagency Expanded Site Investigation. Evaluation of White Phosphorous Contamination and Potential Treatability at Eagle River Flats, Alaska, Hanover, NH: US Army Corps Engineers, Cold Regions Research Laboratory, pp 403-411.

Clark, L. & Cummings, J.L. (1995). Chemical hazing of free-ranging ducks in Eagle River Flats. Field evaluation of ReJex-iT WL-05. In: C.H. Racine & D. Cate (Eds.), Interagency Expanded Site Investigation. Evaluation of White Phosphorous Contamination and Potential Treatability at Eagle River Flats, Alaska, Hanover, NH: US Army Corps of Engineers, Cold Regions Research Laboratory, pp 411-422.

Clark, L. (1995). Modulation of avian responsiveness to chemical irritants: effects of prostaglandins and analgesics. *Journal of Experimental Zoology*, 271, 432-440.

Clark, L. (1995). The effects of particle size on starling preference for food coated with activated charcoal. *Crop Protection*, 14, 461-465.

Cummings, J.L., Mason, J.R., Otis, D.L., Davis, J.E., & Ohashi, T.J. (1995). Evaluation of mesurol, thiram, and methyl anthranilate as bird repellents applied to dendrobium orchids. *The Wildlife Society Bulletin*, 22, 633-638.

DellaCorte, C., Kalinoski, D.L., Huque, T., Wysocki, L., & Restrepo, D. (1995). NADPH diaphorase staining suggests localization of nitric oxide synthase within mature vertebrate olfactory neurons. *Neuroscience*, 66, 215-225.

DellaCorte, C. (1995). Immunohistochemistry. In: A. Spielman & J. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols, Boca Raton: CRC Press, pp 135-142.

Epple, G. & Kornbau, H. (1995). Exposure determines preference for fragrances in pre-school children. In: R. Apfelbach, D. Müller-Schwarze, D. ller-Schwarze, K. Reuter, & B. Weiler (Eds.), Chemical Signals in Vertebrates VII (Advances in the Biosciences, vol. 93), Oxford: Pergamon Press & Elsevier, pp 561-569.

Epple, G., Mason, J.R., Aronov, E., Nolte, D.L., Hartz, R.A., Kaloostian, R., Campbell, D., & Smith, A.B. (1995). Feeding responses to predator-based repellents in the mountain beaver (*Aplodontia rufa*). *Ecological Applications*, 5, 1163-1170.

Feigin, A.M., Teeter, J.H., & Brand, J.G. (1995). The influence of sterols on the sensitivity of lipid bilayers to melittin. *Biochemical and Biophysical Research Communications*, 211, 312-317.

Feigin, A.M., Aronov, E.V., Teeter, J.H., & Brand, J.G. (1995). The properties of ion channels formed by the coumarin antibiotic, novobiocin, in lipid bilayers. *Biochimica et Biophysica Acta*, 1234, 43-51.

Feigin, A.M., Aronov, E.V., Bryant, B.P., Teeter, J.H., & Brand, J.G. (1995). Capsaicin and its analogs induce ion channels in planar lipid bilayers. *NeuroReport*, 6, 2134-2136.

Feigin, A.M., Zviman, M.M., & Teeter, J.H. (1995). Reconstitution of chemoreceptor proteins in planar lipid bilayers. In: A.I. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols, Boca Raton: CRC Press, pp 211-217.

Friedman, M.I. (1995). Control of energy intake by energy metabolism. *American Journal of Clinical Nutrition*, 62(suppl), 1096S-1100S.

Gold, G.H. & Lowe, G. (1995). Single odorant molecules? *Nature*, 376, 27.

Green, B.G. & Bluth, J. (1995). Measuring the chemosensory irritability of human skin. *Journal of Toxicology: Cutaneous and Ocular Toxicology*, 14, 23-48.

Grill, H.J., Friedman, M.I., Norgren, R., Scalera, G., & Seeley, R. (1995). Parabrachial nucleus lesions impair the feeding response elicited by 2,5-anhydro-D-mannitol. *American Journal of Physiology*, 268, R676-R682.

Herz, R.S. & Cupchik, G.C. (1995). The emotional distinctiveness of odor-evoked memories. *Chemical Senses*, 20, 517-528.

Herz, R.S. & Eich, E. (1995). Commentary and envoi. In: R.G. Crowder & F.B. Schab (Eds.), Memory for Odors, Hillsdale, N.J.: Erlbaum, pp 159-175.

Honda, E., Teeter, J.H., & Restrepo, D. (1995). $InsP_3$-gated ion channels in rat olfactory cilia membrane. *Brain Research*, 703, 79-85.

Kalinoski, D.L. (1995). Receptor binding and solubilization. In: A. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols, Boca Raton: CRC Press, pp 179-186.

Kalinoski, D.L. (1995). Membrane preparation and subcellular fractionation. In: A. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols, Boca Raton: CRC Press, pp 155-162.

Knasko, S.C. (1995). Ambient odor: Effects on human behavior. In: Proceedings of Aroma 95 "One mind-one body" conference, Sussex, England: Aromatherapy Publications, pp 104-113.

Knasko, S.C. (1995). Pleasant odors and congruency: Effects on approach behavior. *Chemical Senses*, 20, 479-487.

Knasko, S.C. (1995). Congruent and incongruent odors: Their effect on human approach behavior. In: A.N. Gilbert (Eds.), Compendium of Olfactory Research. Explorations in Aroma-Chology: Investigating the Sense of Smell and Human Responses to Odors 1982-1994, Dubuque, Iowa: Kendall/Hunt Publishing Co, pp 67-71.

Knasko, S.C. (1995). Environmental psychology. In: M. Parker (Eds.), She Does Math: Real-Life Problems from Women on the Job, Washington, DC: The Mathematical Association of America, pp 1-3.

Knasko, S.C. (1995). Behavioral effects of odors in humans. In: Workshop on Animal Models of Nervous System Susceptibility to Indoor Air Contaminants, Chapel Hill, NC: U.S. Environmental Protection Agency, pp 45-46.

Komai, M. & Bryant, B.P. (1995). Carbonic anhydrase and taste (in Japanese). *Kagaku to Seibutsu*, 33, 143-145.

Kurahashi, T. & Restrepo, D. (1995). Surgical anatomy of olfactory organ and tissue collection methods in vertebrates. In: A.I. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction, Boca Raton: CRC Press, pp 39-45.

Küderling, I., Evans, C., Abbott, D.H., Pryce, C.R., & Epple, G. (1995). Differential excretion of urinary oestrogen by breeding females and daughters in the red-bellied tamarin (*Saguinus labiatus*). *Folia Primatologica*, 64, 140-145.

Lowe, G. & Gold, G.H. (1995). Olfactory transduction is intrinsically noisy. *Proceedings of the National Academy of Sciences USA*, 92, 7864-7868.

Mason, J.R. (1995). Evaluation of white plastic flags as grazing deterrents for snow geese on coastal salt marshes. *International Pest Management*, 41, 19-21.

Mason, J.R. & Clark, L. (1995). Capsaicin detection in trained starlings: The importance of olfaction and trigeminal chemoreception. *Wilson Bulletin*, 107, 165-169.

Mason, J.R. & Clark, L. (1995). Evaluation of methyl anthranilate and activated charcoal as snow goose grazing deterrents. *Crop Protection*, 14, 467-469.

Mason, J.R. & Clark, L. (1995). Mammalian irritants as chemical stimuli for birds: The importance of training. *Auk*, 112, 511-515.

Mattes, R.D. (1995). Nutritional implications of taste and smell disorders. In: R. Doty (Eds.), Handbook of Clinical Olfaction and Gustation, New York: Marcel Dekker, pp 731-744.

Mattes, R.D. (1995). Salt taste and intake. *Perspectives in Applied Nutrition*, 3, 124-126.

Mattes, R.D., Wysocki, C.J., Graziani, A., & MacGregor, R.R. (1995). Chemosensory function and diet in HIV-infected patients. *Laryngoscope*, 105, 862-866.

Mennella, J.A. (1995). Mother's milk: a medium for early flavor experiences. *Journal of Human Lactation*, 11, 39-45.

Mennella, J.A., Johnson, A., & Beauchamp, G.K. (1995). Garlic ingestion by pregnant women alters the odor of amniotic fluid. *Chemical Senses*, 20, 207-209.

Mitchell, D.J., Kahn, B.E., & Knasko, S.C. (1995). There's something in the air: Effects of ambient odor on consumer decision making. *Journal of Consumer Research*, 22, 229-238.

Park, C.R., Seeley, R.J., Benthem, L., Friedman, M.I., & Woods, S.C. (1995). Whole body energy expenditure and fuel oxidation after 2,5-anhydro-D-mannitol administration. *American Journal of Physiology*, 268, R299-R302.

Pelchat, M.L. & Pliner, P. (1995). "Try it. You'll like it." Effects of information on willingness to try novel foods. *Appetite* , 24, 153-166.

Pierce, J.D., Zeng, X.N., Aronov, E.V., Preti, G., & Wysocki, C.J. (1995). Cross-adaptation of sweaty-smelling 3-methyl-2-hexenoic acid by a structurally similar, pleasant smelling odorant. *Chemical Senses*, 20, 401-411.

Preti, G., Lawley, H.J., Hormann, C.A., Cowart, B.J., Feldman, R.S., Lowry, L.D., & Young, I.M. (1995). Non-oral and oral aspects of oral malodor. In: M. Rosenberg (Eds.), Bad Breath: Research Perspectives, Israel: Ramot Publishing, pp 149-173.

Radil, T., Roth, J., Ruzicka, J., Tichy, J., & Wysocki, C.J. (1995). Porucha cichu: priznak Parkinsonovy nemoci? *Czech and Solvak Neurology and Neurochemistry*, 58/91, 286-289.

Ramirez, I. (1995). Euthanasia. In: A.I. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction Current Techniques and Protocols, Boca Raton: CRC Press, pp 15-18.

Ramirez, I. (1995). Stimulation of fluid intake by maltodextrins and starch. *Physiology & Behavior*, 57, 687-692.

Rawson, N.E., Brand, J.G., Cowart, B.J., Lowry, L.D., Pribitkin, E.A., Rao, V.M., & Restrepo, D. (1995). Functionally mature olfactory neurons from two anosmic patients with Kallmann syndrome. *Brain Research* , 681, 58-64.

Restrepo, D., Zviman, M.M., & Rawson, N.E. (1995). Imaging of intracellular calcium in chemosensory receptor cells. In: A.I. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction, Boca Raton: CRC Press, Inc., pp 387-398.

Restrepo, D., Teeter, J.H., Miyamoto, T., Lischka, F.W., & Schild, D. (1995). Do vertebrate olfactory neurons respond to $InsP_3$ by activating different conductances? In: R. Apfelbach, D. Müller-Schwarze, K. Reuter, & B. Weiler (Eds.), Chemical Signals in Vertebrates VII (Advances in the Biosciences, vol. 93), Oxford: Elsevier & Pergamon Press, pp 83-89.

Schild, D., Lischka, F.W., & Restrepo, D. (1995). $InsP_3$ causes an increase in apical $[Ca^{2+}]_i$ by activating two distinct components in vertebrate olfactory receptor cells. *Journal of Neurophysiology*, 73, 862-866.

Sipos, M.L., Wysocki, C.J., Nyby, J.G., Wysocki, L.M., & Nemura, T.A. (1995). An ephemeral pheromone of female house mice: Perception via the main and accessory olfactory systems. *Physiology & Behavior*, 58, 529-534.

Spielman, A.I., Zeng, X.N., Leyden, J.J., & Preti, G. (1995). Proteinaceous precursors of human axillary odor: Isolation of two novel odor-binding proteins. *Experientia*, 51, 40-47.

Spielman, A.I., Nagai, H., Sunavala, G., Dasso, M., Huque, T., & Brand, J.G. (1995). Second messenger assays. In: A.I. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols, Boca Raton: CRC Press, pp 203-210.

Spielman, A.I. & Brand, J.G. (1995). Collection of taste tissue from mammals. In: A.I. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols, Boca Raton, FL: CRC Press, pp 25-32.

Spielman, A. I. & Brand, J.G. (Eds.). (1995). Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols. Boca Raton: CRC Press.

Teeter, J. (1995). Collection of taste tissue from fish and amphibians. In: A. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols, Boca Raton: CRC Press, pp 19-23.

Teeter, J. (1995). Patch-clamp recording from taste receptor cells of channel catfish and larva tiger salamanders. *Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols*, 309-316.

Teff, K.L., Devine, J., & Engelman, K. (1995). Sweet taste: effect on cephalic phase insulin release in men. *Physiology & Behavior*, 57, 1089-1095.

Teff, K.L. & Young, S.N. (1995). The effect of carbohydrate and protein administration on amino acids in the pancreas, brain, intestine and plasma of the rat. *Journal of Nutritional Biochemistry*, 10, 564-569.

Venanzi, T.J., Bryant, B.P., & Venanzi, C.A. (1995). Computational analysis of binding affinity and neural response at the L-alanine receptor. *Journal of Computer-Aided Molecular Design*, 9, 439-447.

Wysocki, C.J. & Wysocki, L.M. (1995). Surgical removal of the mammalian vomeronasal organ and its verification. In: A.I. Spielman & J.G. Brand (Eds.), Experimental Cell Biology of Taste and Olfaction: Current Techniques and Protocols, Boca Raton: CRC Press, pp 49-57.

Yamazaki, K. (1995). Odortypes determined by the major histocompatibility complex in mice. (in Japanese). *Journal of the Tohoku Society of Laboratory Animal Technology*, 27, 7-15.

1994

Bartoshuk, L.M. & Beauchamp, G.K. (1994). Chemical senses. *Annual Review of Psychology*, 45, 419-449.

Beauchamp, G.K. & Brand, J.G. (1994). The chemical senses. In: A. Pearson & T. Dutson (Eds.), Quality Attributes and their Measurements in Meat, Poultry and Fish Products. Advances in Meat Research Series, Glasgow, Scotland: Chapman and Hall, pp 163-183.

Beauchamp, G.K., Cowart, B.J., & Mennella, J.A. (1994). Chemosensory factors affecting acceptance of food during human growth. In: K. Kurihara, N. Suzuki, & H. Ogawa (Eds.), Olfaction and Taste XI, Tokyo: Springer-Verlag, pp 519-521.

Beauchamp, G.K., Cowart, B.J., Mennella, J.A., & Marsh, R.R. (1994). Infant salt taste: Developmental, methodological and contextual factors. *Developmental Psychobiology*, 27, 353-365.

Beauchamp, G.K. (1994). The chemical senses and pleasure. In: D.M. Wasburton (Eds.), Pleasure, the Policies and the Reality, London: John Wiley, pp 29-38.

Brand, J.G. & Bryant, B.P. (1994). Receptor mechanisms for flavour stimuli. *Food Quality and Preference*, 5, 31-40.

Breslin, P.A.S., Kemp, S., & Beauchamp, G.K. (1994). Single sweetness signal. *Nature*, 369, 447-448.

Clark, L. & Shah, P. (1994). Tests and refinements of a general structure-activity model for avian repellents. *Journal of Chemical Ecology*, 20, 321-339.

Clark, L. & Cummings, J. (1994). Field and behavioral response and bead formulations for methyl anthranilate encapsulated bird repellents. In: C.H. Racine & D. Cate (Eds.), Evaluation of White Phosphorous Contamination and Potential Treatability at Eagle River Flats, Alaska, Hanover, New Hampshire: U.S. Army Cold Regions Research and Engineering Laboratory Reports, pp 281-294.

Cliff, M.A. & Green, B.G. (1994). Sensory irritation and coolness produced by menthol: Evidence for selective desensitization of irritation. *Physiology & Behavior*, 56, 1021-1029.

Cowart, B.J., Yokomukai, Y., & Beauchamp, G.K. (1994). Bitter taste in aging: Compound-specific decline in sensitivity. *Physiology & Behavior*, 56, 1237-1241.

Cummings, J.L., Clark, L., Pochop, P.A., & Davis, J.E., Jr. (1994). Laboratory evaluation of methyl anthranilate bead formulation for reducing mallard mortality and feeding behavior. In: C.H. Racine & D. Cate (Eds.), Evaluation of White Phosphorous Contamination and Potential Treatability at Eagle River Flats, Alaska, Hanover, New Hampshire: U.S. Army Cold Regions Research and Engineering Laboratory Reports, pp 275-279.

Cummings, J.L., Clark, L., & Pochop, P.A. (1994). Field evaluation: Mortality of mallards feeding in areas treated with methyl anthranilate. In: C.H. Racine & D. Cate (Eds.), Evaluation of White Phosphorous Contamination and Potential Treatability at Eagle River Flats, Alaska, Hanover, New Hampshire: U.S. Army Cold Regions Research and Engineering Laboratory Reports, pp 295-298.

Deems, R.O., Friedman, L.S., Friedman, M.I., Munoz, S.J., Deems, D.A., & Maddrey, W.C. (1994). Relationship between liver biochemical tests and dietary intake in patients with liver disease. *Journal of Clinical Gastroenterology*, 18, 304-308.

DellaCorte, C., Anderson, D.S., McClure, W.O., & Kalinoski, D.L. (1994). Neurofilament-like immunoreactivity in the sea anemone *Condylactis gigantea* (Cnidaria: Anthozoa). *Biological Bulletin*, 187, 200-207.

DellaCorte, C., McClure, W.O., & Kalinoski, D.L. (1994). Identification of synaptophysin-like immunoreactivity in the sea anemone *Condylactis gigantea* (Cnidaria: Anthozoa). *Biological Bulletin*, 187, 355-362.

DellaCorte, C. (1994). Isolation of nucleic acids from the sea anemone *Condylactis gigantea* (Cnidaria:Anthozoa). *Tissue and Cell*, 26, 613-619.

Feigin, A.M., Brand, J.G., Ninomiya, Y., Bryant, B.P., Bezrukov, S.M., Moore, P.A., Vodyanoy, I., & Teeter, J.H. (1994). Effect of novobiocin on cation channel formation and enhancement of salt taste. In: K. Kurihara, N. Suzuki, & H. Ogawa (Eds.), Olfaction and Taste XI, Tokyo: Springer-Verlag, pp 104-107.

Feigin, A.M., Ninomiya, Y., Bezrukov, S.M., Bryant, B.P., Moore, P.A., Komai, M., Wachowiak, M., Teeter, J.H., Vodyanoy, I., & Brand, J.G. (1994). Enhancement of gustatory nerve fibers to NaCl and formation of ion channels by commercial novobiocin. *American Journal of Physiology*, 266, C1165-C1172.

Finberg, L. & Beauchamp, G.K. (1994). Babies need sodium in moderation. *Pediatric Basics*, 69, 22-24.

Fitzgerald, L., Okada, Y., Kalinoski, D.L., DellaCorte, C., Brand, J.G., Teeter, J.H., & Restrepo, D. (1994). Role of IP_3 in olfactory transduction. In: K. Kurihara, N. Suzuki, & H. Ogawa (Eds.), Olfaction and Taste XI, Tokyo: Springer-Verlag, pp 135-138.

Friedman, M.I. & Rawson, N.E. (1994). Fuel metabolism and appetite control. In: J. Fernstrom & G. Miller (Eds.), Appetite and Body Weight Regulation: Sugar, Fat and Macronutrient Substitutes, Boca Raton: CRC Press, pp 63-76.

Friedman, M.I. & Ramirez, I. (1994). Food intake in diabetic rats: Relationship to metabolic effects of insulin treatment. *Physiology & Behavior*, 56, 373-378.

Friedman, M.I., Preti, G., Deems, R.O., Friedman, L.S., Munoz, S.J., & Maddrey, W.C. (1994). Limonene in expired lung air of patients with liver disease. *Digestive Diseases and Sciences*, 39, 1672-1676.

Glinsmann, W.H. & Beauchamp, G.K. (1994). Babies need sugars in moderation. *Pediatric Basics*, 69, 19-21.

Hahn, I., Scherer, P.W., & Mozell, M.M. (1994). A mass transport model of olfaction. *Journal of Theoretical Biology*, 167, 115-128.

Hallows, K.R., Restrepo, D., & Knauf, P.A. (1994). Control of intracellular pH during regulatory volume decrease in HL-60 cells. *American Journal of Physiology*, 267, C1057-C1066.

Huque, T. & Brand, J.G. (1994). Nitric oxide synthase activity of the taste organ of the catfish, *Ictalurus punctatus*. *Comparative Biochemistry and Physiology*, 108B, 481-486.

Imai, Y., Ninomiya, Y., Yamazaki, K., & Beauchamp, G.K. (1994). Amiloride inhibition of NaCl responses and its temperature dependence in three strains of mice (In Japanese). *Japanese Journal of Taste and Smell Research*, 1, 262-265.

Kalinoski, D.L., Spielman, A.I., Teeter, J.H., Andreini, I., & Brand, J.G. (1994). Strategies for isolation of taste receptor proteins. In: K. Kurihara, N. Suzuki, & H. Ogawa (Eds.), Olfaction and Taste XI, Tokyo: Springer-Verlag, pp 73-76.

Katahira, K., Yamazaki, K., Mennella, J.A., & Beauchamp, G.K. (1994). Human fetus contributes to the body odor of the mother (In Japanese). *Japanese Journal of Taste and Smell Research*, 1, 452-455.

Kemp, S. & Beauchamp, G.K. (1994). Flavor modification by sodium chloride and monosodium glutamate. *Journal of Food Science*, 59, 682-686.

Knasko, S.C. (1994). Looking time in the presence of congruent and incongruent odors. In: K. Kurihara, N. Suzuki, & H. Ogawa (Eds.), Olfaction and Taste XI, Tokyo: Springer-Verlag, pp 338-338.

Kurahashi, T., Lowe, G., & Gold, G.H. (1994). Suppression of odorant responses by odorants in olfactory receptor cells. *Science* , 265, 118-123.

Lowe, G. & Gold, G.H. (1994). Olfactory transduction studied with caged cyclic nucleotides. In: K. Kurihara, N. Suzuki, & H. Ogawa (Eds.), Olfaction and Taste XI, Tokyo: Springer-Verlag, pp 154-156.

Mason, J.R. & Clark, L. (1994). Evaluation of plastic and mylar flagging as repellents for snow geese (*Chen caerulescens*). *Crop Protection*, 13, 531-534.

Mason, J.R. (1994). Bird repellent additives to granular pesticides. *Pesticide Outlook*, 5, 33-35.

Mason, J.R., Epple, G., & Nolte, D.L. (1994). Semiochemicals and improvements in rodent control. In: B.G. Galef, M. Mainardi, & P. Valsecchi (Eds.), Behavioral Aspects of Feeding, Switzerland: Harwood Academic Press, pp 327-346.

Mason, J.R. (1994). Sulfur-containing semiochemicals attract predators and repel prey. In: P.W. Sorensen & L.H. Hansen (Eds.), Luring Lampreys: Assessing the Feasibility of Using Odorants to Control Sea Lamprey in the Great Lakes, Minneapolis: University of Minnesota, pp 34-45.

Mason, J.R. & Clark, L. (1994). Use of activated charcoal and other particulate substances as feed additives to suppress bird feeding. *Crop Protection*, 13, 219-225.

Mattes, R.D., Shaw, L.M., & Engelman, K. (1994). Effects of cannabinoids (marijuana) on taste intensity and hedonic ratings and salivary flow of adults. *Chemical Senses*, 19, 125-140.

Mattes, R.D. (1994). Prevention of food aversions in cancer patients during treatment. *Nutrition and Cancer*, 21, 13-24.

Mattes, R.D., Shaw, L.M., Engelman, K., & Elsohly, M.A. (1994). Cannabinoids and appetite stimulation. *Pharmacology, Biochemistry and Behavior*, 49, 187-195.

Mattes, R.D. (1994). Regulation of energy balance: Independent versus combined effects of the sensory properties and energy content of foods. In: G.G. Birch & G. Campbell-Platt (Eds.), Synergy, Andover: Intercept, pp 39-51.

Mattes, R.D. (1994). Influences on acceptance of bitter foods and beverages. *Physiology & Behavior*, 56, 1229-1236.

Mattes, R.D. & Cowart, B.J. (1994). Dietary assessment of patients with chemosensory disorders. *Journal of the American Dietetic Association*, 94, 50-56.

Mekosh-Rosenbaum, V., Carr, W.J., Goodwin, J.L., Thomas, P.L., D'Ver, A., & Wysocki, C.J. (1994). Developmental changes in responsiveness to chemosensory cues mediating kin recognition in domestic dogs (*Canis familiaris*). *Physiology & Behavior*, 55, 495-499.

Milunas, M.C., Rhoads, A.F., & Mason, J.R. (1994). Effectiveness of odor repellents for protecting ornamental shrubs from browsing by white-tailed deer. *Crop Protection*, 13, 393-397.

Moore, P.A. (1994). A model of the role of adaptation and disadaptation in olfactory receptor neurons: Implications for the coding of temporal and intensity patterns in odor signals. *Chemical Senses*, 19, 71-86.

Nolte, D.L., Mason, J.R., Epple, G., Aronov, E., & Campbell, D.L. (1994). Why are predator urines aversive to prey? *Journal of Chemical Ecology*, 20, 1505-1516.

Nolte, D.L., Mason, J.R., & Lewis, L. (1994). Tolerance of bitter compounds by an herbivore. *Journal of Chemical Ecology*, 20, 303-308.

Okada, Y., Teeter, J.H., & Restrepo, D. (1994). Inositol 1,4,5-triphosphate-gated conductance in isolated rat olfactory neurons. *Journal of Neurophysiology*, 71, 595-602.

Pelchat, M.L. & LaChausee, J.L. (1994). Food cravings and taste aversions in the elderly. *Appetite*, 23, 193.

Pochop, P.A., Cummings, J.L., Clark, L., & Davis, J.E., Jr. (1994). Evaluation of Concover and Bentoballs on contaminated sediments to reduce mortality of foraging waterfowl. In: C.H. Racine & D. Cate (Eds.), Evaluation of White Phosphorous Contamination and Potential Treatability at Eagle River Flats, Alaska, Hanover, New Hampshire: U.S. Army Cold Regions Research and Engineering Laboratory Reports, pp 305-312.

Rabinowitz, J.L., Brand, J.G., Cowart, B.J., & Engen, R.L. (1994). Hepatic lipid profiles in miniature pigs after alcohol feeding. *Alcohol*, 11, 25-29.

Ramirez, I. (1994). Glucose polymer taste is not unitary for rats. *Physiology & Behavior*, 55, 355-360.

Ramirez, I. (1994). Flavor preferences conditioned with starch in rats. *Animal Learning and Behavior*, 22, 181-187.

Ramirez, I. (1994). Stimulation of fluid intake by carbohydrates: Interaction of taste and calories. *American Journal of Physiology*, 266, R682-R687.

Ramirez, I. (1994). Sucrose and fructose have qualitatively different flavors to rats. *Physiology & Behavior*, 56, 549-554.

Ramirez, I. (1994). Chemosensory similarities among oils: Does viscosity play a role? *Chemical Senses*, 19, 155-168.

Rawson, N.E., Ulrich, P.M., & Friedman, M.I. (1994). L-Ethionine, an amino acid analogue, stimulates feeding in rats. *American Journal of Physiology*, 267, R612-R615.

Rawson, N.E., Blum, H., Osbakken, M.D., & Friedman, M.I. (1994). Hepatic phosphate trapping, decreased ATP and increased feeding after 2,5-anhydro-D-mannitol. *American Journal of Physiology*, 266, R112-R117.

Rawson, N.E. & Friedman, M.I. (1994). Phosphate loading prevents the decrease in ATP and increase in food intake produced by 2,5-anhydro-D-mannitol. *American Journal of Physiology*, 266, R1792-R1796.

Ritter, S., Dihn, T.T., & Friedman, M.I. (1994). Induction of Fos-like immunoreactivity (Fos-li) and stimulation of feeding by 2,5-anhydro-D-mannitol (2,5-AM) require the vagus nerve. *Brain Research*, 646, 53-64.

Spielman, A.I., Huque, T., Nagai, H., Whitney, G., & Brand, J.G. (1994). Generation of inositol phosphates in bitter taste transduction. *Physiology & Behavior*, 56, 1149-1155.

Teeter, J.H., Miyamoto, T., Restrepo, D., Zviman, M., & Brand, J.G. (1994). L-Arginine regulated conductances in catfish taste cells. In: K. Kurihara, N. Suzuki, & H. Ogawa (Eds.), Olfaction and Taste XI, Tokyo: Springer-Verlag, pp 93-95.

Teff, K.L. (1994). Cephalic phase insulin release in humans: Mechanism and function. In: J.D. Fernstrom & G.D. Miller (Eds.), Appetite and Body Weight Regulation: Sugar, Fat and Macronutrient Substitutes, Boca Raton: CRC Press, pp 37-50.

Tordoff, M.G. & Friedman, M.I. (1994). Altered hepatic metabolic response to carbohydrate loads in rats with hepatic branch vagotomy or cholinergic blockade. *Journal of the Autonomic Nervous System*, 47, 255-261.

Tordoff, M.G. (1994). Voluntary intake of calcium and other minerals by rats. *American Journal of Physiology*, 267, R470-R475.

Voznessenskaya, V.V., Parfyonova, V.M., & Wysocki, C.J. (1994). Induced olfactory sensitivity in rodents: a general phenomenon. *Advances in the Biosciences*, 93, 399-406.

Wang, H.W., Wysocki, C.J., & Gold, G.H. (1994). Induction of olfactory receptor sensitivity in mice. *Science*, 260, 998-1000.

Wysocki, C.J. & Green, B. (1994). Olfaction and chemesthesis: Two systems contribute to the overall perception of fragrance. *The Aroma-Chology Review*, 3-11.

Yamazaki, K., Beauchamp, G.K., Shen, F.W., Bard, J., & Boyse, E.A. (1994). Discrimination of odortypes determined by the major histocompatibility complex among outbred mice. *Proceedings of the National Academy of Sciences USA*, 91, 3735-3738.

Yamazaki, K., Beauchamp, G.K., Imai, Y., Curran, M., Bard, J., & Boyse, E.A. (1994). Odortypes determined by the major histocompatibility complex in mice. In: K. Kurihara, N. Suzuki, & H. Ogawa (Eds.), Olfaction and Taste XI, Tokyo: Springer-Verlag, pp 233-236.

1993

Aronov, E.V. & Zinkevich, E.P. (1993). Molecular design of substances with the androstenone odor. 2,4'-substituted 4-cyclohexylcyclohexanones - a new class of androstenone-like odorants. *Chemical Senses*, 18, 229-244.

Beauchamp, G.K. & Restrepo, D. (1993). Odorants as chemical messengers: Early events. In: C.T. Ho & C.H. Manley (Eds.), Flavor Measurement, New York, NY: Marcel Dekker, pp 185-197.

Beauchamp, G.K. (1993). Mammalian salt perception and preference. In: H. Kihana, H.R. Hardy, Jr., T. Hoshi, & K. Toyokura (Eds.), Proceedings of the 7th International Conference on Salt, Amsterdam: Elsevier, pp 345-349.

Beauchamp, G.K., Yamazaki, K., Curran, M., Bard, J., & Boyse, E.A. (1993). Fetal H-2 odortypes are evident in the urine of pregnant female mice. *Immunogenetics*, 39, 109-113.

Beauchamp, G.K. & Fisher, A.S. (1993). Strain differences in consumption of saline solutions by mice. *Physiology & Behavior*, 54, 179-184.

Beauchamp, G.K. & Cowart, B.J. (1993). Development of salt taste responses in human newborns, infants and children. In: J. Pearl (Eds.), Development, Growth and Senescence in the Chemical Senses, Bethesda, MD: (National Institutes of Health), pp 61-68.

Beauchamp, G.K. (1993). The future for olfactory research. *Perfumer and Flavorist*, 18, 3-6.

Blank, D.M. (1993). Postdoctoral study in a multidisciplinary research center: An alternative to more traditional nurse fellowships. *Journal of Professional Nursing*, 9, 23-26.

Breslin, P.A.S., Gilmore, M.M., Beauchamp, G.K., & Green, B.G. (1993). Psychophysical evidence that oral astringency is a tactile sensation. *Chemical Senses*, 18, 405-417.

Bryant, B.P., Leftheris, K., Quinn, J.V., & Brand, J.G. (1993). Molecular structural requirements for binding and activation of L-alanine taste receptors. *Amino Acids*, 4, 73-88.

Caprio, J., Brand, J.G., Teeter, J.H., Valentincic, T., Kalinoski, D.L., Kohbara, J., Kumazawa, T., & Wegert, S. (1993). The taste system of the channel catfish: From biophysics to behavior. *Trends in Neurosciences*, 16, 192-197.

Caputo, F.A. & Mattes, R.D. (1993). Human dietary response to perceived fat content of a midday meal. *International Journal of Obesity*, 17, 237-240.

Clark, L. & Mason, J.R. (1993). Interaction between sensory and post-ingestional repellents in starlings: Methyl anthranilate and sucrose. *Ecological Applications*, 3, 434-459.

Clark, L. & Shah, P. (1993). Chemical bird repellents: Possible use in cyanide ponds. *Journal of Wildlife Management*, 57, 657-664.

Clark, L., Cummings, J., Bird, S., & Aronov, E. (1993). Acute toxicity of the bird repellent, methyl anthranilate to fry of *Salmo salar, Oncortiynus mykiss, Ictalurus punctatus and Leoponis macrochirus*. *Pesticide Science*, 39, 313-317.

Clark, L., Avlova, K.U., & Bean, N.J. (1993). Odor thresholds in passerines. *Comparative Biochemistry and Physiology*, 104A, 305-312.

Coldwell, S.E. & Tordoff, M.G. (1993). Latent learning about calcium and sodium. *American Journal of Physiology*, 265, R1480-R1486.

Coldwell, S.E. & Tordoff, M.G. (1993). Learned preferences for the flavor of salted food. *Physiology & Behavior*, 54, 999-1004.

Cowart, B.J., Flynn-Rodden, K., McGeady, S., & Lowry, L.D. (1993). Loss of smell in nasal allergy. *Journal of Allergy and Clinical Immunology*, 91, 747-751.

Deems, R.O., Skypala, P.L., Hernandez, A.M., Friedman, L.S., & Friedman, M.I. (1993). Dietary fat exacerbates liver disease in bile duct-ligated rats. *Journal of Nutrition*, 123, 1414-1420.

Deems, R.O., Friedman, M.I., Friedman, L.S., Munoz, S.J., & Maddrey, W.C. (1993). Chemosensory function, food preferences and appetite in human liver disease. *Appetite*, 20, 209-216.

Dolbeer, R.A., Belant, J.L., & Clark, L. (1993). Methyl anthranilate formulations to repel birds from water at airports and food at landfills. *Great Plains Wildlife Damage Control Proceedings*, 11, 42-53.

Epple, G., Belcher, A., Küderling, I., Zeller, U., Scolnick, L., Greenfield, K.L., & Smith, A.B., III. (1993). Making sense out of scents: Species differences in scent glands, scent marking behavior and scent mark composition in the Callitrichidae. In: A.B. Rylands (Eds.), Marmosets and Tamarins: Systematics, Ecology and Behaviour, Oxford: Oxford University Press, pp 123-151.

Epple, G., Mason, J.R., Nolte, D.L., & Campbell, D.L. (1993). Effects of predator odors on feeding in the mountain beaver *Aplodontia rufa*. *Journal of Mammalogy*, 74, 715-722.

Fitzgerald, L., Rodriques, A., & Smutzer, G. (1993). Codon usage in bony fishes. *Molecular Marine Biology & Biotechnology*, 2, 112-119.

Fynn-Aikins, K., Hung, S.O., & Hughes, S.G. (1993). Effects of feeding a high level of D-Glucose on liver function in juvenile white sturgeon (*Acipenser transmontanns*). *Journal of Fish Physiology*, 12, 317-325.

Gilmore, M.M. & Green, B.G. (1993). Sensory irritation and taste produced by NaCl and citric acid: Effects of capsaicin desensitization. *Chemical Senses*, 18, 257-272.

Green, B.G. (1993). Oral astringency: A tactile component of flavor. *Acta Psychologica*, 84, 119-125.

Green, B.G. (1993). Heat as a factor in the perception of taste, smell and oral sensation. In: B.M. Marriott (Eds.), Nutritional Needs In A Hot Environment, Washington, D.C.: National Academy of Sciences, pp 177-187.

Green, B.G., Shaffer, G.S., & Gilmore, M.M. (1993). Derivation and evaluation of a semantic scale of oral sensation magnitude with apparent ratio properties. *Chemical Senses*, 18, 683-702.

Green, B.G. (1993). Evidence that removal of capsaicin accelerates desensitization on the tongue. *Neuroscience Letters*, 150, 44-48.

Green, B.G. & Shaffer, G.S. (1993). The sensory response to capsaicin during repeated topical exposures: Differential effects on sensations of itching and pungency. *Pain*, 53, 323-334.

Hahn, I., Scherer, P.W., & Mozell, M.M. (1993). Velocity profiles measured for airflow through a large-scale model of the human nasal cavity. *Journal of Applied Physiology*, 75, 2273-2287.

Hughes, S.G. (1993). Digestibility and absorption. In: Nutrient Requirements of Finfish, Washington, D.C.: National Academy Press, pp 43-44.

Hughes, S.G. (1993). Single feeding response of Chinook salmon fry to potential feed intake modifiers. *Progressive Fish-Culturist*, 51, 40-42.

Hughes, S.G. (1993). Antinutrients. In: Nutrient Requirements of Finfish, Washington, D.C.: National Academy Press, pp 38-42.

Hughes, S.G. & Handwerker, T.S. (1993). Tilapia feed: All vegetable protein feeds. *Feed Management*, 44, 54-58.

Kare, M.R., Beauchamp, G.K., & Marsh, R. (1993). Taste, smell and hearing. In: M.J. Swenson (Eds.), Duke's Physiology of Domestic Animals, Ithaca, NY: Cornell University Press.

Knasko, S.C. (1993). Performance, mood and health during exposure to intermittent odors. *Archives of Environmental Health*, 48, 305-308.

Komai, M. & Bryant, B.P. (1993). Acetazolamide specifically inhibits lingual trigeminal nerve responses to carbon dioxide. *Brain Research*, 612, 122-129.

Lall, S.P. & Hughes, S.G. (1993). Other diet components. In: Nutrient Requirements of Finfish, Washington, D.C.: National Academy Press, pp 33-37.

Lowe, G. & Gold, G.H. (1993). Contribution of the ciliary cyclic nucleotide-gated conductance to olfactory transduction in the salamander. *Journal of Physiology*, 462, 175-196.

Lowe, G. & Gold, G.H. (1993). Non-linear amplification by calcium-dependent chloride channels in olfactory receptor cells. *Nature*, 366, 283-286.

Mason, J.R., Bean, N.J., & Clark, L. (1993). Development of chemosensory attractants for white-tailed deer (*Odocoileus virginianus*). *Crop Protection*, 12, 448-452.

Mason, J.R. & Bonwell, W.R. (1993). Evaluation of turpentine as a bird repellent seed treatment. *Crop Protection*, 12, 453-457.

Mason, J.R., Clark, L., & Miller, T.P. (1993). Evaluation of pelleted bait containing methyl anthranilate as a bird repellent. *Pesticide Science*, 39, 299-304.

Mason, J.R., Clark, L., & Bean, N.J. (1993). White plastic flags repel snow geese (*Chen caerulescens*). *Crop Protection*, 12, 497-500.

Mattes, R.D. & Friedman, M.I. (1993). Hunger. *Digestive Diseases*, 11, 65-77.

Mattes, R.D., Shaw, L.M., Edling-Owens, J., Engelman, K., & Elsohly, M.A. (1993). Bypassing the first-pass effect for the therapeutic use of cannabinoids. *Pharmacology, Biochemistry and Behavior*, 44, 745-747.

Mattes, R.D. (1993). Fat preference and compliance with a reduced fat diet. *American Journal of Clinical Nutrition*, 57, 373-381.

Mattes, R.D. (1993). A survey of physician knowledge and practices related to chemosensory disorders. *Chemical Senses*, 18, 77-82.

Mattes, R.D. & Kare, M.R. (1993). Nutrition and the chemical senses. In: M.E. Shils, J.A. Olson, & M. Shike (Eds.), Modern Nutrition in Health and Disease, Philadelphia: Lea & Febiger, pp 537-548.

Mennella, J.A. & Beauchamp, G.K. (1993). Effects of beer on breast-fed infants. *Journal of the American Medical Association*, 269, 1637-1638.

Mennella, J.A. & Beauchamp, G.K. (1993). Early flavor experiences: When do they start? *Pediatric Basics*, 65, 2-7.

Mennella, J.A. & Beauchamp, G.K. (1993). Beer, breast feeding and folklore. *Developmental Psychobiology*, 26, 459-466.

Mennella, J.A. & Beauchamp, G.K. (1993). The effects of repeated exposure to garlic-flavored milk on the nursling's behavior. *Pediatric Research*, 34, 805-808.

Monahan, E., Yamazaki, K., Beauchamp, G.K., & Maxson, S.C. (1993). Olfactory discrimination of urinary odortypes from congenic strains (DBA/1Bg and DBA1.C57BL10-Y.Bg) of mice differing in their Y chromosomes. *Behavior Genetics*, 23, 251-255.

Monahan, E. & Yamazaki, K. (1993). An improved urine collection technique for laboratory mice: The bladder massage method. *Laboratory Animal*, 38-39.

Nolte, D., Mason, J.R., & Clark, L. (1993). Nonlethal rodent repellents: Differences in chemical structure and efficacy from nonlethal bird repellents. *Journal of Chemical Ecology*, 19, 2019-2027.

Nolte, D.L., Farley, J.P., Campbell, D.L., Epple, G., & Mason, J.R. (1993). Potential repellents to prevent mountain beaver damage. *Crop Protection*, 12, 624-626.

Nolte, D.L., Mason, J.R., & Clark, L. (1993). Avoidance of bird repellents by mice (*Mus musculus*). *Journal of Chemical Ecology*, 19, 427-432.

Nolte, D.L., Epple, G., Campbell, D.L., & Mason, J.R. (1993). Response of mountain beaver (*Aplodontia rufa*) to conspecifics in their burrow system. *Northwest Science*, 67, 251-255.

Pierce, J.D., Jr., Wysocki, C.J., & Aronov, E.V. (1993). Mutual cross-adaptation of the volatile steroid androstenone and a non-steroid functional analog. *Chemical Senses*, 18, 245-256.

Pliner, P., Pelchat, M.L., & Grabski, M. (1993). Reduction of neophobia in humans by exposure to novel foods. *Appetite*, 20, 111-123.

Preti, G., Gittelman, T., Stamdte, P.B., & Luitweiler, P. (1993). Malodorous components of drinking water: Letting the nose lead the way. *Analytical Chemistry*, 65, 699A-702A.

Ramirez, I. (1993). Rats discriminate between starch and other substances having a similar texture. *Physiology & Behavior*, 53, 373-377.

Ramirez, I. (1993). Relative preference for starch and sugar in rats. *Physiology & Behavior*, 54, 1195-1200.

Ramirez, I. (1993). The role of olfaction in starch and oil preference. *American Journal of Physiology*, 265, R1404-R1409.

Ramirez, I. (1993). Food deprivation reduces rats' oil preference. *Appetite*, 21, 53-67.

Restrepo, D., Okada, Y., Teeter, J.H., Lowry, L.D., Cowart, B., & Brand, J.G. (1993). Human olfactory neurons respond to odor stimuli with an increase in cytoplasmic Ca^{2+}. *Biophysical Journal*, 64, 1961-1966.

Restrepo, D., Boekhoff, I., & Breer, H. (1993). Rapid kinetic measurements of second messenger formation in isolated olfactory cilia from the channel catfish *I. Punctatus*. *American Journal of Physiology*, 264, C906-C911.

Restrepo, D., Okada, Y., & Teeter, J.H. (1993). Odorant-regulated Ca^{2+} gradients in rat olfactory neurons.
Journal of General Physiology, 102, 907-924.

Rumsey, G.L., Hughes, S.G., & Winfree, R.A. (1993). Chemical and nutritional evaluation of soya protein preparations as primary nitrogen sources for rainbow trout (*Oncorhynchus*). *Animal Feed Science and Technology*, 40, 135-151.

Russell, M.J., Cummings, B.J., Profitt, B.F., Wysocki, C.J., Gilbert, A.N., & Cotman, C.W. (1993). Lifespan changes in the verbal categorization of odors. *Journal of Gerontology*, 48, 49-53.

Singer, A.G. & Macrides, F. (1993). Composition of an aphrodisiac pheromone. *Chemical Senses*, 18, 630.

Singer, A.G., Tsuchiya, H., Wellington, J.L., Beauchamp, G.K., & Yamazaki, K. (1993). Chemistry of odortypes in mice: Fractionation and bioassay. *Journal of Chemical Ecology*, 19, 569-579.

Tanimura, S. & Mattes, R.D. (1993). Relationships between taste sensitivity to and intake of bitter compounds. *Journal of Sensory Studies*, 8, 31-41.

Teff, K.L., Levin, B.E., & Engelman, K. (1993). Oral sensory stimulation in men: Effects on insulin, C-peptide and catecholamines. *American Journal of Physiology*, 265, R1223-R1230.

Teff, K.L., Mattes, R.D., Engelman, K., & Mattern, J. (1993). Cephalic phase insulin in obese and normal weight men: Relation to post-prandial insulin. *Metabolism*, 42, 1600-1608.

Tordoff, M.G., Pilchak, D.M., & Hughes, R.L. (1993). Independence of salt intake induced by calcium deprivation from the renin-angiotensin-aldosterone system. *American Journal of Physiology*, 264, R492-R499.

Tordoff, M.G., Hughes, R.L., & Pilchak, D.M. (1993). Different effects of three aldosterone treatments on plasma aldosterone levels and salt intake. *Physiology & Behavior*, 54, 129-134.

Tordoff, M.G., Hughes, R.L., & Pilchak, D.M. (1993). Independence of salt intake from the hormones regulating calcium homeostasis. *American Journal of Physiology*, 264, R500-R512.

Wysocki, C.J. & Pelchat, M.L. (1993). The effects of aging on the human sense of smell and its relationship to food-choice. *Critical Reviews in Food Science and Nutrition*, 33, 63-82.

Yokomukai, Y., Cowart, B.J., & Beauchamp, G.K. (1993). Individual differences in sensitivity to bitter-tasting substances. *Chemical Senses*, 18, 669-681.

Ziegler, T.E., Epple, G., Snowdon, C.T., Porter, T., Belcher, A.M., & Küderling, I. (1993). Detection of the chemical signals of ovulation in the cotton-top tamarin (*Saguinus oedipus*). *Animal Behaviour*, 45, 313-322.

Zinkevich, E.P. & Aronov, E. (1993). Hydrocarbons with the odor of 5α-androst-16-en-3-one. *Journal of Agricultural and Food Chemistry*, 41, 524-525.

1992

Ayya, N. & Beauchamp, G.K. (1992). Short-term effects on diet on salt taste preference. *Appetite*, 18, 77-82.

Brand, J.G. & Bruch, R.C. (1992). Molecular mechanisms of chemosensory transduction: Gustation and olfaction. In: T.J. Hara (Eds.), Fish Chemoreception, London: Chapman and Hall, pp 126-149.

Brand, J.G. & Shah, P.S. (1992). The transduction of taste and olfactory stimuli. In: H. Schwartzberg & R. Hartel (Eds.), Physical Chemistry of Foods, New York: Marcel Dekker, pp 517-540.

Caputo, F.A. & Mattes, R.D. (1992). Human dietary responses to covert manipulations of energy, fat and carbohydrate in a midday meal. *American Journal of Clinical Nutrition*, 56, 36-43.

Chukhrai, E.S., Vesselova, M.N., Poltorac, O.M., Voznessenskaya, V.V., Zinkevich, E.P., & Wysocki, C.J. (1992). Phosphatase activity of the surface structures of rat olfactory and vomeronasal epithelial tissue. In: R.L. Doty & D. Müller-Schwartz (Eds.), Chemical Signals in Vertebrates VI, New York: Plenum Press.

Clark, L. & Mason, J.R. (1992). Nonlethal repellents: The development of cost-effective, practical solutions to agricultural and industrial problems. *Proceedings of the Vertebrate Pest Conference*, 15, 115-129.

Clark, L. & Shah, P. (1992). Information content of prey odor plumes: What do foraging Leach's storm petrels know? In: R. Doty, D. Müller-Schwarze, & R. Silverstein (Eds.), Chemical Signals in Vertebrates VI, New York: Plenum Press, pp 231-238.

Clark, L. (1992). Biological use of computers. In: G.G. Bitter (Eds.), Macmillan Encyclopedia of Computers, New York: MacMillan.

Dolbeer, R.A., Woronecki, P.P., Seamans, T.W., & Clark, L. (1992). Pen tests of methyl anthranilate as a bird repellent in water. *Proceedings Fifth Eastern Animal Damage Control Conference*, 5, 112-116.

Duncan, H., Beauchamp, G.K., & Yamazaki, K. (1992). Assessing odor generalization in the rat: A sensitive technique. *Physiology & Behavior*, 52, 617-620.

Friedman, M.I. & Mattes, R.D. (1992). Impediments to eating: Disorders of taste and smell. *Clinics in Applied Nutrition*, 2, 11-19.

Gilbert, A.N. & Wysocki, C.J. (1992). Hand preference and age in the United States. *Neuropsychologia*, 30, 601-608.

Green, B.G. (1992). The effects of temperature and concentration on the perceived intensity and quality of carbonation. *Chemical Senses*, 17, 435-450.

Green, B.G. & Shaffer, G.S. (1992). The sensory effects of l-menthol on the skin. *Somatosensory and Motor Research*, 9, 235-244.

Green, B.G. & Shaffer, G.S. (1992). Psychophysical assessment of the chemical irritability of human skin. *Journal of the Society of Cosmetic Chemists*, 43, 131-147.

Green, B.G. (1992). Flavor perception in cold foods. In: M. Kroger (Eds.), Proceedings of the Penn State Ice Cream Centennial Conference, State College, PA: Penn State University, pp 261-280.

Hughes, S.G., Lemm, C.L., & Herman, R.L. (1992). Development of a practical diet for juvenile striped bass. *Transactions of the American Fisheries Society*, 121, 802-809.

Huque, T., Brand, J.G., & Rabinowitz, J.L. (1992). Metabolism of inositol-1,4,5-trisphosphate in the taste organ of the channel catfish *Ictalurus punctatus*. *Comparative Biochemistry and Physiology*, 102B, 833-839.

Jakubas, W.J., Shah, P.S., Mason, J.R., & Norman, D.M. (1992). Avian repellency of coniferyl and cinnamyl derivatives. *Ecological Applications*, 2, 147-156.

Kajiura, H., Cowart, B.J., & Beauchamp, G.K. (1992). Early developmental change in bitter taste responses in human infants. *Developmental Psychobiology*, 25, 375-386.

Kalinoski, D.L., Aldinger, S.B., Boyle, A.G., Huque, T., Mareuk, J., Prestwich, G.D., & Restrepo, D. (1992). Characterization of a novel inositol 1,4,5-trisphosphate receptor in isolated olfactory cilia. *Biochemical Journal*, 281, 449-456.

Kalinoski, D.L., Johnson, L.C., Bryant, B.P., & Brand, J.G. (1992). Selective interactions of lectins with amino acid taste receptor sites in the channel catfish. *Chemical Senses*, 17, 381-390.

Knasko, S.C. (1992). Ambient odor's effect on creativity, mood, and perceived health. *Chemical Senses*, 17, 27-35.

Knauf, P.A., Restrepo, D., Liu, S.J., Spinelli, L.J., Law, Y., Bronise, B., Snyder, R.B., & Ramanow, L. (1992). Mechanisms of substrate binding, inhibitor binding, and ion translocation in band 3-related proteins. In: E. Bamberg & H. Passow (Eds.), Progress in Cell Research, 35-44.

Labows, J.N. & Preti, G. (1992). Human semiochemicals. In: S. VanToller & G.H. Dodd (Eds.), Fragrance: The Psychology and Biology of Perfume, London: Elsevier Applied Science Publishers, pp 69-90.

Mansdotter, S., Epple, G., & Küderling, I. (1992). Age related changes in ovarian morphology of the South American tamarin *Saguinus fuscicollis* (Callitrichidae). *Journal of Zoology (London)*, 227, 239-255.

Maone, T.R., Mattes, R.D., & Beauchamp, G.K. (1992). Cocaine-exposed newborns show an exaggerated sucking response to sucrose. *Physiology & Behavior*, 51, 487-491.

Mason, J.R., Clark, L., & Shah, P. (1992). Taxonomic differences between birds and mammals in their responses to chemical irritants. In: R. Doty & H. ller-Schwarze (Eds.), Chemical Signals in Vertebrates VI, New York: Plenum Press, pp 311-318.

Mattes, R.D., Curran, W.J., Alavi, J., Powlis, W., & Whittington, R. (1992). Clinical implications of learned food aversions in cancer patients treated with chemo- or radiation therapy. *Cancer*, 70, 192-200.

Mattes, R.D. (1992). The chemical senses: Nutritional functionality and liability. In: G.A. Bray & D.H. Ryan (Eds.), The Science of Food Regulation, Baton Rouge: Louisiana State University Press, pp 313-330.

Mattes, R.D. & Engelman, K. (1992). Effects of combined hydrochlorothiazide and amiloride versus single drug on changes in salt taste and intake. *American Journal of Cardiology*, 6, 91-95.

Mela, D.J., Mattes, R.D., Tanimura, S., & Garcia-Medina, R.M. (1992). Relationship between ingestion and gustatory perception of caffeine. *Pharmacology, Biochemistry and Behavior*, 43, 513-521.

Mennella, J.A. & Beauchamp, G.K. (1992). Developmental changes in nasal airflow patterns. *Acta Otolaryngologica (Stockholm)*, 112, 1025-1031.

Mennella, J.A. & Beauchamp, G. (1992). Alcohol in mother's milk. *New England Journal of Medicine*, 326: 767.

Miyamoto, T., Restrepo, D., & Teeter, J.H. (1992). Voltage-dependent and odorant regulated currents in isolated olfactory receptor neurons of the channel catfish. *Journal of General Physiology*, 99, 505-530.

Miyamoto, T., Restrepo, D., Cragoe, E.J., Jr., & Teeter, J.H. (1992). IP_3- and cAMP-induced responses in isolated olfactory neurons from the channel catfish. *Journal of Membrane Biology*, 127, 173-183.

Norman, D.M., Mason, J.R., & Clark, L. (1992). Capsaicin effects on consumption of feed by cedar waxwings, and house finches. *Wilson Bulletin*, 104, 549-551.

Pelchat, M.L. & Danowski, S. (1992). A possible genetic association between PROP-tasting and alcoholism. *Physiology & Behavior*, 51, 1261-1266.

Preti, G., Clark, L., Cowart, B.J., Feldman, R.S., Lowry, L.D., Weber, E., & Young, I.N. (1992). Non-oral etiologies of oral malodor and altered chemosensation. *Journal of Periodontology*, 63, 790-796.

Ramirez, I. (1992). Chemoreception for fat: Do rats sense triglycerides directly or do they rely on surrogate compounds? *Appetite*, 18, 193-206.

Ramirez, I. (1992). Does reducing the rate or efficiency of digestion reduce food intake? *American Journal of Physiology*, 263, R852-R856.

Ramirez, I. (1992). Malaise can condition avoidance of high viscosity fluids. *Physiology & Behavior*, 52, 929-934.

Ramirez, I. (1992). Is starch flavor unitary? Evidence from studies of cooked starch. *Physiology & Behavior*, 52, 535-540.

Reed, D.R., Friedman, M.I., & Tordoff, M.G. (1992). Experience with a macronutrient source determines subsequent macronutrient selection. *Appetite*, 18, 223-232.

Reed, D.R., Friedman, M.I., & Mela, D.J. (1992). Sensory and metabolic influences on fat intake. In: D.J. Mela (Eds.), Determinants of Preference, Selection and Consumption, Oxford: Elsevier, pp 117-137.

Restrepo, D., Cronise, B.L., Snyder, R.B., & Knauf, P.A. (1992). A novel method to differentiate between ping-pong and simultaneous exchange kinetics and its application to the anion exchanger of the HL60 cell. *Journal of General Physiology*, 100, 825-846.

Restrepo, D., Teeter, J.H., Honda, E., Boyle, A.G., Maracek, J.F., Prestwich, G.L., & Kalinoski, D.L. (1992). Evidence for an IP_3-gated channel protein in isolated rat olfactory cilia. *American Journal of Physiology*, 263, C667-C673.

Restrepo, D. & Brand, J.G. (1992). Molecular mechanisms in olfaction. *Dragoco Report*, 2, 84-89.

Rumsey, G.L., Winfree, R.A., & Hughes, S.G. (1992). Nutritional value of dietary nucleic acids and purine bases to rainbow trout *(Oncorhynchus mykiss)*. *Aquaculture*, 108, 97-110.

Schmidt, H.J. & Beauchamp, G.K. (1992). Human olfaction in infancy and early childhood. In: M. Serby & K. Chobar (Eds.), Science of Olfaction, New York: Springer-Verlag, pp 378-395.

Shah, P., Mason, J.R., & Clark, L. (1992). Avian chemical repellency: A structure-activity approach and implications. In: R. Doty & D. Müller-Schwarze (Eds.), Chemical Signals in Vertebrates VI, New York: Plenum Press, pp 291-296.

Singer, A.G. & Macrides, F. (1992). Lipocalycins associated with mammalian pheromones. In: R.L. Doty & D. Müller-Schwarze (Eds.), Chemical Signals in Vertebrates VI, New York: Plenum Press, pp 119-124.

Sokolov, V.E., Voznessenskaya, V.V., & Zinkevich, E.P. (1992). Olfactory cues and ovarian cycles. In: R.L. Doty & D. Müller-Schwarze (Eds.), Chemical Signals in Vertebrates VI, New York: Plenum Press.

Spielman, A.I., Huque, T., Whitney, G., & Brand, J.G. (1992). The diversity of bitter taste signal transduction mechanisms. In: D. Corey & S. Roper (Eds.), Sensory Transduction, New York: Rockefeller University Press, pp 307-324.

Spielman, A.I., Ricketts-Foot, D.A., & Brand, J.G. (1992). High resolution scanning electron micrographic study of dissociated mouse taste cells. *Chemical Senses*, 17, 451-460.

Teeter, J.H., Kumazawa, T., Brand, J.G., Kalinoski, D.L., Honda, E., & Smutzer, G. (1992). Amino acid receptor channels in taste cells. In: D. Corey & S.J. Roper (Eds.), Sensory Transduction, New York: Rockefeller University Press, pp 291-306.

Tordoff, M.G. (1992). Salt intake of rats fed diets deficient in calcium, iron, magnesium, phosphorus, potassium, or all minerals. *Appetite*, 18, 29-41.

Tordoff, M.G. (1992). Influence of dietary calcium on sodium and calcium intake of spontaneously hypertensive rats. *American Journal of Physiology*, 262, R370-R381.

Voznessenskaya, V.V. & Parfyouova, V.U. (1992). Individual odortypes. In: R.L. Doty & D. Müller-Schwarze (Eds.), Chemical Signals in Vertebrates VI, New York: Plenum Press.

Voznessenskaya, V.V., Wysocki, C.J., & Zinkevich, E.P. (1992). Regulation of the rat estrous cycle by predator odors: Role of the vomeronasal organ. In: R.L. Doty & D. Müller-Schwartz (Eds.), Chemical Signals in Vertebrates VI, New York: Plenum Press.

Wysocki, C.J., Beauchamp, G.K., Todrank, J., & Pierce, J.D., Jr. (1992). Qualitative variation in olfaction. In: S. Van Toller & G.H. Dodd (Eds.), Aromacology: Perfume, Smell and Behavior, London: Elsevier.

Yamazaki, K., Beauchamp, G.K., Imai, Y., Bard, J., Thomas, L., & Boyse, E.A. (1992). MHC control of odortypes in the mouse. In: R.L. Doty & D. Müller-Schwarze (Eds.), Chemical Signals in Vertebrates VI, New York: Plenum Press, pp 189-196.

Yamazaki, K., Beauchamp, G.K., Imai, Y., Bard, J., & Boyse, E.A. (1992). Expression of urinary H-2 odortypes by infant mice. *Proceedings of the National Academy of Sciences USA*, 89, 2756-2758.

Zeng, X.N., Leyden, J.J., Brand, J.G., Spielman, A.I., McGinley, K.J., & Preti, G. (1992). An investigation of human apocrine gland secretion for axillary odor precursors. *Journal of Chemical Ecology*, 18, 1039-1055.

1991

Friedman, M.I. Tordoff, M.G. & Kare, M.R. (Eds.). (1991). Chemical Senses: Appetite and Nutrition. New York: Marcel Dekker.

Beauchamp, G.K. & Engelman, K. (1991). High salt intake: Sensory and behavioral factors. *Hypertension*, 17, 176-181.

Beauchamp, G.K., Bertino, M., Burke, D., & Engelman, K. (1991). Experimental sodium depletion and salt taste in normal human volunteers. *American Journal of Clinical Nutrition*, 51, 881-889.

Beauchamp, G.K. & Pearson, P. (1991). Human development and umami taste. *Physiology & Behavior*, 49, 1009-1012.

Beauchamp, G.K., Cowart, B.J., & Schmidt, H.J. (1991). Development of chemosensory sensitivity and preference. In: T.V. Getchell, R.L. Doty, L.M. Bartoshuk, & J.B. Snow (Eds.), Smell and Taste in Health and Disease, New York: Raven Press, pp 405-416.

Beauchamp, G.K., Bertino, M., & Engelman, K. (1991). Human salt appetite. In: M.I. Friedman, M.G. Tordoff, & M.R. Kare (Eds.), Chemical Senses: Appetite and Nutrition, New York: Marcel Dekker, pp 85-107.

Beauchamp, G.K. & Mason, J.R. (1991). Comparative hedonics of taste. In: R.C. Bolles (Eds.), The Hedonics of Taste, New York: Stelmach Associates, pp 159-183.

Beauchamp, G.K. (1991). Salt preference in humans. In: R. Dulbecco (Eds.), Encyclopedia of Human Biology, New York: Academic Press, pp 715-721.

Beauchamp, G.K., Maone, T., & Mennella, J.A. (1991). The role of flavor in infant nutrition. In: W. Heird (Eds.), Nutrition During the Second Six Months of Life, New York: Raven Press, pp 35-47.

Bertino, M., Beauchamp, G.K., & Engelman, K. (1991). Naltrexone, an opioid blocker, alters taste perception and nutrient intake in humans. *American Journal of Physiology*, 261, 59-63.

Boyse, E.A., Beauchamp, G.K., Bard, J., & Yamazaki, K. (1991). Behavior and the major histocompatibility complex (MHC), H-2 of the mouse. In: R. Ader, D.L. Felter, & N. Cohen (Eds.), Psychoneuroimmunology II, New York: Academic Press, pp 831-846.

Brand, J.G., Teeter, J.H., Kumazawa, T., Huque, T., & Bayley, D.L. (1991). Transduction mechanisms for the taste of amino acids. *Physiology & Behavior*, 49, 899-904.

Bryant, B.P. & Leftheris, K. (1991). Structure/activity relationships of L-alanine receptors in channel catfish. *Physiology & Behavior*, 49, 891-898.

Clark, L. & Shah, P. (1991). Nonlethal bird repellents: In search of a general model relating repellency and chemical structure. *Journal of Wildlife Management*, 55, 538-545.

Clark, L., Shah, P.S., & Mason, J.R. (1991). Chemical repellency in birds: Relationships between structure of anthranilate and benzoic acid derivatives and avoidance response. *Journal of Experimental Zoology* , 260, 310-322.

Clark, L. & Shah, P. (1991). Chemical bird repellents: Applicability for deterring use of waste water. In: O. Thorne, B. Willard, & S. Foster (Eds.), Issues and Technology in the Management of Impacted Wildlife, Denver: Thorne Ecological Institute, pp 157-164.

Clark, L. (1991). Odor detection thresholds in tree swallows and cedar waxwings. *Auk*, 108, 177-180. Cowart, B.J. (1991). Let them eat soap. *Nature*, 354, 114.

Cowart, B.J. (1991). Derivation of an index of discrimination from magnitude estimation ratings. In: G.A. Gescheider & S.J. Bolanowski (Eds.), Ratio Scaling of Psychological Magnitudes, New York: Lawrence Erlbaum.

Cummings, J.L., Mason, J.R., Otis, D.L., & Heisterberg, J.M. (1991). Evaluation of dimethyl and methyl anthranilate as Canada goose repellents on grass. *The Wildlife Society Bulletin*, 19, 184-190.

Deems, R.O., Friedman, M.I., Friedman, L.S., & Maddrey, W.C. (1991). Clinical manifestations of olfactory and gustatory disorders associated with hepatic and renal disease. In: T.V. Getchell, R.L. Doty, L.M. Bartoshuk, & J.B. Snow (Eds.), Smell and Taste in Health and Disease, New York: Raven Press, pp 805-816.

Epple, G., Küderling, I., Belcher, A.M., Schafer, A., & Lerchl, A. (1991). Estimation of immunoreactive testicular androgen metabolites in the urine of saddle-back tamarins. *American Journal of Primatology*, 23, 87-98.

Frankmann, S.P., Ulrich, P., & Epstein, A.N. (1991). Transient and lasting effects of reproductive episodes on NaCl intake of the female rat. *Appetite*, 16, 193-204.

Friedman, M.I. & Mattes, R.D. (1991). Chemical senses and nutrition. In: T.V. Getchell, R.L. Doty, L.M. Bartoshuk, & J.B. Snow (Eds.), Smell and Taste in Health and Disease, New York: Raven Press, pp 391-404.

Friedman, M.I. (1991). Ins and outs of appetite. *Dragoco Report*, 2, 73-77.

Friedman, M.I. (1991). Metabolic control of calorie intake. In: M.I. Friedman, M.G. Tordoff, & M.R. Kare (Eds.), Chemical Senses: Appetite and Nutrition, New York: Marcel Dekker, pp 19-38.

Gil, K.M., Skeie, B., Kvetan, V., Askanazi, J., & Friedman, M. (1991). Parenteral nutrition and oral intake: Effect of glucose and fat infusions. *Journal of Parenteral and Enteral Nutrition*, 15, 426-432.

Gilbert, A.N. & Wysocki, C.J. (1991). Quantitative assessment of olfactory experience during pregnancy. *Journal of Psychosomatic Medicine*, 53, 693-700.

Gilbert, A.N. & Kare, M.R. (1991). A consideration of some psychological and physiological mechanisms of odor perception. In: P.M. Müller & D. Lamparsky (Eds.), Perfumes: Art, Science and Technology, London: Elsevier Applied Science Publishers.

Green, B.G. (1991). Temporal characteristics of capsaicin sensitization and desensitization on the tongue. *Physiology & Behavior*, 49, 501-505.

Green, B.G. (1991). Capsaicin cross-desensitization on the tongue: Psychophysical evidence that oral chemical irritation is mediated by more than one sensory pathway. *Chemical Senses*, 16, 675-689.

Green, B.G. (1991). Oral chemesthesis: The importance of time and temperature for the perception of chemical irritants. In: H.T. Lawless & B.P. Klein (Eds.), Advances in Sensory Science, New York: Marcel Dekker, pp 107-123.

Green, B.G. & Lawless, H.T. (1991). The psychophysics of somatosensory chemoreception in the nose and mouth. In: T.V. Getchell, R.L. Doty, L.M. Bartoshuk, & J.B. Snow (Eds.), Smell and Taste in Health and Disease, New York: Raven Press, pp 235-253.

Green, B.G. (1991). Interactions between chemical and thermal cutaneous stimuli: Inhibition (counterirritation) and integration. *Somatosensory and Motor Research*, 8, 301-312.

Hughes, S.G. (1991). Response of first-feeding spring chinook salmon to some potential feeding attractants. *Progressive Fish-Culturist*, 53, 15-17.

Hughes, S.G. (1991). Cultured Atlantic salmon do not need moist feeds. *Proceedings of the 1991 Atlantic Salmon Workshop*, 220-232.

Hughes, S.G. & Rumsey, G.L. (1991). Salmon starter diets. *Feed Management*, 42, 58-62.

Hughes, S.G. (1991). Feather meal can displace fish meal in aquaculture rations. *Feedstuffs*, 63, 11-13.

Hughes, S.G. (1991). Amino acids as feeding attractants for Atlantic salmon. *Proceedings of the 1991 Atlantic Salmon Workshop*, 207-219.

Jakubas, W.J. & Mason, J.R. (1991). Role of the trigeminal sensory system in avian detection of coniferyl benzoate. *Journal of Chemical Ecology*, 17, 2213-2221.

Lowe, G. & Gold, G.H. (1991). The spatial distributions of odorant sensitivity and odorant-induced currents in salamander olfactory receptor cells. *Journal of Physiology*, 442, 147-168.

Macrides, F. & Singer, A.G. (1991). A hamster macromolecular pheromone belongs to a family of transport and odorant binding proteins. In: C.J. Wysocki & M.R. Kare (Eds.), Chemical Senses: Genetics of Perception and Communication, New York: Marcel Dekker, pp 169-185.

Mason, J.R., Nuechterlein, G., Linz, G., & Dolbeer, R.A. (1991). Oil concentration differences among sunflower achenes and feeding preferences of red-winged blackbirds. *Crop Protection*, 10, 299-304.

Mason, J.R., Clark, L., & Shah, P. (1991). Ortho-aminoacetophenone repellency to birds: Perceptual and chemical similarities to methyl anthranilate. *Journal of Wildlife Management*, 55, 334-340.

Mason, J.R., Neal, J., Oliver, J.E., & Lusby, W.R. (1991). Bird repellent properties of secretions from nymphs of the azalea lace bug. *Ecological Applications*, 1, 73-77.

Mason, J.R., Reidinger, R.F., Jr., & Stewart, C.N. (1991). Rodenticide flavor characteristics identified through generalization of conditioned flavor avoidance. *Journal of Wildlife Management*, 55, 188-198.

Mason, J.R., Avery, M.L., Glahn, J.F., Otis, D.L., Matteson, R.E., & Nelms, C.O. (1991). Evaluation of methyl anthranilate relative to starch-plated dimethyl anthranilate as a bird repellent livestock feed additive. *Journal of Wildlife Management*, 55, 182-187.

Mason, J.R., Bean, N.J., Shah, P.S., & Clark, L. (1991). Taxon-specific differences in responsiveness to capsaicin and several analogues: Correlates between chemical structure and behavioral aversiveness. *Journal of Chemical Ecology*, 17, 2539-2551.

Mattes, R.D. & Donnelly, D. (1991). Relative contributions of dietary sodium sources. *Journal of the American College of Nutrition*, 10, 383-393.

Mattes, R.D., Curran, W.J., Powlis, W., & Whittington, R. (1991). A descriptive study of learned food aversions in radiotherapy patients. *Physiology & Behavior*, 50, 1103-1109.

Mattes, R.D. & Kare, M.R. (1991). Perception, food and nutrition. In: The Encyclopedia of Human Biology, New York: Academic Press, pp 751-757.

Mattes, R.D. (1991). Learned food aversions: A family study. *Physiology & Behavior*, 50, 499-504.

Mattes, R.D. (1991). Sweet taste and ingestive behavior in humans. In: N. Kretchmer & C. Hollenbeck (Eds.), Sugars and Sweeteners, Boca Raton: CRC Press, pp 99-114.

Mela, D.J. & Sacchetti, D.S. (1991). Sensory preferences for fats in foods: Relationships to diet and body composition. *American Journal of Clinical Nutrition*, 53, 908-915.

Mennella, J.A. & Beauchamp, G.K. (1991). Maternal diet alters the sensory qualities of human milk and the nursling's behavior. *Pediatrics*, 88, 737-744.

Mennella, J.A. & Beauchamp, G.K. (1991). The transfer of alcohol to human milk: Effects on flavor and the infant's behavior. *New England Journal of Medicine*, 325, 981-985.

Mennella, J.A. & Beauchamp, G.K. (1991). Olfactory preferences in children and adults. In: D.G. Laing, R.L. Doty, & W. Breipohl (Eds.), The Human Sense of Smell, New York: Springer-Verlag, pp 167-180.

Munoz, S.J., Deems, R.O., Moritz, M.J., Martin, P., Jarrell, B.E., & Maddrey, W.C. (1991). Hyperlipidemia and obesity after orthotopic liver transplantation. *Transplantation Proceedings*, 23, 1480-1483.

Naim, M., Ohara, I., Kare, M.R., & Levinson. (1991). Interaction of MSG taste with nutrition: Perspectives in consummatory behavior and digestion. *Physiology & Behavior*, 49, 1019-1024.

Naim, M. & Kare, M.R. (1991). Sensory and postingestional components of palatability in dietary obesity: An overview. In: M.I. Friedman, M.G. Tordoff, & M.R. Kare (Eds.), Chemical Senses: Appetite and Nutrition, New York: Marcel Dekker, pp 109-126.

Pliner, P. & Pelchat, M.L. (1991). Neophobia in humans and the special status of foods of animal origin. *Appetite*, 16, 205-218.

Rabinowitz, J.L., Staeffen, J., Hall, C.L., & Brand, J.G. (1991). A probable defect in the ß-oxidation of lipids in rats fed alcohol for 6 months. *Alcohol*, 8, 241-246.

Ramirez, I. (1991). Influence of experience on response to bitter taste. *Physiology & Behavior*, 49, 387-391.

Ramirez, I. (1991). Chemoreception for an insoluble nonvolatile substance: Starch taste? *American Journal of Physiology*, 260, R192-R199.

Ramirez, I. (1991). Starch flavor: Apparent discrimination between amylopectin and amylose by rats. *Physiology & Behavior*, 50, 1181-1186.

Ramirez, I. (1991). Chemoreception for cellulose. *Chemical Senses*, 16, 691-698.

Ramirez, I. (1991). Does starch taste like Polycose? *Physiology & Behavior*, 50, 389-392.

Ramirez, I. (1991). Starch flavor: Can rats taste an insoluble substance? *Chemical Senses*, 16, 361-371.

Ramirez, I. (1991). Strain differences in dietary hyperphagia: Interactions with age and experience. *Physiology & Behavior*, 49, 89-92.

Ramirez, I. (1991). Thresholds for starch and Polycose are lower than for sucrose in rats. *Physiology & Behavior*, 50, 699-703.

Ramirez, I. (1991). High-fat diets stimulate transient hyperphagia whereas wet diets stimulate prolonged hyperphagia. *Physiology & Behavior*, 49, 1223-1228.

Reed, D.R., Tordoff, M.G., & Friedman, M.I. (1991). Enhanced acceptance and metabolism of fat by rats fed a high-fat diet. *American Journal of Physiology*, 261, R1084-R1088.

Restrepo, D., Snyder, R.B., Spinelli, L.J., & Knauf, P.A. (1991). Kinetics of DIDS inhibition of HL60 cells anion exchange rules out ping-pong model with slippage. *American Journal of Physiology*, 260, C535-C544.

Restrepo, D. & Boyle, A.G. (1991). Stimulation of olfactory receptors alters regulation of [Ca_i] in olfactory neurons of the catfish (*Ictalurus punctatus*). *Journal of Membrane Biology*, 120, 223-232.

Shah, P.S., Clark, L., & Mason, J.R. (1991). Prediction of avian repellency from chemical structure: The aversiveness of vanillin, vanillyl alcohol and veratryl alcohol. *Pesticide Biochemistry and Physiology* , 40, 169-175.

Shaw, L.M., Edling-Owens, J., & Mattes, R.D. (1991). Ultrasensitive measurement of delta-9-tetrahydrocannabinol with a high energy dynode detector and electron capture negative ion chemical ionization mass spectrometry. *Clinical Chemistry*, 37, 2062-2068.

Singer, A.G. (1991). A chemistry of mammalian pheromones. *Journal of Steroid Biochemistry and Molecular Biology*, 39, 627-632.

Smutzer, G., Chamberlin, L., Bayley, D., & Kalinoski, D.L. (1991). A simplified method for drying agarose gels. *Biotechniques*, 11, 468.

Spielman, A.I., Brand, J.G., & Kare, M.R. (1991). Tongue and taste. In: R. Dulbecco (Eds.), Encyclopedia of Human Biology, New York: Academic Press, pp 527-535.

Sugimoto, K. & Teeter, J.H. (1991). Stimulus-induced currents in isolated taste receptor cells of the larval tiger salamander. *Chemical Senses*, 16, 109-122.

Teff, K.L., Mattes, R.D., & Engelman, K. (1991). Cephalic phase insulin release in normal weight males: Verification and reliability. *American Journal of Physiology*, 261, E430-E436.

Tepper, B.J. & Friedman, M.I. (1991). Altered acceptability of and preference for sweet solutions by diabetic rats is normalized by high-fat diet. *Appetite*, 16, 25-38.

Tepper, B.J., Mattes, R.D., & Farkas, B.K. (1991). Learned flavor cues influence food intake in humans. *Journal of Sensory Studies*, 6, 89-100.

Todrank, J.L., Wysocki, C.J., & Beauchamp, G.K. (1991). The effects of adaptation on the perception of similar and dissimilar odors. *Chemical Senses*, 16, 467-482.

Tordoff, M.G. & Reed, D.R. (1991). Sham-feeding sucrose or corn oil stimulates food intake in rats. *Appetite*, 17, 97-103.

Tordoff, M.G., Rawson, N., & Friedman, M.I. (1991). 2,5-Anhydro-D-mannitol acts in liver to initiate feeding. *American Journal of Physiology*, 261, R283-R288.

Tordoff, M.G. (1991). Calcium deprivation increases NaCl intake of Fischer-344 rats. *Physiology & Behavior*, 49, 113-115.

Tordoff, M.G., Fluharty, S.J., & Schulkin, J. (1991). Physiological consequences of NaCl ingestion by Na^+-depleted rats. *American Journal of Physiology*, 261, R289-R295.

Tordoff, M.G. (1991). Metabolic basis of learned food preferences. In: M.I. Friedman, M.G. Tordoff, & M.R. Kare (Eds.), Chemical Senses: Appetite and Nutrition, New York: Marcel Dekker, pp 239-260.

Wade, G.N., Schneider, J.E., & Friedman, M.I. (1991). Insulin-induced anestrus in Syrian hamsters. *American Journal of Physiology*, 260, R148-R152.

Wysocki, C.J. & Beauchamp, G.K. (1991). Individual differences in human olfaction. In: C.J. Wysocki & M.R. Kare (Eds.), Chemical Senses: Genetics of Perception and Communication, New York: Marcel Dekker, pp 353-373.

Wysocki, C.J. & Lepri, J.J. (1991). Consequences of removing the vomeronasal organ. *Journal of Steroid Biochemistry and Molecular Biology*, 39, 661-669.

Wysocki, C.J., Kruczek, M., Wysocki, L.M., & Lepri, J.J. (1991). Activation of reproduction in nulliparous and primiparous voles is blocked by vomeronasal organ removal. *Biology of Reproduction*, 45, 611-616.

Wysocki, C.J., Pierce, J.D., Jr., & Gilbert, A.N. (1991). Geographic, cross-cultural and individual variation in human olfaction. In: T.V. Getchell, R.L. Doty, L.M. Bartoshuk, & J.B. Snow, Jr. (Eds.), Smell and Taste in Health and Disease, New York: Raven Press, pp 287-314.

Wysocki, C.J. & Kare, M.R. (Eds.). (1991). Chemical Senses: Genetics of Perception and Communication. New York: Marcel Dekker.

Yamazaki, K., Beauchamp, G.K., Bard, J., Thomas, L., & Boyse, E.A. (1991). Chemosensory identity and immune function in mice. In: C. Wysocki & M.R. Kare (Eds.), Chemical Senses: Genetics of Perception and Communication, New York: Marcel Dekker, pp 211-225.

Yamazaki, K., Beauchamp, G.K., Shen, F.W., Bard, J., & Boyse, E.A. (1991). A distinctive change in odortype determined by H-2D/L mutation. *Immunogenetics*, 34, 129-131.

Zeng, X.N., Preti, G., Leyden, J.J., Lawley, H.J., Sawano, K., & Nohara, I. (1991). Analysis of the characteristic odors from the male axillae. *Journal of Chemical Ecology*, 17, 1469-1492.

1990

Beauchamp, G.K. (1990). Research in chemosensation related to flavor and fragrance perception. *Food Technology*, 44, 98-100.

Beauchamp, G.K. & Cowart, B.J. (1990). Preference for high salt concentrations among children. *Developmental Psychology*, 26, 539-545.

Beauchamp, G.K., Yamazaki, K., Duncan, H., Bard, J., & Boyse, E.A. (1990). Genetic determination of individual mouse odor. In: D.W. Macdonald, D. Müller-Schwarze, & S.E. Natynczuk (Eds.), Chemical Signals in Vertebrates V, Oxford: Oxford University Press, pp 244-254.

Beauchamp, G.K. & Wysocki, C.J. (1990). Perception of the odor of androstenone: Influence of genes, development and exposure. In: E. Capaldi & T. Powley (Eds.), Taste Experience and Feeding, Washington, D.C.: American Psychological Association, pp 105-115.

Belcher, A.M., Epple, G., Greenfield, K.L., Richards, L.E., Küderling, I., & Smith, A.B., III. (1990). Proteins: Biologically relevant components of the scent marks of a primate (*Saguinus fuscicollis*). *Chemical Senses*, 15, 431-446.

Blank, D.M. & Mattes, R.D. (1990). Exploration of the sensory characteristics of craved and aversive foods. *Journal of Sensory Studies*, 5, 193-202.

Blank, D.M. & Mattes, R.D. (1990). Sugar and spice: Similarities and sensory attributes. *Nursing Research*, 39, 290-293.

Boyse, E.A., Beauchamp, G.K., Yamazaki, K., & Bard, J. (1990). Genetic components of kin recognition in mammals. In: P.G. Hepper (Eds.), Kin Recognition, Cambridge: Cambridge University Press, pp 148-161.

Boyse, E.A., Yamazaki, K., Yamaguchi, M., & Thomas, L. (1990). Sensory communication among mice according to their MHC types. In: G. Doria & A. Eshkol (Eds.), The Immune System: Functions and Therapy of Dysfunction, London: Academic Press, pp 45-53.

Bruch, R.C. (1990). Signal transduction in olfaction and taste. In: L. Birnbaumer & R. Iyengar (Eds.), G-Proteins, New York: Academic Press, pp 411-428.

Bruch, R.C. & Teeter, J.H. (1990). Cyclic AMP links amino acid chemoreceptors to ion channels in olfactory cilia. *Chemical Senses*, 15, 419-430.

Bruch, R.C. & Gold, G.H. (1990). G-protein-mediated signalling in olfaction. In: M.D. Houslay & G. Milligan (Eds.), G-Proteins as Mediators of Cellular Signalling Processes, England: John Wiley, pp 113-124.

Bryant, B.P. (1990). Specific inhibition of binding of the tastant L-alanine by sulfhydryl reagents. *Comparative Biochemistry and Physiology*, 95, 533-537.

Clark, C.C. & Clark, L. (1990). "Anting" behavior by common grackles and European starlings. *Wilson Bulletin*, 102, 764-767.

Clark, L. & Smeraski, C. (1990). Seasonal shift in odor acuity by starlings. *Journal of Experimental Zoology*, 255, 22-29.

Clark, L. (1990). Starlings as herbalists: Countering parasites and pathogens. *Parasitology Today*, 11, 358-360.

Clark, L., Schreiber, R.W., & Schreiber, E.A. (1990). Pre and post El Nino, Southern Oscillation, comparison of nest-sites for redtailed tropicbirds in the Central Pacific Ocean. *Condor*, 92, 886-896.

Cowart, B.J. & Beauchamp, G.K. (1990). Early development of taste perception. In: R. McBride & H. MacFie (Eds.), Psychological Basis of Sensory Evaluation, London: Elsevier, pp 1-7.

Epple, G. (1990). Sex differences in partner preference in mated pairs of saddle-back tamarins (*Saguinus fuscicollis*). *Behavioral Ecology and Sociobiology*, 27, 455-459.

Epple, G., Alveario, M.C., & Belcher, A.M. (1990). Copulatory behavior of adult tamarins castrated as neonates or juveniles: Effects of testosterone treatment. *Hormones and Behavior*, 24, 470-483.

Epple, G., Belcher, A.M., Greenfield, K., Küderling, I., & Smith, A.B., III. (1990). Chemical signals in the social environment of a primate, *Saguinus fuscicollis*: Fractionation studies of complex scent mixtures. In: K.B. Doving (Eds.), Olfaction and Taste X, Oslo: GCS A/S, pp 36-44.

Espaillat, J.E. & Mason, J.R. (1990). Differences in taste preference between red-winged blackbirds (*Agelaius phoeniceus*) and European starlings (*Sturnus vulgaris*). *Wilson Bulletin*, 102, 292-299.

Friedman, M.I., Ramirez, I., Bowden, C.R., & Tordoff, M.G. (1990). Fuel partitioning and food intake: Role for mitochondrial fatty acid transport. *American Journal of Physiology*, 258, R216-R221.

Friedman, M.I. (1990). Body fat and the metabolic control of food intake. *International Journal of Obesity*, 14 (Supplement 3), 53-64.

Friedman, M.I. (1990). Making sense out of calories. In: E.M. Stricker (Eds.), Handbook of Behavioral Neurobiology: Neurobiology of Food and Fluid Intake, New York: Plenum Press, pp 513-529.

Getchell, T.V., Grillo, M., Tate, S.S., Urade, R., Teeter, J.H., & Margolis, F.L. (1990). Expression of catfish amino acid taste receptors in *Xenopus* oocytes. *Neurochemical Research*, 15, 449-456.

Gil, K.M., Skeie, B., Kvetan, V., Friedman, M.I., & Askanazi, J. (1990). Parenteral nutrition and oral food intake: Effect of branched-chain amino acids. *Nutrition*, 6, 291-295.

Gold, G.H., Nakamura, T., & Lowe, G. (1990). Studies on the mechanism of olfactory transduction in vertebrates. *Neuroscience Research*, 12 (Supplement), 127-134.

Green, B.G. (1990). Spatial summation of chemical irritation and itch produced by topical application of capsaicin. *Perception & Psychophysics*, 48, 12-18.

Green, B.G. (1990). Sensory characteristics of camphor. *Journal of Investigative Dermatology*, 94, 662-666.

Green, B.G. (1990). The effects of thermal, mechanical and chemical stimulation on the perception of oral irritation. In: B.G. Green, J.R. Mason, & M.R. Kare (Eds.), Chemical Senses: Irritation, New York: Marcel Dekker, pp 171-195.

Green, B.G., Mason, J.R. & Kare, M.R. (Eds.). (1990). Chemical Senses: Irritation. New York: Marcel Dekker.

Hughes, S.G. & Barrows, F.T. (1990). Measurements of the abilities of cultured fishes to impart moisture to their digesta. *Comparative Biochemistry and Physiology*, 96A, 109-112.

Johnsen, P.B., Zhou, H., & Adams, M.A. (1990). Gustatory sensitivity of the herbivore *Tilapia zillii* to amino acids. *Journal of Fish Biology*, 36, 587-593.

Kare, M.R. & Mattes, R.D. (1990). A selective overview of the chemical senses. *Nutrition Reviews*, 48, 39-48.

Knasko, S.C., Gilbert, A.N., & Sabini, J. (1990). Emotional state, physical well-being and performance in the presence of feigned ambient odor. *Journal of Applied Social Psychology*, 20, 1345-1357.

Knauf, P.A., Diefenbach, B., Spinelli, L.J., Kozody, D.J., Snyder, R.B., & Restrepo, D. (1990). Mechanism of anion exchange mediated by band 3 and band 3-related proteins. In: Tenth School of Biophysics of Membrane Transport: School Proceedings, Wroclaw, Poland: Agricultural University of Wroclaw, pp 163-176.

Kosar, E. & Schwartz, G.J. (1990). Cortical unit responses to chemical stimulation of the oral cavity in the rat. *Brain Research*, 513, 212-224.

Kosar, E. & Schwartz, G.J. (1990). Effects of menthol on peripheral nerve and cortical unit responses to thermal stimulation of the oral cavity in the rat. *Brain Research*, 513, 202-211.

Leopold, D.A., Preti, G., Mozell, M.M., Youngentob, S.L., & Wright, H.N. (1990). Fish-odor syndrome presenting as dysosmia. *Archives of Otolaryngology*, 116, 354-355.

Lepri, J.J., Wysocki, C.J., Gerber, K., & Lisk, R.D. (1990). The vomeronasal organ of the prairie vole: Role in chemosignal activation of reproduction and observations of fine structure. In: D.W. Macdonald, D. Müller-Schwarze, & S.E. Natynczuk (Eds.), Chemical Signals in Vertebrates V, Oxford: Oxford University Press, pp 147-153.

Lyman, B.J. & Green, B.G. (1990). Oral astringency: Effects of repeated exposure and interactions with sweeteners. *Chemical Senses*, 15, 151-164.

Lyman, B.J. & McDaniel, M.A. (1990). Memory for odors and odor names: Effects of modality of elaboration. *Journal of Experimental Psychology: Learning, Memory and Cognition*, 16, 656-664.

Maone, T.R., Mattes, R.D., Bernbaum, J.C., & Beauchamp, G.K. (1990). A new method for delivering a taste without fluids to pre-term infants. *Developmental Psychobiology*, 23, 179-191.

Mason, J.R. & Clark, L. (1990). Sarcosporidiosis observed more frequently in hybrids of Mallard and Black ducks. *Wilson Bulletin*, 102, 160-162.

Mason, J.R. & Turpin, T. (1990). Cucurbitacin-adulterated diet is avoided by captive European starlings. *Journal of Wildlife Management*, 54, 672-676.

Mason, J.R. & Otis, D.L. (1990). The effectiveness of six potential irritants on consumption by red-winged blackbirds (*Agelaius phoeniceus*) and starlings (*Sternus vulgaris*). In: B. Green, J.R. Mason, & M.R. Kare (Eds.), Chemical Senses: Irritation, New York: Marcel Dekker, pp 309-322.

Mason, J.R. (1990). Evaluation of pulegone as an avian repellent. *Journal of Wildlife Management*, 54, 130-135.

Mattes, R.D. (1990). Hunger ratings are not a reliable proxy measure of food intake in humans. *Appetite*, 15, 103-113.

Mattes, R.D. (1990). Effects of aspartame and sucrose on hunger and energy intake in humans. *Physiology & Behavior*, 47, 1037-1044.

Mattes, R.D., Christensen, C.M., & Engelman, K. (1990). Effects of hydrochlorothiazide and amiloride on salt intake. *American Journal of Hypertension*, 3, 436-443.

Mattes, R.D. (1990). Discretionary salt and compliance with reduced sodium diet. *Nutrition Research*, 10, 1337-1352.

Mattes, R.D., Cowart, B.J., Schiavo, P., Arnold, C., Garrison, B., Kare, M.R., & Lowry, L.D. (1990). Dietary evaluation of patients with smell and/or taste disorders. *American Journal of Clinical Nutrition*, 51, 233-240.

Mela, D.J. (1990). Gustatory perception of isohumulones: Influence of sex and thiourea taster status. *Chemical Senses*, 15, 485-490.

Naim, M., Katz, Y., Brand, J.G., & Kare, M.R. (1990). Non-receptor mediated responses of adenylate cyclase in plasma membranes from liver, muscle and white and brown adipose tissue of obese (fa/fa) and lean (Fa/) Zucker rats. *Proceedings of the Society for Experimental Biology and Medicine*, 195, 369-374.

Pivonka, E.E.A. & Grunewald, K.K. (1990). Aspartame- or sugar-sweetened beverages: Effects on mood in young women. *Journal of the American Dietetic Association*, 90, 250-254.

Rabinowitz, J.L., Brand, J.G., Huque, T., & Bayley, D.L. (1990). Lipid metabolic interrelationships and phospholipase activity in gustatory epithelium of *Ictalurus punctatus* in vitro. *Lipids*, 25, 181-186.

Ramirez, I. (1990). Does dietary hyperphagia contradict the lipostatic theory? *Neuroscience and Biobehavioral Reviews*, 14, 117-123.

Ramirez, I. & Friedman, M.I. (1990). Dietary hyperphagia in rats: Role of fat, carbohydrate, and energy content. *Physiology & Behavior*, 47, 1157-1163.

Ramirez, I. (1990). What do we mean when we say "palatable food?". *Appetite*, 14, 159-161.

Ramirez, I. (1990). The sweetness of sugar. In: N.L. Pennington & C.W. Baker (Eds.), Sugar: A User's Guide to Sucrose, New York: Van Nostrand Reinhold, pp 71-81.

Ramirez, I. (1990). Stimulation of energy intake and growth by saccharin in rats. *Journal of Nutrition*, 120, 123-133.

Ramirez, I. (1990). Why do sugars taste good? *Neuroscience and Biobehavioral Reviews*, 14, 125-134.

Reed, D.R., Tordoff, M., & Friedman, M. (1990). Sham-feeding of corn oil by rats: Sensory and postingestive factors. *Physiology & Behavior*, 47, 779-781.

Reed, D.R. & Friedman, M.I. (1990). Diet composition alters the preference for fat in rats. *Appetite*, 14, 219-230.

Reidinger, R.F., Jr. (1990). Keynote address - Thoughts on the future of vertebrate pest management. *Proceedings 14th Vertebrate Pest Conference*, 14, 2-4.

Restrepo, D. & Teeter, J.H. (1990). Olfactory neurons exhibit heterogeneity in depolarization-induced calcium changes. *American Journal of Physiology*, 258, C1051-C1061.

Restrepo, D., Cho, D.S., & Kron, M.J. (1990). Essential activation of Na/H exchange by $[H^+]_i$ in HL60 cells. *American Journal of Physiology*, 259, C490-C502.

Restrepo, D., Miyamoto, T., Bryant, B.P., & Teeter, J.H. (1990). Odor stimuli trigger influx of calcium into olfactory neurons of the channel catfish. *Science*, 249, 1166-1168.

Rumsey, G.L., Hughes, S.G., & Kinsella, J.L. (1990). Utilization of dietary yeast (*Saccharomyces cerevisiae*) nitrogen by lake trout. *Journal of World Aquaculture Society*, 21, 205-209.

Schmidt, H.J. & Beauchamp, G.K. (1990). Biological determinants of food preference in humans. In: G.H. Anderson (Eds.), Diet and Behavior: Multidisciplinary Approaches, New York: Springer-Verlag, pp 33-48.

Singer, A.G. & Macrides, F. (1990). Aphrodisin: Pheromone or transducer. *Chemical Senses*, 15, 199-203.

Spielman, A.I. (1990). Interaction of saliva and taste. *Journal of Dental Research*, 69, 838-843.

Sugimoto, K. & Teeter, J.H. (1990). Voltage-dependent ionic currents in taste receptor cells of the larval tiger salamander. *Journal of General Physiology*, 96, 809-834.

Teeter, J.H., Brand, J.G., & Kumazawa, T. (1990). A stimulus-activated conductance in isolated taste epithelial membranes. *Biophysical Journal*, 58, 253-259.

Tordoff, M.G. & Alleva, A.M. (1990). Effect of drinking soda sweetened with aspartame or high-fructose corn syrup on food intake and body weight. *American Journal of Clinical Nutrition*, 51, 963-969.

Tordoff, M.G., Ulrich, P.M., & Sandler, F. (1990). Flavor preferences and fructose: Evidence that the liver detects the unconditioned stimulus for calorie-based learning. *Appetite*, 14, 29-44.

Tordoff, M.G., Ulrich, P.M., & Schulkin, J. (1990). Calcium deprivation increases salt intake. *American Journal of Physiology*, 259, R411-R419.

Tordoff, M.G. & Alleva, A.M. (1990). Oral stimulation with aspartame increases hunger. *Physiology & Behavior*, 47, 555-559.

Yamazaki, K., Beauchamp, G.K., Bard, J., & Boyse, E.A. (1990). Single MHC gene mutations alter urine odor constitution in mice. In: D.W. Macdonald, D. Müller-Schwarze, & S.E. Natynczuk (Eds.), Chemical Signals in Vertebrates V, Oxford: Oxford University Press, pp 255-259.

Yamazaki, K., Beauchamp, G.K., Imai, Y., Bard, J., Phelan, S.P., Thomas, L., & Boyse, E.A. (1990). Odortypes determined by the major histocompatibility complex in germfree mice. *Proceedings of the National Academy of Sciences USA*, 87, 8413-8416.

Yamazaki, K., Beauchamp, G.K., Thomas, L., Bard, J., & Boyse, E.A. (1990). Determination of distinction odor-types by mutation of Class I and Class II MHC genes. In: I. Egorov & C. David (Eds.), Proceedings of the Conference on MHC Mutants and Transgenic Mice, Heidelberg: Springer-Verlag, pp 62-65.

Yamazaki, K., Beauchamp, G.K., Bard, J., & Boyse, E.A. (1990). Chemosensory identification and the Y chromosome. *Behavior Genetics*, 20, 157-165.

Yamazaki, K. (1990). Olfaction and sex *(in Japanese)*. In: T. Seno (Eds.), Bioscience Strategy Manual, Toyko: Kyoritsu Shuppan, pp 363-368.

1989

Bean, N.J. & Wysocki, C.J. (1989). Vomeronasal organ removal and female mouse aggression: The role of experience. *Physiology & Behavior*, 45, 875-882.

Brand, J.G., Teeter, J.H., Cagan, R.H. & Kare, M.R. (Eds.). (1989). Chemical Senses: Receptor Events and Transduction in Taste and Olfaction. New York: Marcel Dekker.

Brand, J.G., Rabinowitz, J.L., Huque, T., & Bayley, D.L. (1989). Lipid characterization and ^{14}C-acetate metabolism in catfish taste epithelium. *Experientia*, 45, 77-81.

Brand, J.G., Bryant, B.P., Kalinoski, D.L., & Cagan, R.H. (1989). Receptor site specificity in taste and implications for mixture reception. In: D. Laing, W.S. Cain, R.L. McBride, & B.W. Ache (Eds.), Perception of Complex Smells and Tastes, Sydney: Academic Press, pp 115-125.

Bruch, R.C. & Teeter, J.H. (1989). Second messenger signalling mechanisms in olfaction. In: J.G. Brand, J.H. Teeter, R.H. Cagan, & M.R. Kare (Eds.), Chemical Senses: Receptor Events and Transduction in Taste and Olfaction, New York: Marcel Dekker, pp 283-298.

Bryant, B.P., Harpaz, S., & Brand, J.G. (1989). Structure/activity relationships in the arginine taste pathways of the channel catfish. *Chemical Senses*, 14, 805-815.

Bullard, R., Woronecki, P.P., Dolbeer, R.A., & Mason, J.R. (1989). Comparison of biochemical/morphological characteristics in maturing achenes from a purple-hulled (*Neagra de Cluj*) and an oilseed sunflower hybrid. *Journal of Agricultural and Food Chemistry*, 37, 886-890.

Clark, L. (1989). The nest protection hypothesis. In: J.E. Loye & C. Van Riper (Eds.), Ecology and Evolution of Avian-Parasite Interactions, Oxford: Oxford University Press, pp 205-221.

Clark, L. & Mason, J.R. (1989). Sensitivity of brown-headed cowbirds to volatiles. *Condor*, 91, 488-499.

Cowart, B.J. (1989). Relationships between taste and smell across the adult life span. In: C. Murphy, W.S. Cain, & D.M. Hegsted (Eds.), Nutrition and the Chemical Senses in Aging: Recent Advances and Current Research Needs, New York: New York Academy of Sciences, pp 39-55.

Dorries, K.M., Wysocki, C.J., Beauchamp, G.K., & Schmidt, H.J. (1989). Changes in sensitivity to the odor of androstenone during adolescence. *Developmental Psychobiology*, 22, 423-435.

Epple, G., Belcher, A., Greenfield, K.L., Küderling, I., Nordstrom, K., & Smith, A.B., III. (1989). Scent mixtures used as social signals in two primate species: *Saguinus fuscicollis* and *Saguinus o. oedipus*. In: D.G. Laing, W.S. Cain, R.L. McBride, & B.W. Ache (Eds.), Perception of Complex Smells and Tastes, Sydney: Academic Press, pp 1-25.

Field, R., Spielman, A.I., & Hand, A. (1989). Purification of lingual amylase from serous glands of rat tongue and characterization of rat lingual amylase and lingual lipase. *Journal of Dental Research*, 68, 139-145.

Friedman, M.I. (1989). Metabolic control of food intake. *Contemporary Nutrition*, 81.

Gilbert, A.N., Greenberg, M.S., & Beauchamp, G.K. (1989). Sex, handedness and side of nose modulate human odor perception. *Neuropsychologia*, 27, 505-511.

Glahn, J.F., Mason, J.R., & Woods, D.R. (1989). Effects of dimethyl anthranilate as a bird repellent livestock feed additive. *The Wildlife Society Bulletin*, 17, 313-320.

Green, B.G. & Flammer, L.J. (1989). Methyl salicylate as a cutaneous stimulus: A psychophysical analysis. *Somatosensory and Motor Research*, 6, 253-274.

Green, B.G. & Gelhard, B. (1989). Salt as an oral irritant. *Chemical Senses*, 14, 259-271.

Green, B.G. (1989). Capsaicin sensitization and desensitization on the tongue produced by brief exposures to a low concentration. *Neuroscience Letters*, 107, 173-178.

Green, B.G. & Flammer, L.J. (1989). Localization of chemical stimulation: Capsaicin on hairy skin. *Somatosensory and Motor Research*, 6, 553-566.

Harris, R.B.S. (1989). Body composition and in vitro lipid metabolism of overfed hypophysectomized rats.
International Journal of Obesity, 13, 647-660.

Harris, R.B.S., Bruch, R.C., & Martin, R.J. (1989). In vitro evidence for an inhibitor of lipogenesis in serum from obese rats. *American Journal of Physiology*, 257, R326-R336.

Hughes, S.G. (1989). Aqueous amino acid solutions can alter the feeding behavior of Atlantic salmon. *Salmonid*, 13, 13-14.

Hughes, S.G. (1989). Effect of dietary moisture level on response to diet by Atlantic salmon. *Progressive Fish-Culturist*, 51, 20-23.

Kalinoski, D.L., Bryant, B.P., Shaulsky, G., Brand, J.G., & Harpaz, S. (1989). Specific L-arginine taste receptor sites in the catfish, *Ictalurus punctatus*: Biochemical and neurophysiological characterization. *Brain Research*, 488, 163-173.

Kalinoski, D.L., Huque, T., & LaMorte, V.J. (1989). Second-messenger events in taste. In: J.G. Brand, J.H. Teeter, R.H. Cagan, & M.R. Kare (Eds.), Chemical Senses: Receptor Events in Taste and Olfaction, New York: Marcel Dekker, pp 85-101.

Kare, M.R. & Tordoff, M.G. (1989). Myths and realities in the sense of taste. In: European Brewery Convention, Proceedings of the 22nd Congress Zurich, Oxford: IRL Press, pp 13-36.

Knauf, P.A., Spinelli, L.J., Mann, N.A., Diefenbach, B.L., Kozody, D.J., & Restrepo, D. (1989). Tests of the ping-pong model for anion transport in red blood cells and HL60 promyelocytic leukemic cells. In: N. Hamasaki & M.L. Jennings (Eds.), Recent Advances in Molecular Mechanisms of Anion Transport, Amsterdam: Elsevier, pp 15-25.

Labov, J.B. & Wysocki, C.J. (1989). Vomeronasal and social influences on urine marking by male mice. *Physiology & Behavior*, 45, 443-447.

Lowe, G., Nakamura, T., & Gold, G. (1989). Adenylate cyclase mediates transduction for a wide variety of odorants. *Proceedings of the National Academy of Sciences USA*, 86, 5641-5645.

Mason, J.R. (1989). Chemically and visually enhanced avoidance of methiocarb-poisoned apples by red-winged blackbirds. *Journal of Wildlife Management*, 53, 836-840.

Mason, J.R., Adams, M.A., & Clark, L. (1989). Anthranilate repellency to starlings: Chemical correlates and sensory perception. *Journal of Wildlife Management*, 53, 55-64.

Mason, J.R., Dolbeer, R.A., Wornecki, P.P., & Bullard, R. (1989). Maturational changes in Neagra de Cluj sunflower influence consumption by red-winged blackbirds (*Agelaius phoeniceus*). *Journal of Wildlife Management*, 53, 841-846.

Mason, J.R., Bullard, R.W., Dolbeer, R.A., & Wornecki, P.P. (1989). Red-winged blackbird feeding response to oil and anthocyanin levels in sunflower meal. *Crop Protection*, 8, 455-460.

Mattes, R.D. & Labov, J.B. (1989). Bitter taste sensitivity is not correlated with the intake of dietary goitrogens in human subjects. *Journal of the American Dietetic Association*, 89, 692-694.

Mattes, R.D. & Falkner, B. (1989). Salt taste and salt sensitivity in black adolescents. *Chemical Senses*, 14, 673-679.

Mela, D.J. (1989). A comparison of single and concurrent evaluations of sensory and hedonic attributes. *Journal of Food Science* , 54, 1098-1100.

Mela, D.J. (1989). Bitter taste intensity: The effect of tastant and thiourea taster status. *Chemical Senses*, 14, 131-135.

Mela, D.J. (1989). Caffeine ingested under normal conditions does not alter taste intensity. *Pharmacology, Biochemistry and Behavior*, 34, 483-486.

Mela, D.J. (1989). Gustatory function and dietary habits in users and non-users of smokeless tobacco.
American Journal of Clinical Nutrition, 49, 482-489.

Nordstrom, K.M., Belcher, A.M., Epple, G., Greenfield, K.L., Leyden, J.J., & Smith, A.B., III. (1989). Skin surface microflora of the saddle-back tamarin monkey, *Saguinus fuscicollis*. *Journal of Chemical Ecology*, 15, 629-639.

Ramirez, I., Tordoff, M.G., & Friedman, M.I. (1989). Dietary obesity and hyperphagia: What causes them? *Physiology & Behavior*, 45, 163-168.

Ramirez, I. (1989). Resistance to dietary hyperphagia in juvenile rats. *Journal of Nutrition*, 119, 1333-1339.

Restrepo, D. & Knauf, P.A. (1989). Regulation of intracellular calcium by diacylglycerols in the promyelocytic cell line HL60. *Journal of Biological Chemistry*, 264, 776-781.

Restrepo, D., Kozody, D.J., & Knauf, P.A. (1989). Synthetic diacylglycerols trigger an increase in intracellular free calcium in promyelocytic HL60 cells. *Journal of Biological Chemistry*, 262, 776-781.

Restrepo, D., Kozody, D.J., Spinelli, L.J., & Knauf, P.A. (1989). Cl-Cl exchange in promyelocytic HL60 cells follows simultaneous rather than ping-pong kinetics. *American Journal of Physiology*, 257, C520-C527.

Sakai, R.R., Frankmann, S.P., Fine, W.B., & Epstein, A.N. (1989). Prior episodes of sodium depletion increase the need-free sodium intake of the rat. *Behavioral Neuroscience*, 103, 186-192.

Shamil, S., Birch, G.G., DiNovi, M., & Rafka, R. (1989). Structural functions of taste in 5-membered ring structures. *Food Chemistry*, 32, 171-188.

Silver, W.L., Arzt, A.H., & Mason, J.R. (1989). Evidence against odorant discrimination by trigeminal chemoreceptors. *Journal of Comparative Physiology A*, 164, 55-66.

Singer, A.G., Clancy, A.N., & Macrides, F. (1989). Conspecific and heterospecific proteins related to aphrodisin lack aphrodisiac activity in male hamsters. *Chemical Senses*, 14, 565-575.

Spielman, A.I. & Bennick, A. (1989). Purification and characterization of six proteins from rabbit parotid saliva belonging to a unique family of proline-rich proteins. *Archives of Oral Biology*, 34, 117-130.

Spielman, A.I., Mody, I., Brand, J.G., Whitney, G., MacDonald, J.F., & Salter, M.W. (1989). A method for isolating and patch-clamping single mammalian taste receptor cells. *Brain Research*, 503, 326-329.

Spielman, A.I., Brand, J.G., & Wysocki, L. (1989). A rapid method of collecting taste tissue from rats and mice. *Chemical Senses*, 14, 841-846.

Teeter, J.H. & Cagan, R.H. (1989). Mechanisms of taste transduction. In: R.H. Cagan (Eds.), Neural Mechanisms in Taste, Boca Raton: CRC Press, pp 1-20.

Teeter, J.H., Sugimoto, K., & Brand, J.G. (1989). Ionic currents in taste cells and reconstituted taste epithelial membranes. In: J.G. Brand, J.H. Teeter, R.H. Cagan, & M.R. Kare (Eds.), Chemical Senses: Receptor Events and Transduction in Taste and Olfaction, New York: Marcel Dekker, pp 151-170.

Tepper, B.J. & Friedman, M.I. (1989). Diabetes and a high-fat/low-carbohydrate diet enhance the acceptability of oil emulsions to rats. *Physiology & Behavior*, 45, 717-721.

Tordoff, M.G. & Friedman, M.I. (1989). Drinking saccharin increases food intake and preference: IV. Cephalic phase and metabolic factors. *Appetite*, 12, 37-56.

Tordoff, M.G. & Friedman, M.I. (1989). Drinking saccharin increases food intake and preference: III. Sensory and associative factors. *Appetite*, 12, 23-36.

Tordoff, M.G. & Friedman, M.I. (1989). Drinking saccharin increases food intake and preference: II. Hydrational factors. *Appetite*, 12, 11-21.

Tordoff, M.G. & Friedman, M.I. (1989). Drinking saccharin increases food intake and preference: I. Comparison with other drinks. *Appetite*, 12, 1-10.

Tordoff, M.G., Tluczek, J., & Friedman, M.I. (1989). Effect of hepatic portal glucose concentration on food intake and metabolism. *American Journal of Physiology*, 257, R1474-R1480.

Wysocki, C.J. (1989). Vomeronasal chemoreception: Its role in reproductive fitness and physiology. In: J.M. Lakoski, J. Regino, J.R. Perez-Polo, & D.K. Rassin (Eds.), Neural Control of Reproductive Function, New York: Alan R. Liss, pp 545-566.

Wysocki, C.J. (1989). Factors that influence the human sense of smell. In: S. Takagi (Eds.), Proceedings of the 7th Takasago Symposium, Tokyo: Takasago International, pp 17-32.

Wysocki, C.J. & Gilbert, A.N. (1989). The National Geographic Smell Survey: The effects of age are heterogeneous. In: C.L. Murphy, W.S. Cain, & D.M. Hegsted (Eds.), Chemical Senses and Nutrition in Aging, New York: New York Academy of Sciences, pp 12-28.

Wysocki, C.J., Dorries, K., & Beauchamp, G.K. (1989). Ability to perceive androstenone can be acquired by ostensibly anosmic people. *Proceedings of the National Academy of Sciences USA*, 86, 7976-7978.

Yamazaki, K., Beauchamp, G.K., Bard, J., & Boyse, E.A. (1989). Sex-chromosomal odor-types influence the maintenance of early pregnancy in mice. *Proceedings of the National Academy of Sciences USA*, 86, 9399-9401.

Yamazaki, K. (1989). Genetic determination of individual odor: The major histocompatibility complex of the mouse. In: S. Takagi & T. Shibuya (Eds.), Nioi no Kagaku, Tokyo: Asakura Publishing Co., pp 156-166.

Yamazaki, K. & Imai, Y. (1989). Imprinting determines H-2 associated mating preferences. *Experimental Medicine*, 7, 1298-1300.

Yamazaki, K. (1989). Genetics of chemosensory identification. In: Y. Kurihara (Eds.), Proceedings of the 23rd Japanese Symposium on Taste and Smell, Yokohama, Japan: JASTS, pp 1-5.

Yamazaki, K. (1989). The genetics of body scent. In: S. Takagi (Eds.), Proceedings of the 7th Takasago Symposium, Tokyo: Takasago International, pp 47-56.

1988

Adams, M.A., Johnsen, P.B., & Zhou, H.Q. (1988). Chemical enhancement of feeding for the herbivorous fish *Tilapia zillii*. *Aquaculture*, 72, 95-107.

Bean, N.J., Galef, B.G., & Mason, J.R. (1988). Carbon disulfide attracts rodents and encourages food consumption at biologically significant concentrations. *Journal of Wildlife Management*, 52, 502-507.

Beauchamp, G.K., Yamazaki, K., Bard, J., & Boyse, E.A. (1988). Pre-weaning experience in control of mating preferences by genes in the major histocompatibility complex of the mouse. *Behavior Genetics*, 18, 537-547.

Beauchamp, G.K. (1988). Sweet taste and human development. In: G.M. Williams (Eds.), Sweeteners: Health Effects, Princeton: Princeton Scientific Publishing Co., pp 39-45.

Belcher, A.M., Epple, G., Küderling, I., & Smith, A.B., III. (1988). Volatile components of scent material from the cotton-top tamarin (*Saguinus oedipus*): A chemical and behavioral study. *Journal of Chemical Ecology*, 14, 1367-1384.

Bertino, M. & Beauchamp, G.K. (1988). The spontaneously hypertensive rats' preference for salted food. *Physiology & Behavior*, 44, 285-289.

Bertino, M., Abelson, M., Marglin, S.H., Neuman, R., Burkhardt, C.A., & Reid, L.D. (1988). A small dose of morphine increases intake of and preference for isotonic saline among rats. *Pharmacology, Biochemistry and Behavior*, 29, 617-623.

Bertino, M. & Tordoff, M.G. (1988). Sodium depletion increases rats' preferences for salted food. *Behavioral Neuroscience*, 102, 565-573.

Bruch, R.C., Kalinoski, D.L., & Kare, M.R. (1988). Biochemistry of vertebrate olfaction and taste. *Annual Review of Nutrition*, 8, 21-42.

Bruch, R.C. & Rulli, R.D. (1988). Ligand binding specificity of a neutral L-amino acid olfactory receptor. *Comparative Biochemistry and Physiology*, 91B, 535-540.

Clark, L. & Ricklefs, R.E. (1988). A model for evaluating time constraints on short-term reproductive success in altricial birds. *American Zoologist*, 28, 853-862.

Clark, L. & Mason, J.R. (1988). Effect of biologically active plants used as nest material and the derived benefit to starling nestlings. *Oecologia*, 77, 174-180.

Cowart, B.J. (1988). Age-related changes in taste and smell. *Pride Institute Journal of Long-Term Health Care*, 7, 23-27.

Deems, R.O. & Friedman, M.I. (1988). Macronutrient selection in an animal model of cholestatic liver disease. *Appetite*, 11, 73-80.

Deems, R.O. & Friedman, M.I. (1988). Ingestion of low concentrations of sucrose or hydrochloric acid solutions accelerates mortality in rats with cholestatic liver disease. *Physiology & Behavior*, 44, 151-153.

Deems, R.O. & Friedman, M.I. (1988). Sodium chloride preference is altered in a rat model of liver disease. *Physiology & Behavior*, 43, 521-525.

Deems, R.O. & Friedman, M.I. (1988). Altered preferences for sucrose, sodium chloride, urea and hydrochloric acid solutions in an animal model of cholestatic liver disease. *Physiology & Behavior*, 43, 111-114.

Derby, C.D. & Harpaz, S. (1988). Physiology of chemoreceptor cells in the legs of the freshwater prawn,
Macrobrachium Rosenbergh. *Comparative Biochemistry and Physiology*, 90A, 85-91.

Dolbeer, R.A., Woronecki, P.P., & Mason, J.R. (1988). Aviary and field evaluations of sweet corn resistance to damage by blackbirds. *Journal of the American Society of Horticultural Science*, 113, 460-464.

Edens, N.K. & Friedman, M.I. (1988). Satiating effect of fat in diabetic rats: Gastrointestinal and postabsorptive factors. *American Journal of Physiology*, 255, R123-R127.

Epple, G., Küderling, I., & Belcher, A. (1988). Some communicatory functions of scent marking in the cotton-top tamarin (*Saguinus oedipus*). *Journal of Chemical Ecology*, 14, 503-513.

Friedman, M.I. (1988). Hepatic nerve function. In: I.M. Arias, W.B. Jakoby, H. Popper, D. Schachter, & D.A. Shafritz (Eds.), The Liver: Biology and Pathobiology, 2nd edition, New York: Raven Press, pp 949-959.

Galef, B.G., Mason, J.R., Preti, G., & Bean, N.J. (1988). Carbon disulfide: A semiochemical mediating socially-induced diet choice in rats. *Physiology & Behavior*, 42, 119-124.

Gavarron, F.F., Huque, T., Rabinowitz, J.L., & Brand, J.G. (1988). Uptake of ^{140}lanthanum into bones and teeth. *Bone and Mineral*, 3, 283-291.

Greeley, S. & Taylor, M. (1988). Glucose tolerance and zinc supplements. *Journal of the American College of Nutrition*, 7, 137-141.

Green, B.G. & Frankmann, S.P. (1988). The effect of cooling on the perception of carbohydrate and intensive sweeteners. *Physiology & Behavior*, 43, 515-519.

Green, B.G. & Flammer, L.J. (1988). Capsaicin as a cutaneous stimulus. Sensitivity and sensory qualities on hairy skin. *Chemical Senses*, 13, 367-384.

Green, B.G. (1988). Spatial and temporal factors in the perception of ethanol irritation on the tongue. *Perception & Psychophysics*, 44, 108-116.

Gunter, T.E., Restrepo, D., & Gunter, K.K. (1988). Conversion of esterified fura-2-and indol-1 to calcium-sensitive forms by mitochondria. *American Journal of Physiology*, 255, 304-310.

Hughes, S.G. (1988). Effect of dietary propylene glycol on growth, histology and carcass composition of Atlantic salmon. *Progressive Fish-Culturist*, 50, 12-15.

Hughes, S.G. (1988). Assessment of lupin flour as a diet ingredient for rainbow trout, *Salmo gairdneri*. *Aquaculture*, 71, 379-385.

Johnsen, P.B., Zhou, H.Q., & Adams, M.A. (1988). Olfactory sensitivity of the herbivorous grass carp (*Ctenopharyngodon idella*) to amino acids. *Journal of Fish Biology*, 33, 127-134.

Lepri, J.J., Theodorides, M., & Wysocki, C.J. (1988). Ultrasonic vocalizations by adult prairie voles, *Microtus ochrogaster*. *Experientia*, 44, 271-273.

Mason, J.R., Bean, N.J., & Galef, B.G. (1988). Attractiveness of carbon disulfide to wild Norway rats. *Proceedings of the Vertebrate Pest Conference*, 13, 95-97.

Mason, J.R. (1988). Direct and observational avoidance learning by red-winged blackbirds (*Agelaius phoeniceus*): The importance of complex visual stimuli. In: T. Zentall & B.G. Galef (Eds.), Social Learning: A Biopsychological Approach, Hillsdale, NJ: Lawrence Erlbaum, pp 99-115.

Mattes, R.D., Pierce, C.B., & Friedman, M.I. (1988). Daily caloric intake of normal weight adults: Responses to changes in dietary energy density of a luncheon meal. *American Journal of Clinical Nutrition*, 48, 214-219.

Mattes, R.D. (1988). Reliability of psychophysical measures of gustatory function among groups and individuals using sweet aqueous and food systems. *Perception & Psychophysics*, 43, 104-114.

Mattes, R.D. (1988). A comparison of results from two microcomputer nutrient analysis software packages and a mainframe system. *Journal of Nutrition Education*, 20, 70-76.

Mattes, R.D., Christensen, C.M., & Engelman, K. (1988). Effects of amiloride on therapeutic doses of amiloride and hydrochlorothiazide on taste, saliva and salt intake in normotensive adults. *Chemical Senses* , 13, 33-44.

Mela, D.J. & Kare, M.R. (1988). Healthy eating: The benefits of flavor. In: C.H. Manley & R.E. Morse (Eds.), Healthy Eating, A Scientific Perspective, Wheaton, IL: Allured Publishing Corp., pp 165-190.

Mela, D.J. (1988). Sensory assessment of fat content in fluid dairy products. *Appetite*, 10, 37-44.

Preti, G., Labows, J.N., Kostelc, J.G., Aldinger, S., & Daniele, R. (1988). Analysis of lung air from patients with bronchogenic carcinoma and controls using gas chromatography/mass spectrometry. *Journal of Chromatography*, 432, 1-11.

Rabinowitz, J.L., Gavarron, F.F., & Brand, J.G. (1988). Tissue uptake and intracellular distribution of ^{140}lanthanum after oral intake by the rat. *Journal of Toxicology and Environmental Health*, 24, 229-235.

Ramirez, I. (1988). Overeating, overweight and obesity induced by an unpreferred diet. *Physiology & Behavior*, 43, 501-506.

Restrepo, D., Kozody, D.F., Spinelli, L.J., & Knauf, P.A. (1988). pH homeostasis in promyelocytic leukemic HL60 cells. *Journal of General Physiology*, 92, 489-507.

Rulli, D. (1988). Quantitative evaluation by computer-based video densitometry of film response to different isotopes and fluorographic treatments. *Analytical Biochemistry*, 175, 145-153.

Schmidt, H.J. & Beauchamp, G.K. (1988). Adult-like odor preference and aversions in three year old children. *Child Development*, 59, 1136-1143.

Schneider, J.E., Lazzarini, S.J., Friedman, M.I., & Wade, G.N. (1988). Role of fatty acid oxidation on food intake and hunger motivation in Syrian hamsters. *Physiology & Behavior*, 43, 617-623.

Teeter, J.H. & Gold, G.H. (1988). Sensory transduction: A taste of things to come. *Nature*, 331, 298-299.

Tordoff, M.G. (1988). How do nonnutritive sweeteners increase food intake? *Appetite*, 11 (Supplement), 5-11.

Tordoff, M.G. (1988). Saccharin and food intake. In: G.G. Birch & M.G. Lindley (Eds.), Low Calorie Products, London: Elsevier, pp 127-146.

Tordoff, M.G. (1988). Sweeteners and appetite. In: G.M. Williams (Eds.), Sweeteners: Health Effects, Princeton, NJ: Princeton Scientific, pp 53-60.

Tordoff, M.G., Flynn, F.W., Grill, H.J., & Friedman, M.I. (1988). Contribution of fat metabolism to "glucoprivic" feeding produced by fourth ventricular 5-thio-D-glucose. *Brain Research*, 445, 216-221.

Tordoff, M.G. & Friedman, M.I. (1988). Hepatic control of feeding: Effect of glucose, fructose and mannitol infusion. *American Journal of Physiology*, 254, R969-R976.

Tordoff, M.G., Rafka, R., DiNovi, M.J., & Friedman, M.I. (1988). 2,5-Anhydro-D-mannitol: A fructose analogue that increases food intake in rats. *American Journal of Physiology*, 254, R150-R153.

Wysocki, C.J. & Gilbert, A.N. (1988). The National Geographic Survey. *Sensory Forum*, 39, 1-3.

Yamazaki, K., Beauchamp, G.K., Kupniewski, D., Bard, J., Thomas, L., & Boyse, E.A. (1988). Familial imprinting determines H-2 selective mating preferences. *Science*, 240, 1331-1332.

Zeller, U., Epple, G., Küderling, I., & Kuhn, H.J. (1988). The anatomy of the circumgenital scent gland of *Saguinus fuscicollis* (Callitrichidae, Primates). *Journal of Zoology (London)*, 214, 141-156.

Zhou, H.Q. & Johnsen, P.B. (1988). The effect of pH on chemoreception in fishes (in Chinese). *Journal of Fisheries in China*, 12, 169-172.

1987

Adams, M.A., Teeter, J.H., Katz, Y., & Johnsen, P.B. (1987). Reproductive pheromones of the sea lamprey (*Petromyzon marinus*): Studies on urinary steroids. *Annals of the New York Academy of Sciences*, 510, 148-151.

Adams, M.A., Teeter, J.H., Katz, Y., & Johnsen, P.B. (1987). Sex pheromones of the sea lamprey (*Petromyzon marinus*): Steroid studies. *Journal of Chemical Ecology*, 13, 387-395.

Beauchamp, G.K., Bertino, M., & Engelman, K. (1987). Failure to compensate decreased dietary sodium with increased table salt usage. *Journal of the American Medical Association*, 258, 3275-3278.

Beauchamp, G.K., Vaquez, d., V, & Pearson, P. (1987). Dietary states and sensory responses to amino acid flavors by human infants. In: Y. Kawamura & M.R. Kare (Eds.), Umami: A Basic Taste - Physiology, Biochemistry, Nutrition and Food Science, New York: Marcel Dekker, pp 125-138.

Beauchamp, G.K. & Cowart, B.J. (1987). Development of sweet taste. In: J. Dobbing (Eds.), Sweetness, London: Springer-Verlag, pp 127-140.

Beauchamp, G.K. (1987). The human preference for excess salt. *American Scientist*, 75, 27-33.

Beauchamp, G.K. (1987). Recent developments in flavor research. *Food Technology*, 41, 74-75.

Bertino, M. & Beauchamp, G.K. (1987). Salted food preferences in rats (*Rattus norvegicus*): Responses to liquid milk products. *Appetite*, 8, 55-66.

Boyle, A.G., Park, Y.S., Huque, T., & Bruch, R.C. (1987). Properties of phospholipase C in isolated olfactory cilia from the channel catfish (*Ictalurus punctatus*). *Comparative Biochemistry and Physiology*, 88B, 767-775.

Boyse, E.A., Beauchamp, G.K., & Yamazaki, K. (1987). The genetics of body scent. *Trends in Genetics*, 3, 97-102.

Brand, J.G., Bryant, B.P., Cagan, R.H., & Kalinoski, D.L. (1987). Biochemical studies of taste sensation XIII. Enantiomeric specificity of alanine taste receptor sites in catfish, *Ictalurus punctatus*. *Brain Research*, 416, 119-128.

Bruch, R.C. & Huque, T. (1987). Odorant- and guanine nucleotide-stimulated phosphoinositide turnover in olfactory cilia. *Annals of the New York Academy of Sciences*, 510, 205-207.

Bruch, R.C. & Kalinoski, D.L. (1987). Interaction of GTP-binding regulatory proteins with chemosensory receptors. *Journal of Biological Chemistry*, 262, 2401-2404.

Bryant, B.P. & Atema, J. (1987). Diet manipulation affects the social behavior of catfish: Importance of body odor. *Journal of Chemical Ecology*, 13, 1645-1661.

Bryant, B.P., Brand, J.G., Kalinoski, D.L., Bruch, R.C., & Cagan, R.H. (1987). Use of monoclonal antibodies to characterize amino acid taste receptors in catfish: Effects on binding and neural responses.
Annals of the New York Academy of Sciences, 510, 208-209.

Christensen, C.M. (1987). Perception of solution viscosity. In: H.R. Moskowitz (Eds.), Food Texture: Instrument and Sensory Measurement, New York: Marcel Dekker, pp 129-144.

Christensen, C.M., Brand, J.G., & Malamud, D. (1987). Salivary changes in solution pH: A source of individual differences in sour taste perception. *Physiology & Behavior*, 40, 221-227.

Christensen, C.M. & Casper, L.M. (1987). Oral and nonoral perception of solution viscosity. *Journal of Food Science*, 52, 445-447.

Clark, L. (1987). Thermal constraints on foraging in adult European starlings. *Oecologia*, 71, 233-238.

Clark, L. & Mason, J.R. (1987). Olfactory discrimination of plant volatiles by the European starling. *Animal Behaviour*, 35, 227-235.

Cowart, B.J. (1987). Oral irritation: Does it reduce perceived taste intensity? *Chemical Senses*, 12, 467-479.

Cutler, W.B., Schleidt, W.W., Friedman, E., Preti, G., & Stine, R. (1987). Lunar influences on the reproductive cycle in women. *Human Biology*, 56, 55-60.

Desor, J.A. & Beauchamp, G.K. (1987). Longitudinal changes in sweet preference in humans. *Physiology & Behavior*, 39, 639-641.

Eisthen, H., Wysocki, C.J., & Beauchamp, G.K. (1987). Behavioral responses of male guinea pigs to conspecific chemical signals following neonatal vomeronasal organ removal. *Physiology & Behavior*, 41, 445-449.

Epple, G., Alveario, M.C., & St. (1987). Sexual and social behaviors of adult tamarins (*Saguinus fuscicollis*) castrated as neonates. *American Journal of Primatology*, 13, 37-49.

Epple, G., Alveario, M.C., Belcher, A., & Smith, A.B., III. (1987). Species and subspecies specificity in urine and scent marks of the saddle-back tamarin (*Saguinus fuscicollis*). *International Journal of Primatology*, 8, 663-680.

Frankmann, S.P., Sakai, R.R., & Simpson, J.B. (1987). Sodium appetite and cerebrospinal fluid sodium concentration during hypovolemia. *Appetite*, 9, 57-64.

Friedman, M.I. & Ramirez, I. (1987). Insulin counteracts the satiating effect of a fat meal in rats. *Physiology & Behavior*, 40, 655-659.

Gavarron, F.F., Brand, J.G., & Rabinowitz, J.L. (1987). A simple spectrophotometric assay for micromolar amounts of lanthanum in the presence of calcium and phosphate. *Journal of Bone and Mineral Research*, 2, 421-425.

Giduck, S.A., Threatte, R.M., & Kare, M.R. (1987). Cephalic reflexes: Their role in digestion and possible role in absorption and metabolism. *Journal of Nutrition*, 117, 1191-1196.

Gilbert, A.N., Fridlund, A.J., & Sabini, J. (1987). Social and hedonic determinants of facial displays to odor. *Chemical Senses* , 12, 355-363.

Gilbert, A.N. & Wysocki, C.J. (1987). National Geographic Smell Survey: The results. *National Geographic*, 122, 514-525.

Gilbert, A.N. & Rosenwasser, A.M. (1987). Biological rhythmicity of nasal airway patency: A re-examination of the "nasal cycle". *Acta Otolaryngologica (Stockholm)*, 104, 180-186.

Gleeson, R.A., Adams, M.A., & Smith, A.B., III. (1987). Hormonal modulation of pheromone-mediated behavior in a crustacean. *Biological Bulletin*, 172, 1-9.

Gold, G.H. & Nakamura, T. (1987). Cyclic nucleotide-gated conductances: A new class of ion channels mediates visual and olfactory transduction. *Trends in Pharmacological Sciences*, 8, 312-316.

Gold, G.H. & Nakamura, T. (1987). Cyclic AMP: An intracellular messenger for olfactory transduction. *Discussions in Neurosciences*, 4, 86-89.

Green, B.G. & Gelhard, B. (1987). Perception of temperature on oral and facial skin. *Somatosensory Research*, 4, 191-200.

Green, B.G. (1987). The sensitivity of the tongue to ethanol. In: S.D. Roper & J. Atema (Eds.), Olfaction and Taste IX, New York: New York Academy of Sciences, pp 315-317.

Green, B.G. (1987). The effect of cooling on the vibrotactile sensitivity of the tongue. *Perception & Psychophysics*, 42, 423-430.

Green, B.G. & Frankmann, S.P. (1987). The effect of cooling the tongue on the perceived intensity of taste. *Chemical Senses*, 12, 609-619.

Hughes, S.G. (1987). Distillers products in salmonid diets. *Proceedings of the Distillers Feed Conference*, 42, 27-31.

Huque, T., Brand, J.G., Rabinowitz, J.L., & Gavarron, F.F. (1987). A comparative study of three methods for the estimation of total plasmalogens in lingual and other tissues. *Comparative Biochemistry and Physiology*, 86B, 135-139.

Johnsen, P.B. (1987). New directions in fish orientation studies. In: W.F. Herrnkind & A.B. Thistle (Eds.), Sign Posts in the Sea, Tallahassee: Florida State University Press, pp 85-101.

Kalinoski, D.L., Bruch, R.C., & Brand, J.G. (1987). Differential interaction of lectins with chemosensory receptors. *Brain Research*, 418, 34-40.

Kalinoski, D.L., Bryant, B.P., Shaulsky, G., & Brand, J.G. (1987). Specific L-arginine taste receptor sites: Biochemical and neurophysiological studies. In: S.D. Roper & J. Atema (Eds.), Olfaction and Taste IX, New York: New York Academy of Sciences, pp 396-397.

Kawamura, Y. & Kare, M.R. (Eds.). (1987). Umami: A Basic Taste - Physiology, Biochemistry, Nutrition and Food Science. New York: Marcel Dekker.

Lepri, J.J. & Wysocki, C.J. (1987). Removal of the vomeronasal organ disrupts the activation of reproduction in female voles. *Physiology & Behavior*, 40, 349-355.

Mason, J.R. & Bean, N.J. (1987). Caffeine enhancement of saccharin but not cyclamate flavor avoidance. *Physiology & Behavior*, 39, 757-762.

Mason, J.R., Clark, L., & Morton, T.H. (1987). Covalent modification of schiff base-forming proteins: In vitro evidence for site specificity and behavioral evidence for production of selective hyposmia in vivo. In: S.D. Roper & J. Atema (Eds.), Olfaction and Taste IX, New York: The New York Academy of Sciences.

Mason, J.R., Greenspon, J.M., & Silver, W.L. (1987). Capsaicin and its effects on olfaction, gustation and trigeminal chemoreception. *Acta Physiologica Hungarica*, 69, 469-479.

Mason, J.R., Johri, K.K., & Morton, T.H. (1987). Generalization in olfactory detection of chemical cues containing carbonyl functions by tiger salamanders (*Ambystoma tigrinum*). *Journal of Chemical Ecology*, 13, 1-18.

Mattes, R.D. (1987). Sensory influences on food intake and utilization in humans. *Human Nutrition: Applied Nutrition*, 41A, 77-95.

Mattes, R.D., Arnold, C., & Boraas, M. (1987). Learned food aversions among cancer patients: Incidence, nature and clinical implications. *Cancer*, 60, 2576-2581.

Mattes, R.D., Arnold, C., & Boraas, M. (1987). Management of learned food aversions in cancer patients receiving chemotherapy. *Cancer Treatment Reports*, 71, 1071-1078.

Mattes, R.D. (1987). Assessing salt taste preference and its relationship with dietary sodium intake in humans. In: J. Solms, D.A. Booth, R.M. Pangborn, & O. Raunhardt (Eds.), Food Acceptance and Nutrition, New York: Academic Press, pp 129-142.

Mela, D.J. & Christensen, C.M. (1987). Sensory assessment of oiliness in a low-moisture food. *Journal of Sensory Studies*, 2, 273-281.

Mela, D.J. (1987). Smokeless tobacco and taste sensitivity. *New England Journal of Medicine*, 316, 1165-1166.

Naim, M., Brand, J.G., & Kare, M.R. (1987). The preference-aversion behavior of rats for nutritionally-controlled diets containing oil and fat. *Physiology & Behavior*, 39, 285-290.

Preti, G., Cutler, W.B., Christensen, C.M., Lawley, H.J., Huggins, G.R., & Garcia, C.R. (1987). Human axillary extracts: Analysis of compounds from samples which influence menstrual timing. *Journal of Chemical Ecology*, 13, 717-731.

Ramirez, I. (1987). Practical liquid diets for rats: Effects on growth. *Physiology & Behavior*, 39, 527-530. Ramirez, I. (1987). When does sucrose increase appetite and adiposity? *Appetite*, 9, 1-19.

Ramirez, I. (1987). Feeding a liquid diet increases energy intake, weight gain and body fat in rats. *Journal of Nutrition*, 117, 2127-2134.

Ramirez, I. (1987). Physiological and biochemical measurements in relation to feeding. In: N. Rowland & F.M. Toates (Eds.), Techniques in the Behavioral and Neural Sciences, Vol 1: Feeding and Drinking, Amsterdam: Elsevier, pp 443-462.

Ramirez, I. (1987). Diet texture, moisture and starch type in dietary obesity. *Physiology & Behavior*, 41, 149-154.

Reidinger, R.F., Mason, J.R., & Stewart, C.N. (1987). Rodenticide flavor profiles identified through generalization of conditioned flavor avoidance. *Annals of the New York Academy of Sciences*, 510, 568-569.

Sakai, R.R., Fine, W.B., Frankmann, S.P., & Epstein, A.N. (1987). Salt appetite is enhanced by one prior episode of sodium depletion in the rat. *Behavioral Neuroscience*, 101, 724-731.

Teeter, J.H., Funakoshi, M., Kurihara, K., Roper, S., Sato, T., & Tonosaki, K. (1987). Generation of the taste cell potential. *Chemical Senses*, 12, 217-234.

Teeter, J.H. & Brand, J.G. (1987). Peripheral mechanisms of gustation: Physiology and biochemistry. In: T.E. Finger & W.L. Silver (Eds.), Neurobiology of Taste and Smell, New York: John Wiley and Sons, pp 299-329.

Teeter, J.H. (1987). Quasi-regenerative responses to chemical stimuli in *in vivo* taste cells of the mudpuppy. *Annals of the New York Academy of Sciences*, 510, 652-654.

Tordoff, M.G., Schulkin, J., & Friedman, M.I. (1987). Further evidence for hepatic control of salt intake in rats. *American Journal of Physiology*, 253, R444-R449.

Tordoff, M.G., Tepper, B.J., & Friedman, M.I. (1987). Food flavor preferences produced by drinking glucose and oil in normal and diabetic rats: Evidence for conditioning based on fuel oxidation. *Physiology & Behavior*, 41, 481-487.

Wysocki, C.J. & Meredith, M. (1987). The vomeronasal system. In: T. Finger & W. Silver (Eds.), Neurobiology of Taste and Smell, New York: John Wiley and Sons, pp 125-150.

Yamazaki, K., Beauchamp, G.K., Matsuzaki, O., Kupniewski, D., Bard, J., Thomas, L., & Boyse, E.A. (1987). Influence of a single mutation on the incidence of pregnancy block in mice. *Annals of the New York Academy of Sciences*, 510, 730-731.

1986

Adams, M.A. & Johnsen, P.B. (1986). A solid matrix bioassay for determining chemical feeding stimulants. *Progressive Fish-Culturist*, 48, 147-149.

Adams, M.A. & Johnsen, P.B. (1986). Chemical feeding stimulants for herbivorous and carnivorous fish. In: D. Duvall, D. Müller-Schwarze, & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates IV, New York: Plenum Press, pp 45-61.

Arzt, A.H., Silver, W.L., Mason, J.R., & Clark, L. (1986). Olfactory responses of aquatic and terrestrial tiger salamanders to airborne and waterborne stimuli. *Journal of Comparative Physiology A*, 158, 479-487.

Bean, N.J., Nunez, A.A., & Wysocki, C.J. (1986). 70kHz vocalizations by male mice do not inhibit aggression in lactating mice. *Behavioral Neuroscience*, 46, 46-53.

Beauchamp, G.K., Cowart, B.J., & Moran, M. (1986). Developmental changes in salt acceptability in human infants. *Developmental Psychobiology*, 19, 17-25.

Beauchamp, G.K., Gilbert, A.N., Yamazaki, K., & Boyse, E.A. (1986). Genetic basis for individual discriminations: The major histocompatibility complex of the mouse. In: D. Duvall, D. Müller-Schwarze, & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates IV, New York: Plenum Press, pp 413-422.

Beauchamp, G.K. & Moran, M. (1986). Taste in young children. In: R.S. Rivlin & H.L. Meiselman (Eds.), Clinical Measurements of Taste and Smell, Lexington, MA: MacMillan Publishing Co., pp 305-315.

Beauchamp, G.K. & Cowart, B. (1986). Congenital and experiential factors in the development of human flavor preferences. *Appetite*, 6, 357-372.

Belcher, A.M., Smith, A.B., III, Jurs, P.C., Lavine, B., & Epple, G. (1986). Analysis of chemical signals in a primate species (*Saguinus fuscicollis*): Use of behavioral, chemical and pattern recognition methods. *Journal of Chemical Ecology*, 12, 513-531.

Bertino, M., Beauchamp, G.K., & Engelman, K. (1986). Increases in dietary salt alters salt taste preference. *Physiology & Behavior*, 38, 203-213.

Bertino, M. & Chan, M. (1986). Taste perception and diet in individuals with Chinese and European ethnic backgrounds. *Chemical Senses*, 11, 229-241.

Cagan, R.H. (1986). Biochemical studies of taste sensation. XII. Specificity of binding of taste ligands to a sedimentable fraction from catfish taste tissue. *Comparative Biochemistry and Physiology*, 85A, 355-358.

Christensen, C.M. (1986). Role of saliva in human taste perception. In: H.L. Meiselman & R.S. Rivlin (Eds.), Clinical Measurement of Taste and Smell, Lexington, MA: MacMillan Publishing, pp 414-428.

Christensen, C.M. (1986). Importance of saliva in diet-taste relationships. In: M.R. Kare & J.G. Brand (Eds.), Interaction of the Chemical Senses with Nutrition, Orlando, FL: Academic Press, pp 3-24.

Christensen, C.M., Bertino, M., Beauchamp, G.K., Navazesh, M., & Engelman, K. (1986). The influence of moderate reduction in dietary sodium on human salivary sodium concentration. *Archives of Oral Biology*, 31, 825-828.

Cowart, B.J. & Beauchamp, G.K. (1986). Factors affecting acceptance of salt by human infants and children. In: M.R. Kare & J.G. Brand (Eds.), Interaction of the Chemical Senses with Nutrition, Orlando, FL: Academic Press, pp 25-44.

Cowart, B.J. & Beauchamp, G.K. (1986). The importance of sensory context in young children's acceptance of salty tastes. *Child Development*, 57, 1034-1039.

Cutler, W.B., Preti, G., Krieger, A., Huggins, G.R., Garcia, C.R., & Lawley, H.J. (1986). Human axillary secretions influence women's menstrual cycle: The role of extract from men. *Hormones and Behavior*, 20, 463-473.

Cutler, W.B., Garcia, C.R., Huggins, G.R., & Preti, G. (1986). Sexual behavior and steroid levels among gynecologically mature premenopausal women. *Fertility and Sterility*, 45, 496-502.

Epple, G. (1986). Communication by chemical signals. In: G. Mitchell (Eds.), Comparative Primate Biology, Vol. 2: Behavior and Ecology, New York: Alan R. Liss, pp 531-580.

Epple, G., Belcher, A.M., & Smith, A.B., III. (1986). Chemical signals in callitrichid monkeys: A comparative review. In: D. Duvall, D. Müller-Schwarze, & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates IV: Ecology, Evolution and Comparative Biology, New York: Plenum Press, pp 653-672.

Frankmann, S.P. (1986). A technique for repeated sampling of CSF from the anesthetized rat. *Physiology & Behavior*, 37, 489-493.

Frankmann, S.P., Dorsa, D.M., Sakai, R.R., & Simpson, J.B. (1986). A single experience with hyperoncotic colloid dialysis persistently alters water and sodium intake. In: G. de Caro, A.N. Epstein, & M. Massi (Eds.), The Physiology of Thirst and Sodium Appetite, New York: Plenum Press, pp 115-121.

Friedman, M.I. & Tordoff, M.G. (1986). Fatty acid oxidation and glucose utilization interact to control food intake in rats. *American Journal of Physiology*, 251, R840-R845.

Friedman, M.I., Tordoff, M.G., & Ramirez, I. (1986). Integrated metabolic control of food intake. *Brain Research Bulletin*, 17, 855-859.

Gilbert, A.N., Yamazaki, K., Beauchamp, G.K., & Thomas, L. (1986). Olfactory discrimination of mouse strains (*Mus musculus*) and major histocompatibility types of humans (*Homo sapiens*). *Journal of Comparative Psychology*, 100, 262-265.

Gilbert, A.N. (1986). Mammary number and litter size in Rodentia: The "one-half rule". *Proceedings of the National Academy of Sciences USA*, 83, 4828-4830.

Gilbert, A.N. (1986). The neuropsychology of olfaction in Alzheimer's disease. *Neurobiology of Aging*, 7, 578-579.

Goldstein, N.I., Quinn, M.R., & Teeter, J.H. (1986). Differentiation of a cell line from olfactory epithelium is induced by dibutyryladenosine 3'-5'-cyclic monophosphate and 12-0-tetradecanoylphorbol-13-acetate. *Brain Research*, 370, 205-214.

Greeley, S. & Gniecko, K. (1986). Zinc status and sucrose consumption in estrous female rats. In: C.F. Mills, I. Bremner, & J.K. Chesters (Eds.), Commonwealth Agricultural Bureaus, England: Farnum Royal, pp 217-220.

Greeley, S. & Gniecko, K. (1986). Short-term taste behavior and copper/vitamin B6 nutriture in Long-Evans rats. *Physiology & Behavior*, 38, 765-771.

Greeley, S., Stewart, C.N., & Bertino, M. (1986). Micronutrients and taste stimulus intake. In: M.R. Kare & J.G. Brand (Eds.), Interaction of the Chemical Senses with Nutrition, Orlando, FL: Academic Press, pp 108-128.

Green, B.G. (1986). Oral perception of the temperature of liquids. *Perception & Psychophysics*, 39, 19-24.

Green, B.G. (1986). Sensory interactions between capsaicin and temperature in the oral cavity. *Chemical Senses*, 11, 371-382.

Green, B.G. (1986). Menthol inhibits the perception of warmth. *Physiology & Behavior*, 38, 833-838.

Huque, T. & Bruch, R.C. (1986). Odorant- and guanine nucleotide-stimulated phosphoinositide turnover in olfactory cilia. *Biochemical and Biophysical Research Communications*, 137, 36-42.

Johnsen, P.B. (1986). Chemosensory orientation mechanisms of fish. In: D. Duvall, D. Müller-Schwarze, & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates, IV: Ecology, Evaluation and Comparative Biology, New York: Plenum Press, pp 135-148.

Johnsen, P.B. (1986). A lexicon of peanut flavor descriptors. *USDA Agricultural Research Service Technical Publication*, ARS-52, 7.

Johnsen, P.B. & Civille, G.V. (1986). A standardized lexicon of meat WOF descriptors. *Journal of Sensory Studies*, 1, 99-104.

Johnsen, P.B. & Adams, M.A. (1986). Chemical feeding stimulants for the herbivorous fish *Tilapia zillii*. *Comparative Biochemistry and Physiology*, 83A, 109-112.

Jones, A.P., Assimon, S.A., & Friedman, M.I. (1986). The effect of diet on food intake and adiposity in rats made obese by gestational undernutrition. *Physiology & Behavior*, 37, 381-386.

Kare, M.R. & Mason, J.R. (1986). The chemical senses in birds. In: P. Sturkie (Eds.), Avian Physiology, New York: Springer-Verlag, pp 59-73.

Kare, M.R. & Brand, J.G. (Eds.), (1986). Interaction of the Chemical Senses with Nutrition. New York: Academic Press.

Keverne, E.B., Murphy, C.L., Silver, W.L., Wysocki, C.J., & Meredith, M. (1986). Non-olfactory chemoreceptors of the nose: Some recent advances in understanding the vomeronasal and trigeminal systems. *Chemical Senses*, 11, 119-133.

Kosar, E., Grill, H.J., & Norgren, R. (1986). Gustatory cortex in the rat. II. Thalamocortical projections. *Brain Research*, 379, 342-352.

Kosar, E., Grill, H.J., & Norgren, R. (1986). Gustatory cortex in the rat. I. Physiological properties and cytoarchitecture. *Brain Research*, 379, 329-341.

Labov, J.B., Katz, Y., Wysocki, C.J., Beauchamp, G.K., & Wysocki, L. (1986). Levels of Immunoreactive β-Endorphin in Rostral and Caudal Sections of Olfactory Bulbs from Male Guinea Pigs Exposed to Odors of Conspecific Females. *Annals of the New York Academy of Sciences*, 432-435.

Lawless, H.T. (1986). Multidimensional scaling. In: H.L. Meiselman & R.S. Rivlin (Eds.), Clinical Measurement of Taste and Smell, New York: MacMillan Publishing Co., pp 86-103.

Lisowski, J.J., Bushnell, P.G., & Teeter, J.H. (1986). A two-choice recirculation tank for assessing chemosensory preferences of landlocked sea lampreys. *Progressive Fish-Culturist*, 48, 64-67.

Maciel, M.I., Hansen, T.J., Aldinger, S.B., & Labows, J.N. (1986). Flavor chemistry of cashew apple juice. *Journal of Agricultural and Food Chemistry*, 34, 923-927.

Maruniak, J.A., Wysocki, C.J., & Taylor, J.A. (1986). Mediation of male mouse urine marking and aggression by the vomeronasal organ. *Physiology & Behavior*, 37, 655-657.

Mason, J.R., Adams, R.A., Dolbeer, R.A., Stehn, R.A., & Wornecki, P.P. (1986). Contribution of seed hull characteristics to resistance of sunflower to blackbird damage. *North Dakota Farm Research Journal*, 43, 16-20.

Mason, J.R. & Clark, L. (1986). Chemoreception and the selection of green plants as nest fumigants by starlings. In: D. Duvall, D. Müller-Schwarze, & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates IV, New York: Plenum Press, pp 369-384.

Mattes, R.D. & Kare, M.R. (1986). Gustatory sequelae of alimentary disorders. *Digestive Diseases*, 4, 129-138.

Mattes, R.D., Heller, A.D., & Rivlin, R.S. (1986). Abnormalities in suprathreshold taste function in early hypothyroidism in man. In: H.L. Meiselman & R.S. Rivlin (Eds.), Clinical Measurement of Taste and Smell, New York: MacMillan Publishing, pp 467-486.

Mattes, R.D. (1986). Effects of health disorders and poor nutritional status on gustatory function. *Journal of Sensory Studies*, 1, 275-290.

Mattes, R.D. & Mela, D.J. (1986). Relationships between and among selected measures of sweet taste preference and dietary intake. *Chemical Senses*, 11, 523-539.

Naim, M., Brand, J.G., Christensen, C.M., Kare, M.R., & VanBuren, S. (1986). Preference of rats for food flavors and texture in nutritionally controlled semipurified diets. *Physiology & Behavior*, 37, 15-22.

Naim, M., Kare, M.R., & Brand, J.G. (1986). Interactions of sensory and nutritional components of diets: Appetite for conventional foods. In: G.G. Birch & M.G. Lindley (Eds.), Interactions of Food Components, London: Elsevier, pp 1-17.

Naim, M., Brand, J.G., & Kare, M.R. (1986). Role of variety of food flavor in fat deposition produced by a "cafeteria" feeding of nutritionally controlled diets. In: M.R. Kare & J.G. Brand (Eds.), Interaction of the Chemical Senses with Nutrition, Orlando, FL: Academic Press, pp 269-292.

Nordstrom, K., Labows, J.N., McGinley, K.J., & Leyden, J.J. (1986). Characterization of wax esters, triglycerides, and free fatty acids of follicular casts. *Journal of Investigative Dermatology*, 86, 700-705.

Preti, G., Cutler, W.B., Garcia, C.R., & Lawley, H.J. (1986). Human axillary secretions influence women's menstrual cycles: The role of donor extract of females. *Hormones and Behavior*, 20, 474-482.

Rabinowitz, J.L., Brand, J.G., Baker, D., Huque, T., & Bayley, D. (1986). Comparison of fatty acid patterns of polar and neutral lipid classes and cylo-oxygenase activity in taste and non-taste epithelium of steer tongues. *International Journal of Biochemistry*, 18, 543-548.

Ramirez, I. (1986). Hypophagia following dietary obesity. *Physiology & Behavior*, 38, 95-98.

Ramirez, I. (1986). Intragastric feeding differentially affects apparent rate of gastric emptying of phenol red and carbohydrate. *Physiology & Behavior*, 36, 941-945.

Ramirez, I. (1986). Intragastric feeding of fats. In: M. Kare & J. Brand (Eds.), Interaction of the Chemical Senses and Nutrition, Orlando, FL: Academic Press, pp 151-165.

Reidinger, R.F. & Mason, J.R. (1986). Effects of learned food avoidance on grooming behavior in rats. *Physiology & Behavior*, 37, 925-931.

Schmidt, U., Schmidt, C., & Wysocki, C.J. (1986). The influence of the vomeronasal organ on olfactory guided behavior in suckling mice. *Zeitschrift fur Saugetierkunde*, 51, 86-90.

Shapera, M.R., Moel, D.I., Kamath, S., Olson, R., & Beauchamp, G.K. (1986). Taste perception of children with chronic renal failure. *Journal of the American Dietetic Association*, 86, 1356-1365.

Silver, W.L., Mason, J.R., Adams, M., & Smeraski, C. (1986). Nasal trigeminal chemoreception: Responses to n-aliphatic alcohols. *Brain Research*, 376, 221-229.

Silver, W.L. & Johnsen, P.B. (1986). Olfaction and gustation in fishes. *Environmental Biology of Fishes*, 17, 155-156.

Tordoff, M.G., Schulkin, J., & Friedman, M.I. (1986). Hepatic contribution to the satiation of salt appetite. *American Journal of Physiology*, 251, R1095-R1102.

Tordoff, M.G. & Friedman, M.I. (1986). Hepatic-portal glucose infusions decrease food intake and increase food preference. *American Journal of Physiology*, 251, R192-R196.

Weiffenbach, J.M., Cowart, B.J., & Baum, B.J. (1986). Taste intensity perception in aging. *Journal of Gerontology*, 41, 460-468.

Whelan, J.P., Wysocki, C.J., & Lampson, L.A. (1986). Distribution of B2-microglobulin in olfactory epithelium: A prolificating neuroepithelium not protected by a blood tissue barrier. *Journal of Immunology*, 137, 2567-2571.

Wysocki, C.J., Bean, N.J., & Beauchamp, G.K. (1986). The mammalian vomeronasal system. Its role in learning and social behaviors. In: D. Duvall, D. Müller-Schwartz, & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates IV: Ecology, Evolution and Comparative Biology, New York: Plenum Press, pp 471-485.

Yamazaki, K. & Matsuzaki, O. (1986). Chemical communication in vertebrates. *Kagaku to Seibutsu*, 24, 224-231.

Yamazaki, K., Beauchamp, G.K., Matuszaki, O., Bard, J., Thomas, L., & Boyse, E.A. (1986). Participation of the murine X and Y chromosomes in genetically determined chemosensory identity. *Proceedings of the National Academy of Sciences USA*, 83, 4438-4440.

Yamazaki, K., Beauchamp, G.K., Matsuzaki, O., Kupniewski, D., Bard, J., Thomas, L., & Boyse, E.A. (1986). Influence of a genetic difference confined to mutation of H-2K on the incidence of pregnancy block in mice. *Proceedings of the National Academy of Sciences USA*, 83, 740-741.

Zechman, J.M., Aldinger, S., & Labows, J.N., Jr. (1986). Characterization of pathogenic bacteria by automated headspace concentration-gas chromatography. *Journal of Chromatography*, 377, 49-57.

1985

Adams, M.A. (1985). Substances that modify the perception of sweetness. In: D.D. Bills & C.J. Mussinan (Eds.), Characterization and Measurement of Flavor Compounds (ACS Symposium Series #289), Washington, D.C.: American Chemical Society, pp 11-25.

Alveario, M.C., Belcher, A., Caldwell, C., Henry, R.T., & Epple, G. (1985). Caesarean delivery and handrearing of *Saguinus leucopus*. *Primate Reports*, 13, 57-68.

Asanuma, H., Kosar, E., Tsukahara, N., & Robinson, H. (1985). Modification of the projection from the sensory cortex to the motor cortex following the elimination of thalamic projections to the motor cortex in cats. *Brain Research*, 345, 79-86.

Beauchamp, G.K., Yamazaki, K., & Boyse, E.A. (1985). The chemosensory recognition of genetic individuality. *Scientific American* , 253, 86-92.

Beauchamp, G.K. & Bertino, M. (1985). Rats (*Rattus norvegicus*) do not prefer salted solid food. *Journal of Comparative Psychology*, 99, 240-247.

Beauchamp, G.K., Yamazaki, K., Wysocki, C.J., Slotnick, B.M., Thomas, L., & Boyse, E.A. (1985). Chemosensory recognition of mouse major histocompatibility types by another species. *Proceedings of the National Academy of Sciences USA*, 82, 4186-4188.

Beauchamp, G.K., Wysocki, C.J., & Wellington, J.L. (1985). Extinction of response to urine odor as a consequence of vomeronasal organ removal in male guinea pigs. *Behavioral Neuroscience*, 99, 950-955.

Brand, J.G., Cagan, R.H., & Bayley, D.L. (1985). Conformational changes of the sweet protein monellin as measured by fluorescence emission. *Proceedings of the Society for Experimental Biology and Medicine*, 179, 76-82.

Brand, J.G., Teeter, J.H., & Silver, W.L. (1985). Inhibition by amiloride of chorda tympani responses evoked by monovalent salts. *Brain Research*, 334, 207-214.

Christensen, C.M. (1985). Effect of color on judgments of food aroma and flavour intensity in young and elderly adults. *Perception & Psychophysics*, 14, 755-762.

Christensen, C.M. (1985). Sensory measurements: Influence of physiological and psychological processes. In: EBC-Monograph Symposium on Quality Assurance, Nurnberg: Brauwelt-Verlag, pp 139-147.

Clark, L. & Mason, J.R. (1985). Use of nest material as insecticidal and anti-pathogenic agents by the European starlings (*Sturnus vulgaris*). *Oecologia*, 67, 169-176.

Cutler, W.B., Preti, G., Erickson, B., Huggins, G., & Garcia, C.R. (1985). Sexual behavior frequency and biphasic ovulatory type menstrual cycles. *Physiology & Behavior*, 34, 805-810.

Doving, K.B., Westerberg, H., & Johnsen, P.B. (1985). Role of olfaction in the behavioral and neuronal response of Atlantic salmon *Salmon salar* L, to hydrographic stratification. *Canadian Journal of Fish and Aquatic Science*, 42, 1658-1667.

Epple, G. (1985). The Primates I: Order anthropoidea. In: R.E. Brown & D.W. Macdonald (Eds.), Social Odors in Mammals, Oxford: Clarendon Press, pp 739-769.

Epple, G. & Smith, A.B., III. (1985). The Primates II: A case study of the saddle-back tamarin, *Saguinus fuscicollis*. In: R.E. Brown & D.W. Macdonald (Eds.), Social Odors in Mammals, Oxford: Clarendon Press, pp 770-803.

Epple, G. & Alveario, M.C. (1985). Social facilitation of agonistic responses to strangers in pairs of saddle-back tamarins (*Saguinus fuscicollis*). *American Journal of Primatology*, 9, 207-218.

Friedman, M.I., Ramirez, I., Edens, N.K., & Granneman, J. (1985). Food intake in diabetic rats: Isolation of primary metabolic effects of fat feeding. *American Journal of Physiology*, 249, R44-R51.

Friedman, M.I. & Ramirez, I. (1985). Relationship of fat metabolism to food intake. *American Journal of Clinical Nutrition*, 42, 1093-1098.

Green, B.G. (1985). Heat pain thresholds in the oral-facial region. *Perception & Psychophysics*, 38, 110-114.

Green, B.G. (1985). Menthol modulates oral sensations of warmth and cold. *Physiology & Behavior*, 35, 427-434.

Johnsen, P.B. & Teeter, J.H. (1985). Behavioral responses of bonnet-head sharks (*Sphyrna tiburo*) to controlled olfactory stimulation. *Marine Behavior and Physiology*, 11, 283-291.

Kare, M.R. & Beauchamp, G.K. (1985). The role of taste in the infant diet. *American Journal of Clinical Nutrition*, 41, 418-422.

Lawless, H. & Kare, M.R. (1985). Changes in chemosensory function with age. In: C. Howard, S. Epstein, C. Rose, & J. Hefferren (Eds.), Clinical Geriatric Dentistry: Biomedical and Psychosocial Aspects, Chicago: American Dental Association, pp 70-80.

Lepri, J.J., Wysocki, C.J., & Vandenberg, J.G. (1985). Mouse vomeronasal organ: Effects on pheromone production and maternal behavior. *Physiology & Behavior*, 35, 809-814.

Mason, J.R., Arzt, A.H., & Reidinger, R.F., Jr. (1985). Avfail in color avoidance learning by starlings (*Sturnus vulgaris*) and red-winged blackbirds (*Agelaius phoeniceus*). *Journal of Comparative Psychology*, 99, 403-410.

Mason, J.R., Glahn, J., Dolbeer, R., & Reidinger, R.F., Jr. (1985). Field evaluation of dimethyl anthranilate as a bird repellent livestock feed additive. *Journal of Wildlife Management*, 49, 636-642.

Mason, J.R., Reidinger, R.F., & Stewart, C.N. (1985). Profiling, mimicking and masking the flavor of a selected rodenticide. *Physiology & Behavior*, 35, 127-134.

Mason, J.R. & Arzt, A.H. (1985). Failure of color aversion learning: Implications for normally effective mimicry. *Journal of Comparative Psychology*, 99, 403-410.

Mason, J.R., Leong, F.C., Plaxco, K.W., & Morton, T.H. (1985). Two-step covalent modification of proteins. Selective labelling of Schiff base-forming sites and selective blockade of the sense of smell in vivo. *Journal of the American Chemical Society*, 107, 6075-6084.

Mason, J.R., Katz, Y., & Reidinger, R.F. (1985). Flavor avoidance expressed in grooming by pine voles (*microtus pinetorum*): Importance of context and hormonal factors. *Physiology & Behavior*, 35, 979-983.

Mattes, R.D. & Lawless, H.T. (1985). An adjustment error in optimization of taste intensity. *Appetite*, 6, 103-114.

Mattes, R.D. (1985). Gustation as a determinant of ingestion: Methodological issues. *American Journal of Clinical Nutrition*, 41, 672-683.

McGinley, K.J., Labows, J.N., Zeckman, J.M., Nordstrom, K.M., Webster, G.F., & Leyden, J.J. (1985). Pathogenic JK group corynebacteria and their similarity to human cutaneous lipophilic diptheroids. *The Journal of Infectious Diseases*, 152, 801-806.

Naim, M., Zechman, J.M., Brand, J.G., Kare, M.R., & Sandovsky, V. (1985). Effects of sodium saccharin on the activity of trypsin, chymotrypsin and amylase and upon bacteria in small intestinal contents of rats.
Proceedings of the Society for Experimental Biology and Medicine, 178, 392-401.

Naim, M., Brand, J.G., Kare, M.R., & Carpenter, R.G. (1985). Energy intake, weight gain and fat deposition produced by feeding of flavored, nutritionally controlled diets in a multichoice ("cafeteria") design. *Journal of Nutrition*, 115, 1447-1458.

Nelson, R.J., Fleming, A.S., Wysocki, C.J., Shinder, T.W., & Zucker, I. (1985). Chemosensory and neural influences on photoperiodic responsiveness of laboratory rats. *Neuroendocrinology*, 40, 285-290.

Ramirez, I. (1985). Oral stimulation alters digestion of intragastric oil meals in rats. *American Journal of Physiology*, 17, R459-R463.

Reidinger, R.F., Jr., Libay, J.L., & Kolz, A.L. (1985). Field trial of an electrical barrier for protecting rice fields from rat damage. *Philippine Agriculturist*, 68, 169-179.

Reidinger, R.F., Jr., Labows, J.N., Fellows, D.P., & Mason, J.R. (1985). Fatty acid composition of adipose tissue as an indicator of diet. *Journal of Wildlife Management*, 49, 170-177.

Silver, W.L., Mason, J.R., Marshall, D.A., & Maruniak, J.A. (1985). Rat trigeminal, olfactory and taste responses after capsaicin desensitization. *Brain Research*, 333, 45-54.

Smith, A.B., III, Belcher, A.M., Epple, G., Jurs, P.C., & Lavine, B. (1985). Computerized pattern recognition: A new technique for the analysis of chemical communication. *Science*, 228, 175-177.

Teeter, J.H. (1985). Dye-coupling in catfish taste buds. *Proceedings of the 19th Japanese Symposium on Taste and Smell*, 19, 29-33.

Tordoff, M.G. (1985). Influence of sympathectomy on body weight of rats given chow or supermarket diets. *Physiology & Behavior*, 35, 455-463.

Wysocki, C.J., Beauchamp, G.K., Reidinger, R.F., Jr., & Wellington, J.L. (1985). Access of large and non-volatile molecules to the vomeronasal organ of mammals during social and feeding behaviors. *Journal of Chemical Ecology*, 11, 1147-1159.

Yamazaki, K., Beauchamp, G.K., Thomas, L., & Boyse, E.A. (1985). The hematopoietic system is a source of odorants that distinguish major histocompatibility types. *Journal of Experimental Medicine*, 162, 1377-1380.

Zechman, J.M. & Labows, J. (1985). Volatiles of *Pseudomonas aeruginosa* and related species by automated headspace concentration - gas chromatography. *Canadian Journal of Microbiology*, 31, 232-237.

1984

Beauchamp, G.K. & Moran, M. (1984). Acceptance of sweet and salty tastes in two year old children. *Appetite*, 5, 291-305.

Beauchamp, G.K. & Wellington, J.L. (1984). Habituation to individual odors occurs following brief, widely-spaced presentations. *Physiology & Behavior*, 32, 511-514.

Brand, J.G., Rabinowitz, J.L., & Bayley, D.L. (1984). Inhibition of lingual lipases by lidocaine in taste and non-taste epidermis from steer tongues. *Chemical Senses*, 9, 219-228.

Cagan, R.H. (1984). Peptide interactions with taste receptors: Overlap in taste receptor specificity. *Experientia*, 40, 843-844.

Cagan, R.H. (1984). Biochemical studies of physiological function: Olfactory recognition in rainbow trout. In: L. Bolis, R.D. Keynes, & S.H.P. Maddrell (Eds.), Comparative Physiology: Sensory Systems, Cambridge, England: Cambridge University Press, pp 285-299.

Cagan, R.H. & Boyle, A.G. (1984). Biochemical studies of taste sensation. XI. Isolation, characterization and taste ligand binding activity of plasma membranes from catfish taste tissue. *Biochimica et Biophysica Acta*, 799, 230-237.

Cebul, M.S. & Epple, G. (1984). Paternal behavior in marmosets and tamarins. In: D. Taub (Eds.), Primate Paternalism, New York: Van Nostrand Reinhold, pp 1-19.

Christensen, C.M. & Navazesh, M. (1984). Anticipatory salivary flow to the sight of different foods. *Appetite*, 5, 307-315.

Christensen, C.M. (1984). Food texture perception. In: C.O. Chichester & E.M. Mrak (Eds.), Advances in Food Research, New York: Academic Press, pp 159-199.

Christensen, C.M., Navazesh, M., & Brightman, V.J. (1984). Effects of pharmacologic reductions in salivary flow on taste thresholds in man. *Archives of Oral Biology*, 29, 17-23.

Edens, N.K. & Friedman, M.I. (1984). Response of normal and diabetic rats to increasing dietary medium-chain triglyceride content. *Journal of Nutrition*, 114, 565-573.

Epple, G. & Katz, Y. (1984). Social influences on estrogen excretion and ovarian cyclicity in saddle-back tamarins (*Saguinus fuscicollis*). *American Journal of Primatology*, 6, 215-227.

Friedman, M.I. & Sawchenko, P.E. (1984). Evidence for hepatic involvement in the control of ad libitum food intake in rats. *American Journal of Physiology*, 247, R106-R113.

Friedman, M.I. (1984). Physiologic determinants of food intake. In: P.L. White & N. Selvey (Eds.), Malnutrition: Determinants and Consequences, New York: Alan R. Liss, pp 295-303.

Geyer, L.A., Kornet, C.A., & Rogers, J.G., Jr. (1984). Factors affecting caching in the pine vole, *Microtus pinetorum*. *Mammalia*, 48, 165-172.

Gleeson, R.A., Adams, M.A., & Smith, A.B., III. (1984). Characterization of a sex pheromone in the blue crab, *Callinectes Sapidus*: Crustecdysone studies. *Journal of Chemical Ecology*, 10, 913-921.

Granneman, J. & Friedman, M.I. (1984). Effect of hepatic vagotomy and/or coeliac ganglionectomy on the delayed eating response to insulin and 2DG injection in rats. *Physiology & Behavior*, 33, 495-498.

Green, B.G. (1984). Thermal perception on lingual and labial skin. *Perception & Psychophysics*, 36, 209-220.

Houpt, K., Zgoda, J.C., & Stahlbaum, C.C. (1984). Use of taste repellents and emetics to prevent accidental poisoning of dogs. *American Journal of Veterinary Research*, 45, 1501-1503.

Johnsen, P.B. (1984). Establishing the physiological and behavioral determinants of chemosensory orientation. In: J.D. McCleave, G.P. Arnold, J.J. Dodson, & W.H. Neill (Eds.), Mechanisms of Migration in Fishes, New York: Plenum Publishing Co., pp 379-385.

Johnsen, P.B. & Adams, M.A. (1984). The chemosensitivity of herbivorous fish. *Chemical Senses*, 8, 252-253.

Jones, A.P., Simpson, E.L., & Friedman, M.I. (1984). Gestational undernutrition and the development of obesity in rats. *Journal of Nutrition*, 114, 1484-1492.

Kalina, J. & Adams, M.A. (1984). Differences in intermandibular gland secretions of larger malayan mouse-deer (*Tragulus napu*). *Journal of Mammalogy*, 65, 715-718.

Kare, M.R. & Beauchamp, G.K. (1984). Taste, smell, and hearing. In: M.J. Swenson (Eds.), Duke's Physiology of Domestic Animals, Ithaca: Cornell University Press.

Kostelc, J.G., Preti, G., Zelson, P.R., Brauner, L., & Baehni, P. (1984). Oral odors in early experimental gingivitis. *Journal of Periodontal Research*, 19, 303-312.

Labows, J.N. & Wysocki, C.J. (1984). Individual differences in odor perception. *Perfumer and Flavorist*, 9, 21-26.

Lawless, H. (1984). Oral chemical irritation: Psychophysical properties. *Chemical Senses*, 9, 143-155.

Lawless, H. & Schlegel, M.P. (1984). Direct and indirect scaling of sensory differences in simple taste and odor mixtures. *Journal of Food Science*, 49, 44-46.

Lawless, H. & Stevens, D.A. (1984). Effect of oral chemical irritation on taste. *Physiology & Behavior*, 32, 995-998.

Lawless, H.T. (1984). Flavor description of white wine by "expert" and non-expert wine consumers. *Journal of Food Science*, 49, 120-123.

Mason, J.R., Clark, L., & Morton, T.H. (1984). Selective deficits in the sense of smell caused by chemical modification of the olfactory epithelium. *Science*, 226, 1092-1094.

Mason, J.R. & Morton, T.H. (1984). Fast and loose covalent binding of ketones as a molecular mechanism in vertebrate olfactory receptors: Chemical production of selective anosmia. *Tetrahedron*, 40, 483-492.

Mason, J.R., Woronecki, P.P., Arzt, A.H., & Reidinger, R.F. (1984). Taste preferences of male red-winged blackbirds among dried samples of ten corn hybrids. *Journal of Wildlife Management*, 48, 611-616.

Mason, J.R., Arzt, A.H., & Reidinger, R.F., Jr. (1984). Comparative assessment of food preferences and aversions acquired by blackbirds (*Agelaius phoeniceus*) via observational learning. *Auk*, 101, 796-803.

Mattes, R.D. (1984). Salt taste and hypertension - A critical review of the literature. *Journal of Chronic Diseases*, 37, 195-208.

Naim, M. & Kare, M.R. (1984). Nutritional application of the chemical senses. *Journal of Chemical Education*, 61, 358-361.

Ramirez, I. (1984). A problem with enzymatic determination of free fatty acids in rat and mouse blood. *Journal of Lipid Research*, 25, 92-

Ramirez, I. (1984). Behavioral and physiological consequences of intragastric oil feeding in rats. *Physiology & Behavior*, 33, 421-426.

Silver, W.L. & Finger, T.E. (1984). Electrophysiological examination of a non-olfactory, non-gustatory chemosense in the searobin, *Prionotus carolinus*. *Journal of Comparative Physiology A*, 154, 167-174.

Stewart, C.N. & Reidinger, R.F., Jr. (1984). Disparity between formation of conditioned flavor aversions and neophobia during grooming in rats and mice. *Physiology & Behavior*, 32, 955-959.

Threatte, R.M. & Quinn, M.R. (1984). Effects of dietary salt, fat and carbohydrate on fluid and salt consumption of rats. *Proceedings of the Society for Experimental Biology and Medicine*, 176, 476-484.

Wysocki, C.J. & Beauchamp, G.K. (1984). Ability to smell androstenone is genetically determined. *Proceedings of the National Academy of Sciences USA*, 81, 4899-4902.

Yamazaki, K., Beauchamp, G.K., Thomas, L., & Boyse, E.A. (1984). Chemosensory identity of H-2 heterozygotes. *Journal of Molecular and Cellular Immunology*, 1, 79-82.

Zechman, J.M., Martin, I.G., Wellington, J.L., & Beauchamp, G.K. (1984). Perineal scent gland of wild and domestic cavies: Bacterial activity and urine as sources of biological significant odors. *Physiology & Behavior*, 32, 269-274.

1983

Beauchamp, G.K., Martin, I., Wellington, J.L., & Wysocki, C.J. (1983). The accessory olfactory system: Role in maintenance of chemoinvestigatory behavior. In: D. Müller-Schwartz & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates III, New York: Plenum Press, pp 73-86.

Beauchamp, G.K., Bertino, M., & Engelman, K. (1983). Modification of salt taste. *Annals of Internal Medicine*, 98, 763-769.

Bertino, M., Beauchamp, G.K., & Jen, K.L.C. (1983). Rated taste perception in two cultural groups. *Chemical Senses*, 8, 3-15.

Blenderman, W.G., Joullie, M.M., & Preti, G. (1983). Lithium/ammonia reduction of thiophenecarboxylic acids. *Journal of Organic Chemistry*, 48, 3206.

Boyse, E.A., Beauchamp, G.K., & Yamazaki, K. (1983). The sensory perception of genotypic polymorphism of the major histocompatibility complex and other genes: Some physiological and phylogenetic implications. *Human Immunology*, 6, 177-183.

Chan, M.M.Y., Brand, J.G., Ingle, D.E., & Kare, M.R. (1983). Feeding low iron diets affects fluid preference in growing rats. *Nutrition Research*, 3, 511-518.

Christensen, C.M., Navazesh, M., & Brightman, V.J. (1983). Effects of pharmacologic reductions in salivary flow on suprathreshold judgements of taste stimuli. *Chemical Senses*, 8, 17-26.

Christensen, C.M. (1983). The effects of color on aroma, flavor and texture judgements of foods. *Journal of Food Science*, 48, 787-790.

Epple, G. & Katz, Y. (1983). The saddle-back tamarin and other tamarins. In: J. Hearn (Eds.), Reproduction in New World Primates, Lancaster: MTP Press, pp 115-148.

Friedman, M.I. & Granneman, J. (1983). Food intake and peripheral factors after recovery from insulin-induced hypoglycemia. *American Journal of Physiology*, 244, R374-R382.

Friedman, M.I., Edens, N.K., & Ramirez, I. (1983). Differential effects of medium- and long-chain triglycerides on food intake of normal and diabetic rats. *Physiology & Behavior*, 31, 851-855.

Granneman, J. & Friedman, M.I. (1983). Feeding after recovery from 2-deoxyglucose injection: Cerebral and peripheral factors. *American Journal of Physiology*, 244, R383-R388.

Huggins, G.R. & Preti, G. (1983). Diagnostic clues from vaginal odors. *Contemporary OB/GYN*, 22, 199-220.

Kostelc, J.G., Shade, L., & Brauner, L. (1983). Effect of mastication on oral odors. *Journal of Dental Research*, 62, 954.

Labows, J. & Shushan, B. (1983). Direct analysis of food aromas. *American Laboratory*, 15, 56-61.

Lawless, H. & Kare, M.R. (1983). Physiologie et pathology du gout. (in French). In: Encyclopedie Medico-Chirurgicale, Paris.

Lawless, H.T., Hammer, L., & Corina, M. (1983). Aversions to bitter and accidental poisonings among preschool children. *Journal of Toxicology: Clinical Toxicology*, 19, 951-964.

Lawless, H.T. & Stevens, D.A. (1983). Cross-adaptation of sucrose and intensive sweeteners. *Chemical Senses*, 7, 309-315.

Lawless, H.T. (1983). Contextural effects in category ratings. *Journal of Testing and Evaluation*, 11, 346-349.

Maruniak, J. & Mason, J.R. (1983). Odor aversions acquired via intravenous injections. *Physiology & Behavior*, 30, 617-620.

Maruniak, J.A., Silver, W.L., & Moulton, D.G. (1983). Olfactory receptors respond to blood-borne odorants. *Brain Research*, 265, 312-316.

Mason, J.R. & Reidinger, R.F. (1983). Conspecific individual recognition between starlings after toxicant-induced sickness. *Animal Learning and Behavior*, 11, 332-336.

Mason, J.R. & Maruniak, J. (1983). Acquired preferences for capsaicin in red-winged blackbirds (*Agelaius phoeniceus*). *Pharmacology, Biochemistry and Behavior*, 19, 57-62.

Mason, J.R. & Reidinger, R.F. (1983). Generalization of and effects of pre-exposure on color-avoidance learning by red-winged blackbirds (*Agelaius Phoeniceus*). *Auk*, 100, 461-468.

Mason, J.R. & Reidinger, R.F. (1983). Importance of color for methiocarb-induced food aversions in red-winged blackbirds (*Agelaius phoeniceus*). *Journal of Wildlife Management*, 47, 383-393.

Mason, J.R. & Reidinger, R.F., Jr. (1983). Influence of taste and color cues on bathing by starlings in appetitive and aversive contexts: Implications for animal damage control. In: W.B. Jackson & B.J. Dodd (Eds.), Proceedings of the 9th Bird Control Seminar, Bowling Green: Bowling Green University Press, pp 99-107.

Mason, J.R. & Silver, W.L. (1983). Trigeminally medicated odor aversions in starlings. *Brain Research*, 269, 196-199.

Mattes, R., Kumanyika, S., & Halpern, B. (1983). Salt taste responsiveness and preference among normotensive, prehypertensive and hypertensive adults. *Chemical Senses*, 8, 27-40.

Ramirez, I. & Friedman, M.I. (1983). Suppression of food intake by intragastric glucose in rats with impaired glucose tolerance. *Physiology & Behavior*, 31, 39-43.

Ramirez, I. & Friedman, M.I. (1983). Food intake and blood fuels after oil consumption: Differential effects in normal and diabetic rats. *Physiology & Behavior*, 31, 847-850.

Ramirez, I. & Friedman, M.I. (1983). Metabolic concomitants of hypophagia during recovery from insulin-induced obesity in rats. *American Journal of Physiology*, 245, E211-E219.

Reidinger, R.F., Jr. & Mason, J.R. (1983). Exploitable characteristics of neophobia and food aversions for improvements in rodent and bird control. In: D.E. Kaukeinin (Eds.), Vertebrate Pest

Control and Management Materials: Fourth Symposium, Philadelphia: American Society for Testing and Materials, pp 20-39.

Rhein, L.D. (1983). Biochemical studies of olfaction: Role of cilia in odorant recognition. *Journal of Nematology*, 15, 159-168.

Rhein, L.D. & Cagan, R.H. (1983). Biochemical studies of olfaction III. Binding specificity of odorants to a cilia preparation from rainbow trout olfactory rosettes. *Journal of Neurochemistry*, 41, 569-577.

Stewart, C.N., Reidinger, R.F., Jr., & Mason, J.R. (1983). A method for inferring the taste qualities of rodenticides to rodents. In: D.E. Kaukeinin (Eds.), Vertebrate Pest Control and Management Materials: Fourth Symposium, Philadelphia: American Society for Testing and Materials, pp 155-164.

Wellington, J.L., Beauchamp, G.K., & Wojciechowski-Metzler, C. (1983). Stability of chemical communicants in urine: Individual identity and age of sample. *Journal of Chemical Ecology*, 9, 235-245.

Wysocki, C.J., Katz, Y., & Bernhard, R. (1983). The male vomeronasal organ mediates female-induced testosterone surges. *Biology of Reproduction*, 28, 917-922.

Yamazaki, K., Beauchamp, G.K., Wysocki, C.J., Bard, J., Thomas, L., & Boyse, E.A. (1983). Recognition of H-2 types in relation to the blocking of pregnancy in mice. *Science*, 221, 186-188.

Yamazaki, K., Beauchamp, G.K., Egorov, I.K., Bard, J., Thomas, L., & Boyse, E.A. (1983). Sensory distinction between H-2^{b} and H-2^{bm1} mutant mice. *Proceedings of the National Academy of Sciences USA*, 80, 5685-5688.

1982

Beauchamp, G.K. & Moran, M. (1982). Dietary experience and sweet taste preference in human infants. *Appetite*, 3, 139-152.

Beauchamp, G.K., Martin, I., Wysocki, C.J., & Wellington, J.L. (1982). Chemoinvestigatory and sexual behaviors of male guinea pigs following vomeronasal organ removal. *Physiology & Behavior*, 29, 329-336.

Beauchamp, G.K., Wysocki, C.J., Wellington, J.L., & Martin, I. (1982). Chemical communication and the accessory olfactory system in guinea pigs. In: J. Steiner & J.R. Ganchrow (Eds.), The Determination of Behavior by Chemical Stimuli, London: IRL Press, Ltd, pp 65-75.

Beauchamp, G.K., Bertino, M., & Moran, M. (1982). Sodium regulation: Sensory aspects. *Journal of the American Dietetic Association*, 80, 40-45.

Bertino, M., Beauchamp, G.K., & Engelman, K. (1982). Long-term reduction in dietary sodium alters the taste of salt. *American Journal of Clinical Nutrition*, 36, 1134-1144.

Bertino, M., Beauchamp, G.K., Engelman, K., & Kare, M.R. (1982). Dietary sodium and salt taste. In: M.J. Fregly & M.R. Kare (Eds.), The Role of Salt in Cardiovascular Hypertension, New York: Academic Press, pp 145-154.

Bertino, M. (1982). The effects of high fat-protein supplemented diets on maternal behavior in rats. *Physiology & Behavior*, 29, 999-1005.

Boyse, E.A., Beauchamp, G.K., Yamazaki, K., Bard, J., & Thomas, L. (1982). Chemosensory communication: A new aspect of the major histocompatibility complex and other genes in the mouse. *Oncodevelopmental Biology and Medicine*, 4, 101-116.

Brand, J.G., Cagan, R.H., & Naim, M. (1982). Chemical senses in release of gastric and pancreatic secretions. *Annual Review of Nutrition*, 2, 249-276.

Cagan, R.H. & Holland, K.N. (1982). Relationship of biochemical recognition of taste compounds to behavioral and physiological responses in the catfish *Ictalurus punctatus*. In: J.E. Steiner & J.R. Ganchrow (Eds.), Determination of Behaviour by Chemical Stimuli, London: IRL Press Ltd, pp 7-15.

Epple, G. (1982). Effects of prepubertal ovariectomy on the development of scent glands, scent marking and aggressive behaviors of female tamarin monkeys (*Saguinus fuscicollis*). *Hormones and Behavior*, 16, 330-342.

Epple, G., Alveario, M.C., & Katz, Y. (1982). The role of chemical communication in aggressive behavior and its gonadal control in the tamarin *Saguinus fuscicollis*. In: C.T. Snowdon, C.H. Brown, & M.R. Peterson (Eds.), Primate Communication, Cambridge: Cambridge University Press, pp 279-302.

Fiedler, L., Fall, M.W., & Reidinger, R.F., Jr. (1982). Development and evaluation of methods to reduce rat damage to coconuts in the Philippines. *Proceedings Tenth Vertebrate Pest Conference*, 10, 73-79.

Friedman, M.I., Ramirez, I., Wade, G.N., Siegel, L.I., & Granneman, J. (1982). Metabolic and physiologic effects of a hunger-inducing injection of insulin. *Physiology & Behavior*, 29, 515-518.

Friedman, M.I. (1982). New perspectives on the metabolic basis of hunger and satiety. *Contemporary Nutrition*, 7.

Fregley, M.J. & Kare, M.R. (Eds.), (1982). The Role of Salt in Cardiovascular Hypertension. New York: Academic Press.

Geyer, L.A. & Kornet, C.A. (1982). Auto- and allo-grooming in pine voles (*Microtus pinetorum*) and meadow voles (*Microtus pennsylvanicus*). *Physiology & Behavior* , 28, 409-412.

Geyer, L.A. & Kare, M.R. (1982). Taste at weaning: Strategies facilitating appropriate food selection by non-primate mammals. In: G.H. Bourne (Eds.), World Review of Nutrition and Dietetics.

Geyer, L.A. & Kare, M.R. (1982). Taste and food selection in the weaning of nonprimate mammals. In: D. Walcher & N. Kretchmer (Eds.), Food, Nutrition and Evolution, New York: Mason Publishing Company, pp 69-82.

Gil, K.M. & Friedman, M.I. (1982). Caloric compensation following insulin administration in rats. *Physiology & Behavior*, 29, 847-855.

Gleeson, R.A. (1982). Morphological and behavioral identification of the sensory structures mediating pheromone reception in the blue crab, *Callinectes sapidus*. *Biological Bulletin of the Marine Biological Laboratories at Woods Hole*, 163, 162-171.

Goldstein, N.I. & Cagan, R.H. (1982). Biochemical studies of taste sensation. X. Monoclonal antibody against L-Alanine binding activity of catfish epithelium. *Proceedings of the National Academy of Sciences USA*, 79, 7595-7597.

Johnsen, P.B. (1982). A behavioral control model for homestream selection in migratory salmonids. In: E.L. Brannon & E.O. Salo (Eds.), Salmon and Trout Migratory Behavior Symposium, Seattle: University of Washington Press, pp 266-273.

Katz, Y., Dashow, L., & Epple, A. (1982). Circulating steroid hormones of anadromous sea lampreys under various experimental conditions. *General and Comparative Endocrinology*, 48, 261-268.

Labows, J., McGinley, K., & Kligman, A. (1982). Perspectives on axillary odor. *Journal of the Society of Cosmetic Chemists*, 34, 193-202.

Labows, J., McGinley, K., & Kligman, A. (1982). Axillary odor: Current status. In: P. Frost & S. Horowitz (Eds.), Principles of Cosmetics for the Dermatologist, St. Louis: C.V. Mosby Co, pp 89-97.

Lawless, H.T. (1982). Paradoxical adaptation to taste mixtures. *Physiology & Behavior*, 25, 149-152.

Lawless, H.T. (1982). Adapting efficiency of salt-sucrose mixtures. *Perception & Psychophysics*, 32, 419-422.

Martin, I. & Beauchamp, G.K. (1982). Olfactory recognition of individuals by male cavies (*Cavia aperea*). *Journal of Chemical Ecology*, 8, 1241-1249.

Mason, J.R., Rabin, M.R., & Stevens, D.A. (1982). Taste aversions used as a biological defense mechanism by tiger salamanders (*Ambystoma tigrinum*). *Copeia*, 3, 667-671.

Mason, J.R. & Morton, T.H. (1982). Temporary and selective anosmia in tiger salamanders (*Ambystoma tigrinum*) caused by chemical treatment of the olfactory epithelium. *Physiology & Behavior*, 29, 709-714.

Mason, J.R. & Reidinger, R.F. (1982). The relative importance of reinforced versus nonreinforced stimuli for visual discrimination learning by red-winged blackbirds (*Agelaius phoeniceus*). *Journal of General Psychology*, 107, 219-226.

Mason, J.R. & Reidinger, R.F. (1982). Observational learning of food aversions in red-winged blackbirds (*Agelaius phoeniceus*). *Auk*, 99, 548-554.

Murphy, C. (1982). Effects of exposure and context on the hedonics of olfactory-taste mixtures. In: J.T. Kuznicki, R.A. Johnson, & A.F. Rutkiewic (Eds.), Selected Sensory Methods: Problems and Approaches to Measuring Hedonics, Philadelphia: American Society for Testing and Materials, pp 60-70.

Naim, M., Brand, J.G., & Kare, M.R. (1982). Effect of unpalatable diets, food restriction and saccharin adulterated diet on tryptic, chymotryptic and amylolytic activity in pancreas, intestine and feces of rats. *Journal of Nutrition*, 112, 2104-2115.

Naim, M. & Kare, M.R. (1982). Nutritional significance of sweetness. In: G.G. Birch & K.J. Parker (Eds.), Nutritive Sweeteners, London: Applied Science Publishing Inc., pp 171-193.

Naim, M. & Brand, J.G. (1982). Relationships among diet palatability, eating and digestive enzyme secretion. In: J.E. Steiner & J.R. Ganchrow (Eds.), The Determination of Behavior by Chemical Stimuli, London: Information Retrieval Ltd., pp 191-202.

Navazesh, M. & Christensen, C.M. (1982). A comparison of whole mouth resting and stimulated salivary measurement procedures. *Journal of Dental Research*, 61, 1158-1162.

Pollack, M.S., Wysocki, C.J., Beauchamp, G.K., Braun, D., Jr., Calloway, C., & Dupont, B. (1982). Absence of HLA association or linkage for variation in sensitivity to the odor of androstenone. *Immunogenetics*, 15, 579-589.

Quinn, M.R. & Cagan, R.H. (1982). High specific binding of [^{3}H]GABA and [^{3}H]muscimol to membranes from dendrodendritic synaptosomes of the rat olfactory bulb. *Journal of Neurochemistry*, 39, 1381-1386.

Rabinowitz, J.L., Brand, J.G., & Bayley, D.L. (1982). Lipid profiles of taste and non-taste epithelial tissues from steer tongues. *Lipids*, 17, 950-955.

Ramirez, I. & Friedman, M.I. (1982). Glycerol is not a physiological signal in the control of food intake in rats. *Physiology & Behavior*, 29, 921-925.

Reidinger, R.F., Beauchamp, G.K., & Barth, M. (1982). Conditioned aversion to taste perceived while grooming. *Physiology & Behavior*, 28, 715-723.

Silver, W.L. & Moulton, D.G. (1982). Chemosensitivity of rat nasal trigeminal receptors. *Physiology & Behavior*, 28, 927-931.

Silver, W.L. (1982). Electrophysiological responses from the peripheral olfactory system of the American eel. *Journal of Comparative Physiology A*, 148, 379-388.

Vazquez, M., Pearson, P.B., & Beauchamp, G.K. (1982). Flavor preferences in malnourished Mexican infants. *Physiology & Behavior* , 28, 513-519.

Wysocki, C.J. (1982). The vomeronasal organ: Its influence upon reproductive behavior and underlying endocrine systems. In: W. Breipohl (Eds.), Olfaction and Endocrine Regulation, London: Information Retrieval Ltd, pp 195-208.

Wysocki, C.J., Nyby, J., Whitney, G., Beauchamp, G., & Katz, Y. (1982). The vomeronasal organ: Primary role in mouse chemosensory gender recognition. *Physiology & Behavior*, 29, 315-327.

Yamazaki, K. (1982). Distinctive odors governed by the H-2 locus. *Protein, Nucleic Acid, Enzyme*, 3, 535-548.

Yamazaki, K., Beauchamp, G.K., Bard, J., Thomas, L., & Boyse, E.A. (1982). Chemosensory recognition of phenotypes determined by the Tla and H-2K regions of chromosome 17 of the mouse. *Proceedings of the National Academy of Sciences USA*, 79, 7828-7831.

1981

Ache, B.W. & Gleeson, R.A. (1981). An approach to the focal presentation of chemical stimuli. *Chemical Senses*, 6, 225-230.

Beauchamp, G.K. (1981). Ontogenesis of taste preferences. In: D. Walcher & N. Kretchmer (Eds.), Food, Nutrition and Evolution, New York: Masson Publishing USA, Inc., pp 49-57.

Beauchamp, G.K. & Wellington, J.L. (1981). Early cross-species rearing experience influences chemosensory preferences for urine in adult male wild guinea pigs (*Cavia aperea*). *Physiology & Behavior*, 26, 1121-1124.

Beauchamp, G.K. (1981). The development of taste in infancy. In: J.T. Bond, L.J. Filer, Jr., G.A. Leveille, A. Thomson, & W.B. Weil (Eds.), Infant and Child Feeding, New York: Academic Press, pp 413-426.

Bertino, M., Beauchamp, G.K., Riskey, D.R., & Engelman, K. (1981). Taste perception in three individuals on a low sodium diet. *Appetite*, 2, 67-73.

Brand, J.G., Kron, S.J., & Senseman, D.M. (1981). Intracellular calcium and taste cell transduction. In: R.H. Cagan & M.R. Kare (Eds.), Biochemistry of Taste and Olfaction, New York: Academic Press, pp 287-309.

Brand, J.G., Naim, M., & Kare, M.R. (1981). Taste and nutrition. In: M. Rechcigl (Eds.), Handbook of Nutritional Requirements in a Functional Context, Boca Raton: CRC Press, pp 255-282.

Cagan, R. H. & Kare, M.R. (Eds.),(1981). Biochemistry of Taste and Olfaction. New York: Academic Press.

Cagan, R.H. (1981). Recognition of taste stimuli at the initial binding interaction. In: R.H. Cagan & M.R. Kare (Eds.), Biochemistry of Taste and Olfaction, New York: Academic Press, pp 175-203.

Christensen, C.M. & Vickers, Z.M. (1981). Relationships of chewing sound to judgments of food crispness. *Journal of Food Science*, 46, 574-578.

Doty, R.L., Snyder, P., Huggins, G., & Lowry, L.D. (1981). Endocrine, cardiovascular, and psychological correlates of olfactory sensitivity changes during the human menstrual cycle. *Journal of Comparative and Physiological Psychology*, 95, 45-60.

Epple, G., Golob, N.F., Cebul, M.S., & Smith, A.B., III. (1981). Communication by scent in some Callitrichidae (Primates): An interdisciplinary approach. *Chemical Senses*, 6, 377-390.

Epple, G. (1981). Effects of prepubertal castration on the development of the scent glands, scent marking and aggression in the saddle-back tamarin (*Saguinus fuscicollis*, Callitrichidae, Primates). *Hormones and Behavior*, 15, 54-67.

Epple, G. (1981). Effects of pair bonding with adults on the ontogenetic manifestation of aggressive behavior in a primate, *Saguinus fuscicollis*. *Behavioral Ecology and Sociobiology*, 8, 117-123.

Fass, B. & Mason, J.R. (1981). Evidence for chemosensory elicitation of fighting behavior between intact male hooded rats. *Psychonomic Science*, 17, 156-158.

Geyer, L., Beauchamp, G.K., Seygal, G., & Rogers, J.G., Jr. (1981). Social behavior of pine voles, *Microtus pinetorum*: Effects of gender, familiarity and isolation. *Behavioral and Neural Biology*, 31, 331-341.

Geyer, L.A. (1981). Ontogeny of ultrasonic and locomotor responses to nest odors in rodents. *American Zoologist*, 21, 117-128.

Goldstein, N.I. & Cagan, R.H. (1981). The major histocompatibility complex and olfactory receptors. In: R.H. Cagan & M.R. Kare (Eds.), Biochemistry of Taste and Olfaction, New York: Academic Press, pp 93-105.

Goldstein, N.I. & Quinn, M.R. (1981). A novel cell line isolated from the murine olfactory mucosa. *In Vitro*, 17, 593-598.

Horowitz, I.S. & Senseman, D.M. (1981). Chemosensory stimulation of the oral cavity of the snail Helisoma. *Chemical Senses*, 6, 1-12.

Huggins, G.R. & Preti, G. (1981). Vaginal odors and secretions. *Clinical Obstetrics and Gynecology*, 24, 355.

Ingate, M.R. & Christensen, C.M. (1981). Perceived textural dimensions of fruit-based beverages. *Journal of Texture Studies*, 12, 121-132.

Johnsen, P.B. & Wellington, J.L. (1981). Detection of glandular secretions by yearling alligators. *Copeia*, 3, 705-708.

Kare, M.R. & Mason, J.R. (1981). The special senses. In: P. Sturkie (Eds.), Avian Physiology, Ithaca, NY: Cornell University Press.

Kostelc, J.G., Zelson, P.R., Preti, G., & Tonzetich, J. (1981). Quantitative differences in volatiles from healthy mouths and mouths with periodontitis. *Clinical Chemistry*, 27, 842-845.

Kostelc, J.G., Preti, G., Zelson, P.R., Tonzetich, J., & Huggins, G.R. (1981). Volatiles of exogenous origin from the human oral cavity. *Journal of Chromatography*, 226, 315.

Labows, J. (1981). Odorants as chemical messengers. In: Odor Quality and Intensity as a Function of Chemical Structure: ACS Symposium No. 148, Washington, D.C.: American Chemical Society, pp 195-210.

Labows, J. (1981). Investigations of the significance of human odors. *The Sciences*, 20, 10-13.

Labows, J. (1981). Foot odors. In: M. Samitz (Eds.), Cutaneous Disorders of the Lower Extremities, Philadelphia: Lippincott Co., pp 251-253.

Leyden, J.J., McGinley, K.J., Hoelzle, E., Labows, J., & Kligman, A.M. (1981). Microbiology of the human axilla and its relationship to axillary odor. *Journal of Investigative Dermatology*, 77, 413-416.

Mason, J.R. & Stevens, D.A. (1981). Detection of and discrimination among purified simple odorants by tiger salamanders (*Ambystoma tigrinum*). *Physiology & Behavior*, 27, 125-132.

Mason, J.R. & Stevens, D.A. (1981). Threshold determination for butyl acetate and butyl alcohol by tiger salamanders (*Ambystoma tigrinum*). *Chemical Senses*, 6, 189-195.

Mason, J.R. (1981). A novel experiment for introductory psychology courses: Psychophysical assessment of olfactory adaptation. *Teaching of Psychology*, 8, 117-119.

Mason, J.R. & Reidinger, R.F. (1981). Effects of social facilitation and observational learning on feeding behavior of the red-winged blackbird (*Agelaius phoeniceus*). *Auk*, 98, 778-784.

Murphy, C., Cardello, A.V., & Brand, J.G. (1981). Tastes of fifteen halide salts following water and NaCl: Anion and cation effects. *Physiology & Behavior*, 26, 1083-1095.

Murphy, C. (1981). Taste distortion. *Journal of the American Medical Association*, 245, 1259-1263.

Murphy, C. & Kare, M.R. (1981). Aging and the chemical senses. In: H.N. Munro (Eds.), Current Status and Future Objectives of Research on Nutrition and Aging, New England University Press.

Nyby, J., Wysocki, C.J., Whitney, G., Dizinno, G., Schneider, J., & Nunez, A. (1981). Stimuli for male mouse (*Mus musculus*) ultrasonic courtship vocalizations: Presence of female chemosignals and/or absence of male chemosignals. *Journal of Comparative and Physiological Psychology*, 95, 623-629.

Quinn, M.R., Sturman, J.A., Wysocki, C.J., & Wen, G.Y. (1981). Accumulation of [^{35}S]-taurine in peripheral layers of the olfactory bulb. *Brain Research*, 230, 378-383.

Quinn, M.R. & Cagan, R.H. (1981). GABA binding to dendrodendritic synaptosomal membranes from rat olfactory bulbs. In: F.V. DeFeudis & P. Mandel (Eds.), Amino Acid Neurotransmitters, New York: Raven Press, pp 421-428.

Quinn, M.R. & Cagan, R.H. (1981). Neurochemical studies of the ç-aminobutyric acid system in the olfactory bulb. In: R.H. Cagan & M.R. Kare (Eds.), Biochemistry of Taste and Olfaction, New York: Academic Press, pp 395-415.

Reidinger, R.F., Jr. & Libay, J.L. (1981). Size and weight of coconuts damaged by rats. *Philippine Agriculturist*, 64, 281-286.

Rhein, L.D. & Cagan, R.H. (1981). The role of cilia in odor recognition. In: R.H. Cagan & M.R. Kare (Eds.), Biochemistry of Taste and Olfaction, New York: Academic Press, pp 47-68.

Rhein, L.D., Cagan, R.H., Orkand, P.M., & Dolack, M.K. (1981). Surface specializations of the olfactory epithelium of rainbow trout, *Salmo gairdner*. *Tissue and Cell*, 13, 577-587.

Smith-Barbaro, P., Levenstein, B., & Quinn, M.R. (1981). Diet-induced changes in NaCl preference and high blood pressure in rats. *Journal of Nutrition*, 111, 468-474.

Smith-Barbaro, P., Quinn, M.R., Fisher, H., & Hegsted, D.M. (1981). The effect of dietary fat and salt on blood pressure, renal and aortic prostaglandins. *Nutrition Research*, I, 277-287.

Stevens, D.A. & Lawless, H.T. (1981). Age related changes in flavor perception. *Appetite*, 2, 127-136.

Teeter, J.H. & Bennett, M.V.L. (1981). Synaptic transmission in the F electroreceptor of the transparent catfish (*Kryptopterus*). *Journal of Comparative Physiology A*, 142, 371-377.

Wellington, J.L., Beauchamp, G.K., & Smith, A.B., III. (1981). Stability of chemical communicants of gender in guinea pig urine. *Behavioral and Neural Biology*, 32, 364-375.

Wysocki, C.J. (1981). Accounting for taste. *The Cook's Magazine*, 46-49.

Yamaguchi, M., Yamazaki, K., Beauchamp, G.K., Bard, J., Boyse, E.A., & Thomas, L. (1981). Distinctive urinary odors governed by the major histocompatibility locus of the mouse. *Proceedings of the National Academy of Sciences USA*, 78, 5817-5820.

Yamazaki, K., Yamaguchi, M., Beauchamp, G.K., Bard, J., Boyse, E.A., & Thomas, L. (1981). Chemo-sensation: An aspect of the uniqueness of the individual. In: R.H. Cagan & M.R. Kare (Eds.), Biochemistry of Taste and Olfaction, New York: Academic Press, pp 85-91.

1980

Atema, J., Holland, K., & Idehara, W. (1980). Olfactory responses of yellowfin tuna (*Thunnus albacares)* to prey odors: Chemical search image. *Journal of Chemical Ecology*, 6, 2.

Beauchamp, G.K., Wellington, J.L., Wysocki, C.J., Brand, J.G., Kubie, J.L., & Smith, A.B., III. (1980). Chemical communication in the guinea pig: Urinary components of low volatility and their access to the vomeronasal organ. In: D. Müller-Schwarze & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates and Aquatic Invertebrates, New York: Plenum Press, pp 327-339.

Bernard, R.A., Doty, R.L., Engelman, K., & Weiss, R.A. (1980). Taste and salt intake in human hypertension. In: M.R. Kare, M.J. Fregly, & R.A. Bernard (Eds.), The Behavioral and Biological Aspects of Salt Intake, New York: Academic Press, pp 397-408.

Brand, J.G. & Bayle, D.L. (1980). Peripheral mechanisms in salty taste reception. In: M.R. Kare, M.J. Fregly, & R.A. Bernard (Eds.), Biological and Behavioral Aspects of Salt Intake, New York: Academic Press, pp 289-298.

Brand, J.G., Kare, M.R., & Naim, M. (1980). Restraints in accepting new foods: Relationships among taste, acceptability and digestion. In: P.B. Pearson & R. Greenwell (Eds.), Nutrition, Food and Man, Tucson: University of Arizona Press, pp 105-123.

Cagan, R.H. & Rhein, L.D. (1980). Biochemical basis of recognition of taste and olfactory stimuli. In: H. van der Starre (Eds.), Olfaction and Taste VII, London: IRL Press, Ltd, pp 35-44.

Cain, W.S. & Murphy, C.L. (1980). Interaction between chemoreceptive modalities of odour and irritation. *Nature*, 284, 255-257.

Christensen, C.M. (1980). Effects of taste quality and intensity on the oral perception of viscosity. *Perception & Psychophysics*, 28, 315-320.

Christensen, C.M. (1980). Effects of solution viscosity on perceived saltiness and sweetness. *Perception & Psychophysics*, 28, 347-353.

Epple, G. (1980). Relationships between aggression, scent marking and gonadal state in a primate, the tamarin *Saguinus fuscicollis*. In: D. Müller-Schwarze & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates and Aquatic Invertebrates, New York: Plenum Press, pp 87-105.

Epple, G., Alveario, M.C., Golob, N., & Smith, A.B., III. (1980). Stability and attractiveness related to age of scent marks of saddle-back tamarins (*Saguinus fuscicollis*). *Journal of Chemical Ecology*, 6, 735-748.

Epple, G. & Katz, Y. (1980). Social influences on first reproductive success and related behaviors in the saddle-back tamarin (*Saguinus fuscicollis*, Callitrichidae). *International Journal of Primatology*, 1, 171-183.

Gleeson, R.A. (1980). Pheromone communication in the reproductive behavior of the blue crab *Callinectes sapidus*. *Marine Behavior and Physiology*, 7, 119-134.

Holland, K.N. & Teeter, J.H. (1980). Behavioral and cardiac reflex assays of the chemosensory acuity of channel catfish to amino acids. *Physiology & Behavior*, 27, 699-707.

Johnsen, P.B. & Teeter, J.H. (1980). Spatial gradient detection of chemical cues by catfish. *Journal of Comparative Physiology A*, 140, 95-99.

Johnsen, P.B. & Hasler, A.H. (1980). The use of chemical cues in the upstream migration of coho salmon (*Oncorhynchus kisutch*). *Journal of Fish Biology*, 17, 67-73.

Kare, M.R. & Brand, J.G. (1980). Taste and salt. In: P.L. White & S.C. Crocco (Eds.), Sodium and Potassium in Foods and Drugs, Monroe, WI: American Medical Association, pp 17-22.

Kare, M.R. (Eds.), (1980). Biological and Behavioral Aspects of Salt Intake. San Diego: Elsevier Science & Technology Books.

Kostelc, J.G., Preti, G., Zelson, P.R., Stoller, N.H., & Tonzetich, J. (1980). Salivary volatiles as indicators of periodontitis. *Journal of Periodontal Research*, 15, 185.

Kostelc, J.G., Girard, J.E., & Hendry, L.B. (1980). Isolation and identification of a sciarid fly sex pheromone complex. *Journal of Chemical Ecology*, 6, 1-12.

Labows, J., McGinley, K., Webster, G.F., & Leyden, J.J. (1980). Headspace analysis of volatile metabolites of *Pseudomonas aeruginosa* and related species by gas chromatography-mass spectrometry. *Journal of Clinical Microbiology*, 12, 512-526.

Labows, J. (1980). What the nose knows: Investigating the significance of human odors. *The Sciences*, 20, 10-13.

Lawless, H.T. (1980). A comparison of different methods for assessing sensitivity to the taste of phenylthiocarbamide (PTC). *Chemical Senses and Flavor*, 5, 247-256.

Morris, J.A. & Cagan, R.H. (1980). Formation of oligomeric monellin in protein denaturants. *Proceedings of the Society for Experimental Biology and Medicine*, 164, 351-354.

Murphy, C. & Cain, W.S. (1980). Taste and olfaction: Independence vs. interaction. *Physiology & Behavior*, 24, 601-605.

Naim, M., Brand, J.G., Kare, M.R., Kaufmann, N.A., & Kratz, C.M. (1980). Effects of unpalatable diets and food restriction on feed efficiency in growing rats. *Physiology & Behavior*, 25, 609-614.

Naim, M., Kare, M.R., & Brand, J.G. (1980). Effects of unpalatable diets on pancreatic enzyme composition. In: H. van der Starre (Eds.), Olfaction and Taste VII, London: IRL Press, Ltd., pp 426.

Novotny, M., Jorgenson, J.W., Carmack, M., Wilson, S.R., Boyse, E.A., Yamazaki, K., Wilson, M., Beamer, W., & Whitten, W.K. (1980). Chemical studies of the primer mouse pheromones. In: D. Müller-Schwarze & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates II, New York: Plenum Press, pp 377-390.

Quinn, M.R. & Cagan, R.H. (1980). Biochemical evidence for GABA as a neurotransmitter at the dendrodendritic synapses in the rat olfactory bulb. In: H. van der Starre (Eds.), Olfaction and Taste VII, London: IRL Press, Ltd., pp 259-262.

Quinn, M.R. & Cagan, R.H. (1980). Subcellular distribution of glutamate decarboxylase in the rat olfactory bulb: High content in dendrodendritic synaptosomes. *Journal of Neurochemistry*, 35, 583-590.

Rhein, L.D. & Sampugna, J. (1980). Myelin subfractions isolated from mouse brains: Assessment of the lipid composition at three developmental stages. *Lipids*, 16, 502-507.

Rhein, L.D. & Cagan, R.H. (1980). Biochemical studies of olfaction. Isolation, characterization and odorant binding activity of cilia from rainbow trout olfactory rosettes. *Proceedings of the National Academy of Sciences USA*, 77, 4412-4416.

Robinzon, B. & Katz, Y. (1980). The effects of hypothalamic and mesencephalic lesions on food and water intakes, adiposity and some endocrine criteria, in the red-winged Blackbird (*Agelaius Phoeniceus*). *Physiology & Behavior*, 24, 347-356.

Robinzon, B., Kare, M.R., & Beauchamp, G.K. (1980). Comparative aspects of salt preference and intake in birds. In: M.R. Kare, M.J. Fregly, & R.A. Bernard (Eds.), Biological and Behavioral Aspects of Salt Intake, New York: Academic Press, pp 69-81.

Rogers, J.G., Jr. (1980). Conditioned taste aversion: Its role in bird damage control. In: E.N. Wright, I.R. Inglis, & C.J. Feare (Eds.), Bird Problems in British Agriculture, Lampert-Gilbert, pp 173-179.

Sastry, S.D., Buck, K.T., Janak, J., & Preti, G. (1980). Volatiles released by humans. In: G.R. Waller (Eds.), Supplementary Volume to Biochemical Applications of Mass Spectrometry, New York: John Wiley Interscience, pp 1086.

Smith-Barbaro, P., Fisher, H., Quinn, M.R., & Hegsted, D.M. (1980). The effect of varying polyunsaturated to saturated fat ratios on salt-induced hypertension in rats. *Nutrition Reports International*, 22, 759-770.

Smith-Barbaro, P.A., Quinn, M.R., Fisher, H., & Hegsted, D.M. (1980). Pressor effects of fat and salt in rats. *Proceedings of the Society for Experimental Biology and Medicine*, 165, 283-290.

Teeter, J. & Szamier, R.B. (1980). Ampullary electoreceptors in the sturgeon. *Journal of Comparative Physiology A*, 138, 213-223.

Teeter, J.H. (1980). Pheromone communication in sea lampreys (*Petromyzon marinus*): Implications for population management. *Canadian Journal of Fisheries and Aquatic Science*, 37, 2123-2132.

Torii, K. (1980). Salt intake and hypertension in rats. In: M.R. Kare, M.J. Fregly, & R.A. Bernard (Eds.), Biological and Behavioral Aspects of Salt Intake, New York: Academic Press, pp 345-366.

Torii, K. & Cagan, R.H. (1980). Biochemical studies of taste sensation IX. Enhancement of L-(^{3}H)glutamate binding to bovine taste papillae by 5'-ribonucleotides. *Biochimica et Biophysica Acta*, 627, 313-323.

Vickers, Z.M. & Christensen, C.M. (1980). Relationships between sensory crispness and other sensory and instrumental parameters. *Journal of Texture Studies*, 11, 291-307.

Wysocki, C.J., Wellington, J.L., & Beauchamp, G.K. (1980). Access of urinary nonvolatiles to the mammalian vomeronasal organ. *Science*, 207, 781-783.

Wysocki, C.J., Beauchamp, G.K., & Erisman, S. (1980). Access of compounds to the vomeronasal organ in pine and meadow voles. In: R.E. Byers (Eds.), Proceedings of the Fourth Eastern Pine and Meadow Vole Symposium, Winchester, VA: 20-23.

Yamazaki, K., Yamaguchi, M., Boyse, E.A., & Thomas, L. (1980). The major histocompatibility complex as a source of odors imparting individuality among mice. In: D. Müller-Schwarze & R.M. Silverstein (Eds.), Chemical Signals in Vertebrates II, New York: Plenum Press, pp 267-273.

1979

Beauchamp, G.K., Doty, R.L., Moulton, D.G., & Mugford, R.A. (1979). The pheromone concept: A reply to Katz and Shorey. *Journal of Chemical Ecology*, 5, 301-305.

Beauchamp, G.K., Criss, B.R., & Wellington, J.L. (1979). Chemical communication in Cavia: Responses of wild (*C. aperea*), domestic (*C. porcellus*) and F_1 males to urine. *Animal Behaviour*, 27, 1066-1072.

Blenderman, W.G., Joullie, M.M., & Preti, G. (1979). The birch reduction of thiophene-2-carboxylic acid. *Tetrahedron Letters*, 52, 4985.

Cagan, R.H., Torii, K., & Kare, M.R. (1979). Biochemical studies of glutamate taste receptors: The synergistic taste effect of L-glutamate and 5'-ribonucleotides. In: L.J. Filer (Eds.), Glutamic Acid: Advances in Biochemistry and Physiology, New York: Raven Press, pp 1-9.

Cagan, R.H. & Morris, R.W. (1979). Biochemical studies of taste sensation. VI. Binding to taste tissue of ^{3}H-labelled monellin, a sweet-tasting protein. *Proceedings of the National Academy of Sciences USA*, 76, 1692-1696.

Cagan, R.H. (1979). Biochemical studies of taste sensation. VII. Enhancement of taste stimulus binding to a catfish taste receptor preparation by prior exposure to the stimulus. *Journal of Neurobiology*, 10, 207-220.

Chalupa, W., Baile, C.A., McLaughlin, C.L., & Brand, J.G. (1979). Effect of introduction of urea on feeding behavior of Holstein heifers. *Journal of Dairy Science*, 62, 1278-1284.

Chan, M.M. & Cote, J. (1979). Fluid intakes and chorda tympani nerve responses in vitamin B-6 deficient rats. *Physiology & Behavior*, 22, 401-404.

Chan, M.M. & Kare, M.R. (1979). Effect of vitamin B-6 deficiency on preference for several taste solutions in the rat. *Journal of Nutrition*, 109, 339-344.

Christensen, C.M. (1979). Oral perception of solution viscosity. *Journal of Texture Studies*, 10, 153-164.

Davies, R.O., Kare, M.R., & Cagan, R.H. (1979). Distribution of taste buds on fungiform and circumvallate papillae of bovine tongue. *Anatomical Record*, 195, 443-446.

Doty, R.L. (1979). A procedure for combining menstrual cycle data. *Journal of Clinical Endocrinology and Metabolism*, 48, 912-918.

Epple, G. & Cerny, V. (1979). Effects of castration and social change on scent marking behavior of *Saguinus fuscicollis*. *Folia Primatologica*, 32, 252-265.

Epple, G. (1979). Gonadal control of male scent in the tamarin *Saguinus fuscicollis* (Callitrichidae, Primates). *Chemical Senses and Flavor*, 4, 15-20.

Epple, G., Golob, N.F., & Smith, A.B., III. (1979). Odor communication in the tamarin *Saguinus fuscicollis*. Behavior and chemical studies. In: F.J. Ritter (Eds.), Chemical Ecology: Odour Communication in Animals, Amsterdam: Elsevier, pp 117-130.

Filer, L.J. Jr. et al (Eds.), (1979). Glutamic Acid: Advances in Biochemistry and Physiology. New York: Raven Press.

Geyer, L.A. (1979). Olfactory and thermal influences on ultrasonic vocalization during development in rodents. *American Zoologist*, 19, 419-430.

Geyer, L.A. & Rogers, J.G., Jr. (1979). The influence of light intensity on reproduction in pine voles, *Microtus pinetorum*. *Journal of Mammalogy*, 60, 839-841.

Gleeson, R.A. (1979). Functional adaptations in chemosensory systems. In: M.A. Ali (Eds.), Sensory Ecology, Review and Perspectives, New York: Plenum Press.

Golob, N.F., Yarger, R.G., & Smith, A.B., III. (1979). Primate chemical communication, part III: Synthesis of the major volatile constituents of the marmoset (*Saguinus fuscicollis*) scent mark. *Journal of Chemical Ecology*, 5, 543-555.

Jacobs, W.W. & Labows, J.N. (1979). Conditioned aversion, bitter taste, and the avoidance of natural toxicants in wild guinea pigs. *Physiology & Behavior*, 22, 173-178.

Jacobsson-Hunt, U., Hammond, B.F., & Cagan, R.H. (1979). Effect of the sweet-tasting protein monellin on growth of a cariogenic bacterium: A microbiological study. *Journal of American Dental Association*, 98, 719-721.

Kare, M.R. (1979). Physiological functions of sweeteners. In: H. Chiba (Eds.), Developments in Food Science, 2, Holland: Elsevier Scientific Publication Co.

Kare, M.R. & Zelson, P.R. (1979). The chemical senses and aging. In: C.J. Toga, K. Nandy, & H.H. Chauncey (Eds.), Geriatric Dentistry, Lexington, MA: Lexington Books, pp 117-123.

Katz, Y., Leung, P.C.K., & Armstrong, D. (1979). Testosterone restores ovarian aromatase activity in rats treated with a 17,20-lyase inhibitor. *Molecular and Cellular Endocrinology*, 14, 37-44.

Labows, J., Preti, G., Holzle, E., Leyden, J., & Kligman, A. (1979). Analysis of human axillary volatiles: Compounds of exogenous origin. *Journal of Chromatography*, 163, 294.

Labows, J.N., Preti, G., Hoelzle, E., Leyden, J., & Kligman, A. (1979). Steroid analysis of human apocrine secretion. *Steroids*, 34, 2441.

Labows, J.N. (1979). Characteristic γ-lactone odor production of the genus *Pityrosporum*. *Applied Environmental Microbiology*, 38, 412-415.

Labows, J.N. (1979). Human odors: What can they tell us. *Perfumer and Flavorist*, 4, 12-17.

Naim, M. (1979). Self-selection of food and water flavored with monosodium glutamate. In: L.J. Filer, S. Garattini, M.R. Kare, W.A. Reynolds, & R.J. Wurtman (Eds.), Glutamic Acid: Advances in Biochemistry and Physiology, New York: Raven Press, pp 11-23.

Nyby, J., Wysocki, C.J., Whitney, G., Dizinno, G., & Schneider, J. (1979). Elicitation of male mouse (*Mus musculus*) ultrasonic vocalizations I: Urinary cues. *Journal of Comparative and Physiological Psychology*, 93, 957-975.

Preti, G., Huggins, G.R., & Silverberg, G. (1979). Alterations in the organic compounds of vaginal secretions caused by sexual arousal. *Fertility and Sterility*, 32, 47.

Quinn, M.R. & Chan, M.M. (1979). Effect of vitamin B-6 deficiency on glutamic acid decarboxylase activity in rat olfactory bulb and brain. *Journal of Nutrition*, 109, 1694-1702.

Reidinger, R.F., Jr. & Libay, J.L. (1979). Perches coated with glue reduce bird damage in ricefield plots. In: W.B. Jackson, S.S. Jackson, & B.A. Jackson (Eds.), Proceedings of the Eighth Bird Control Seminar, Bowling Green, OH: Bowling Green State University, pp 201-206.

Riskey, D.R., Parducci, A., & Beauchamp, G.K. (1979). Effects of context in judgements of sweetness and pleasantness. *Perception & Psychophysics*, 26, 171-176.

Robinzon, B., Katz, Y., & Rogers, J.G., Jr. (1979). The involvement of the olfactory bulbs in regulation of gonadal and thyroidal activity of male red-winged blackbirds exposed to short-day light regime. *Brain Research Bulletin*, 4, 339-345.

Robinzon, B. & Rogers, J.G., Jr. (1979). The effect of gonadal and thyroidal hormones on the regulation of food intake and adiposity, and on various endocrine glands, in the red-winged blackbird (*Agelaius phoeniceus*). *General and Comparative Endocrinology*, 38, 135-147.

Wehmer, F., Bertino, M., & Kai-Lin, C.J. (1979). The effects of high fat diet on reproduction in female rats. *Behavioral and Neural Biology*, 27, 120-124.

Wellington, J.L., Byrne, K.J., Preti, G., Beauchamp, G.K., & Smith, A.B. (1979). The perineal scent gland of wild and domestic guinea pigs: A comparative chemical and behavioral study. *Journal of Chemical Ecology*, 5, 737-751.

Wysocki, C.J. (1979). Neurobehavioral evidence for the involvement of the vomeronasal system in mammalian reproduction. *Neuroscience and Biobehavioral Reviews*, 3, 301-341.

Yamazaki, K., Yamaguchi, M., Baranoski, L., Bard, J., Boyse, E.A., & Thomas, L. (1979). Recognition among mice: Evidence from the use of a Y maze differently scented by congenic mice of difference major histocompatibility types. *Journal of Experimental Medicine*, 150, 755-760.

Zelson, P.R. & Cagan, R.H. (1979). Biochemical studies of taste sensation. VIII. Partial characterization of alanine-binding taste receptor sites of catfish *Ictalurus punctatus* using mercurials, sulfhydryl reagents, trypsin and phospholipase C. *Comparative Biochemistry and Physiology*, 64, 141-147.

1978

Aronson, C.E., Sterlick, E.R., & Preti, G. (1978). Effects of di-2-ethylhexylphthalate on the isolated perfused rat heart. *Toxicology and Applied Pharmacology*, 44, 155.

Brand, J.G. (1978). Biophysics of taste receptors. In: J.H. Shaw & G.G. Roussos (Eds.), Sweeteners and Dental Caries, Arlington, VA: Information Retrieval Inc, pp 13-32.

Cagan, R.H. & Zeiger, W.N. (1978). Biochemical studies of olfaction. I. Binding specificity of radioactively labeled stimuli to an isolated olfactory preparation from rainbow trout (*Salmo gairdneri*). *Proceedings of the National Academy of Sciences USA*, 75, 4679-4683.

Cagan, R.H. (1978). Olfaction and gustation - Functions and mechanisms. In: J.H. Shaw, E.A. Sweeney, C.C. Cappuccino, & S.M. Meller (Eds.), Textbook of Oral Biology, Philadelphia: W.B. Saunders Co., pp 649-671.

Cagan, R.H., Brand, J.G., Morris, J.A., & Morris, R.W. (1978). Monellin, a sweet-tasting protein. In: J.H. Shaw & G.G. Roussos (Eds.), Sweeteners and Dental Caries, Arlington, VA: Information Retrieval Inc, pp 311-323.

Cagan, R.H. & Kare, M.R. (1978). Chemical senses: Influence on variability of nutritional adaptation. In: S. Margen & R.A. Ogar (Eds.), Progress in Human Nutrition, Westport, CT: Avi Publishing Co., pp 187-196.

Cebul, M.S., Alveario, M.C., & Epple, G. (1978). Odor recognition and attachment in infant marmosets. In: H. Rothe, H.J. Wolters, & J.P. Hearn (Eds.), Biology and Behaviour of Marmosets, Gottingen: Eigenverlag Rothe, pp 141-146.

Chalupa, W. & Baile, C.A. (1978). Development of diets for food-producing animals. In: R.W. Bullard (Eds.), Flavor Chemistry of Animal Foods, Washington, D.C.: American Chemical Society, pp 129-140.

Doty, R.L. (1978). Gender and reproductive state correlates of taste perception in humans. In: D.A. McGill, D.A. Dewsbury, & B. Sachs (Eds.), Sex and Behavior: Status and Prospectus, New York: Plenum Press, pp 337-362.

Doty, R.L., Brugger, W.E., Jurs, P.C., Orndorff, M.A., Snyder, P.J., & Lowry, L.D. (1978). Intranasal trigeminal stimulation from odorous volatiles: Psychometric responses from anosmic and normal humans. *Physiology & Behavior*, 20, 175-185.

Doty, R.L., Kligman, A., Leyden, J., & Orndorff, M.M. (1978). Communication of gender from human axillary odors: Relationship to perceived intensity and hedonicity. *Behavioral Biology*, 23, 373-380.

Epple, G. (1978). Reproductive and social behavior of marmosets with special reference to captive breeding. In: N. Gengozian & F. Deinhardt (Eds.), Marmosets in Experimental Medicine, Basel: S. Karger, pp 50-62.

Epple, G. (1978). Overt aggression and scent marking in *Saguinus fuscicollis*: The effects of castration in adulthood. In: H. Rothe, H.J. Wolters, & J.P. Hearn (Eds.), Biology and Behaviour of Marmosets, Gottingen: Eigenverlag Rothe, pp 191-195.

Epple, G. & Moulton, D. (1978). Structural organization and communicatory functions of olfaction in nonhuman primates. In: C.R. Noback (Eds.), Sensory Systems of Primates, New York: Plenum Press, pp 1-22.

Epple, G. (1978). Studies on the nature of chemical signals in scent marks and urine of *Saguinus fuscicollis* (Callitrichidae, Primates). *Journal of Chemical Ecology*, 4, 383-394.

Epple, G. (1978). Lack of effects of castration on scent marking, displays and aggression in a South American primate (*Saguinus fuscicollis*). *Hormones and Behavior*, 11, 139-150.

Jacobs, W.W. (1978). Taste responses of wild and domestic guinea pigs. *Physiology & Behavior*, 20, 579-588.

Jacobs, W.W., Beauchamp, G.K., & Kare, M.R. (1978). Progress in animal flavor research. In: R.W. Bullard (Eds.), Animal Flavor Chemistry, Washington, D.C.: American Chemical Society, pp 1-20.

Meredith, M. & Moulton, D.G. (1978). Patterned response to odor in single neurons of goldfish olfactory bulb: Influence of odor quality and other stimulus parameters. *Journal of General Physiology*, 71, 615-643.

Morris, R.W., Cagan, R.H., Martenson, R.E., & Deibler, G. (1978). Methylation of the lysine residues of monellin. *Proceedings of the Society for Experimental Biology and Medicine*, 157, 194-199.

Moulton, D.G. (1978). Olfactory performance and receptor processes in the dog. In: Y. Katsuki, M. Sato, S. Takegi, & Y. Oomura (Eds.), Food Intake and the Chemical Senses, Tokyo: Tokyo University Press, pp 73-78.

Moulton, D.G. (1978). Olfaction. In: R.B. Masterton (Eds.), Handbook of Behavioral Neurobiology, New York: Plenum Press, pp 91-117.

Naim, M., Kare, M.R., & Ingle, D.E. (1978). Diet palatability and growth efficiency: Evidence for a physiological interrelationship in rats. *Life Sciences*, 23, 2127-2136.

Naim, M., Kare, M.R., & Merritt, A.M. (1978). Effects of oral stimulation on the cephalic phase of pancreatic exocrine secretion in dogs. *Physiology & Behavior*, 20, 563-570.

Nemeroff, N., Joullie, M.M., & Preti, G. (1978). The photochemistry of some heterocyclic analogs for 3,3,5,5-tetramethylcyclohexanone. *Journal of Organic Chemistry*, 43, 331.

Preti, G., Huggins, G.R., & Bares, J. (1978). Analysis of human vaginal secretions by gas chromatography/mass spectrometry. *Israeli Journal of Chemistry*, 17, 215.

Preti, G. & Huggins, G.R. (1978). Organic constituents of vaginal secretions. In: E.S.E. Hafez & T.N. Evans (Eds.), The Human Vagina: In Health and Disease, Amsterdam: Elsevier, pp 151-166.

Robinzon, B. & Quinn, M.R. (1978). Simple method for staining unmyelinated axons in rat olfactory bulb. *Brain Research Bulletin* , 3, 563-566.

Rogers, J.G., Jr. (1978). Some characteristics of conditioned aversion in red-winged blackbirds. *Auk*, 95, 362-369.

Senseman, D.M. (1978). Short-term control of food intake in the terrestrial slug ariolimax. *Journal of Comparative Physiology A* , 124, 37-48.

Settle, R.G., Quinn, M.R., Brand, J.G., Kare, M.R., & Mullen, J.L. (1978). Food preferences and taste in hospitalized patients. In: W.A. Krehl & N.H. Moss (Eds.), Clinical Nutrition in Health Care Facilities, Philadelphia: George M. Stickly Co., pp 21-22.

Settle, R.G., Quinn, M.R., Brand, J.G., Kare, M.R., Mullen, J.L., & Brown, R. (1978). Gustatory evaluation of cancer patients: Preliminary results. In: J. Van Eyes, M.S. Seelig, & B.L. Nichols (Eds.), Nutrition and Cancer, New York: S.P. Medical and Scientific Books, pp 171-185.

Tonzetich, J., Preti, G., & Huggins, G.R. (1978). Changes in the concentrations of volatile sulfur compounds in mouth air during the menstrual cycle. *Journal of Internal Medicine Research*, 6, 245.

1977

Beauchamp, G.K., Maller, O., & Rogers, J.G., Jr. (1977). Flavor preferences in cats (*Felis catus* and *Panthera sp.*). *Journal of Comparative and Physiological Psychology*, 91, 1118-1127.

Beauchamp, G.K., Magnus, J.G., Shmunes, N.T., & Durham, T. (1977). Effects of olfactory bulbectomy on social behavior of male guinea pigs (*Cavia porcellus*). *Journal of Comparative and Physiological Psychology*, 91, 336-346.

Beauchamp, G.K. & Maller, O. (1977). The development of flavor preferences in humans. A review. In: M.R. Kare & O. Maller (Eds.), The Chemical Senses and Nutrition II, New York: Academic Press, pp 292-311.

Brand, J.G. & Cagan, R.H. (1977). Fluorescence characteristics of native and denatured monellin. *Biochimica et Biophysica Acta*, 493, 178-187.

Cagan, R.H. (1977). Recognition of gustatory and olfactory stimulus molecules at receptor sites. In: Y. Katsuki, M. Sato, S. Takagi, & Y. Oomura (Eds.), Food Intake and Chemical Senses, Tokyo: Tokyo Press, pp 131-138.

Cagan, R.H. (1977). A framework for the mechanisms of action of special taste substances: The example of monosodium glutamate. In: M.R. Kare & O. Maller (Eds.), The Chemical Senses and Nutrition, New York: Academic Press, pp 343-359.

Doty, R.L. (1977). Food preference ratings of congenitally-anosmic humans. In: M.R. Kare & O. Maller (Eds.), The Chemical Senses and Nutrition, New York: Academic Press, pp 315-325.

Doty, R.L. (1977). A review of recent psychophysical studies examining the possibility of chemical communication of sex and reproductive state in humans. In: D. Müller-Schwarze & M.M. Mozell (Eds.), Chemical Signals in Vertebrates, New York: Plenum Press, pp 273-286.

Epple, G. (1977). Notes on the establishment and maintenance of the pair bond in *Saguinus fuscicollis*. In: D.G. Kleinman (Eds.), Biology and Conservation of the Callitrichidae, Washington, D.C.: Smithsonian Institution Press, pp 231-237.

Geyer, L.A. & Rogers, J.G., Jr. (1977). Low light intensity reduces reproductive rate in pine voles (*Pitymys pinetorum*). *American Zoologist*, 17, 884.

Jacobs, W.W. & Beauchamp, G.K. (1977). Glucose preferences in wild and domestic guinea pigs. *Physiology & Behavior*, 18, 491-493.

Kare, M.R. & Beauchamp, G.K. (1977). Taste, smell and hearing. In: M.J. Swenson (Eds.), Duke's Physiology of Domestic Animals, Ithaca, NY: Cornell University Press.

Kare, M.R. & Maller, O. (Eds.), (1977). The Chemical Senses and Nutrition, New York: Academic Press.

Kauer, J.S. & Shepherd, G.M. (1977). Analysis of the onset phase of olfactory bulb unit responses to odour pulses in the salamander. *Journal of Physiology*, 272, 495-516.

Mason, J.R. & Linz, G.S. (1977). Repellency of garlic extract to a passerine species. *Crop Protection*, 16, 107-108.

Moulton, D.G. (1977). Minimum odorant concentration detectable by the dog and their implications for olfactory receptor sensitivity. In: D. Müller-Schwarze & M.M. Mozell (Eds.), Chemical Signals in Vertebrates, New York: Plenum Press, pp 455-464.

Naim, M., Kare, M.R., & Ingle, D.E. (1977). Sensory factors which affect the acceptance of raw and heated defatted soybeans by rats. *Journal of Nutrition*, 107, 1653-1658.

Naim, M. & Kare, M.R. (1977). Taste stimuli and pancreatic function. In: M.R. Kare & O. Maller (Eds.), The Chemical Senses and Nutrition, New York: Academic Press, pp 145-162.

Ohara, I. & Naim, M. (1977). Effects of monosodium glutamate on eating and drinking behavior in rats. *Physiology & Behavior*, 19, 627-634.

Preti, G., Smith, A.B., & Beauchamp, G.K. (1977). Chemical and behavioral complexity in mammalian chemical communication systems: Guinea pigs (*Cavia porcellus*), marmosets (*Saguinus fuscicollis*) and humans (*Homo sapiens*). In: D. Müller-Schwartz & M.M. Mozell (Eds.), Chemical Signals in Vertebrates, New York: Plenum Press, pp 95-114.

Pruzan, A., Applewhite, P.B., & Bucci, M.J. (1977). Protein synthesis inhibition alters drosophila mating behavior. *Pharmacology, Biochemistry and Behavior*, 6, 355-357.

Pruzan, A. & Bush, G. (1977). Discrimination in two strains of *drosophila melanogaster* larvae. *Behavior Genetics*, 7, 85.

Pruzan, A., Ehrman, L., & O'Hara, E. (1977). Ethological isolation and mating experience in *drosophila paulistorum*. *Behavior Genetics*, 7, 81.

Quinn, M.R. & Fisher, H. (1977). Effect of dietary histidine on olfaction and rat brain and muscle concentration of histidine containing dipeptides. *Journal of Neurochemistry*, 29, 717-728.

Quinn, M.R. & Fisher, H. (1977). Effect of dietary histidine deprivation in two rat strains on hemoglobin and tissue concentration of histidine-containing dipeptides. *Journal of Nutrition*, 107, 2044-2054.

Rogers, J.G., Jr. (1977). Repellents for vertebrate pests: Some considerations for their use and development. In: R. Bullard (Eds.), Flavor Chemistry of Animal Foods: Symposium Series No. 67, Washington, D.C.: American Chemical Society, pp 150-165.

Rogers, J.G., Jr. & Linehan, J.T. (1977). Some aspects of grackle feeding behavior in newly-planted corn. *Journal of Wildlife Management*, 41, 444-447.

Senseman, D.M. (1977). Gastropod mulluscs as model systems for the study of integrative mechanisms controlling feeding behavior. In: M.R. Kare & O. Maller (Eds.), The Chemical Senses and Nutrition, New York: Academic Press, pp 5-23.

Senseman, D.M. (1977). Starch: A potent feeding stimulant for the terrestrial slug *Ariolimax californicus*. *Journal of Chemical Ecology*, 3, 707-715.

Simenhoff, M.L., Burke, J.F., Saukkonen, J.J., Ordinario, A.T., & Doty, R.L. (1977). Biochemical profile of uremic breath. *New England Journal of Medicine*, 297, 132-135.

Smith, A.B., III, Byrne, K.J., & Beauchamp, G.K. (1977). Syn- and anti-phenylacetaldehyde oxime: Two novel testosterone-dependent mammalian metabolites. *Journal of Chemical Ecology*, 3, 309-319.

Yarger, R.G., Smith, A.B., Preti, G., & Epple, G. (1977). The major volatile constituents of the scent mark of a South American primate (*Saguinus fuscicollis, Callitrichidae*). *Journal of Chemical Ecology*, 3, 45-56.

1976

Beauchamp, G.K., Doty, R.L., Mugford, R.A., & Moulton, D.G. (1976). The pheromone concept in chemical communication: A critique. In: R.L. Doty (Eds.), Mammalian Olfaction, Reproductive Processes and Behavior, New York: Academic Press, pp 144-160.

Beauchamp, G.K. (1976). Diet influences attractiveness of urine in guinea pigs. *Nature*, 263, 587-588.

Brand, J.G. & Cagan, R.H. (1976). Biochemical studies of taste sensation. III. Preparation of a suspension of bovine taste bud cells and their labeling with a fluorescent probe. *Journal of Neurobiology*, 7, 205-220.

Brand, J.G., Zeeberg, B.R., & Cagan, R.H. (1976). Biochemical studies of taste sensation. V. Binding of quinine to bovine taste papillae and taste bud cells. *International Journal of Neuroscience*, 7, 37-43.

Cagan, R.H. (1976). Biochemical studies of taste sensation. II. Labeling of cyclic AMP of bovine taste papillae in response to sweet and bitter stimuli. *Journal of Neuroscience Research*, 2, 363-371.

Cagan, R.H. & Morris, J.A. (1976). The sulfhydryl group of monellin: Its chemical reactivity and importance to the sweet taste. *Proceedings of the Society for Experimental Biology and Medicine*, 152, 635-640.

Chung-Hwang, E., Khurana, H., & Fisher, H. (1976). The effect of dietary histidine level of the carnosine concentration of rat olfactory bulb. *Journal of Neurochemistry*, 26, 1087-1091.

Doty, R.L., Jafek, B., Orndorff, M., & Lowry, L.D. (1976). Factors influencing intranasal trigeminal detection of chemical vapors by humans. *Transactions of the American Academy of Ophthalmology and Otolaryngology*, 82, 261-262.

Doty, R.L. (1976). Reproductive endocrine influences upon human nasal chemoreception: A review. In: R.L. Doty (Eds.), Mammalian Olfaction, Reproductive Processes and Behavior, New York: Academic Press, pp 295-321.

Doty, R. L. (Ed.). (1976). Mammalian Olfaction, Reproductive Processes and Behavior, New York: Academic Press.

Epple, G. (1976). Chemical communication and reproductive processes in non-human primates. In: R.L. Doty (Eds.), Mammalian Olfaction, Reproductive Processes and Behavior, New York: Academic Press, pp 257-282.

Huggins, G.R. & Preti, G. (1976). Volatile constituents of human vaginal secretions. *American Journal of Obstetrics and Gynecology*, 126, 129-136.

Kare, M.R. & Rogers, J.G., Jr. (1976). Sense organs. In: P.D. Sturkie (Eds.), Avian Physiology, Berlin: Springer-Verlag, pp 29-52.

Kenney, J.J. & Collier, R. (1976). The effects of saccharin on the sucrose consumption of rats. *Journal of Nutrition*, 106, 388-391.

Krueger, J.M. & Cagan, R.H. (1976). Biochemical studies of taste sensation: IV. Binding of L-(^{3}H)-alanine to a sedimentable fraction from catfish barbel epithelium. *Journal of Biological Chemistry*, 251, 88-97.

Morris, J.A. & Cagan, R.H. (1976). Enzymatic proteolysis of monellin: Absence of sweet peptides. *Journal of Agriculture and Food Chemistry*, 24, 1075-1077.

Moulton, D.G. (1976). Spatial patterning of response to odors in the peripheral olfactory system. *Physiological Reviews*, 56, 578-593.

Moulton, D.G. & Marshall, D.A. (1976). The performance of dogs in detecting α-Ionone in the vapor phase. *Journal of Comparative Physiology A*, 110, 287-306.

Preti, G., Muetterties, E.L., Furman, J., Kennelly, J., & Johns, B. (1976). Volatile constituents of dog and coyote anal sacs. *Journal of Chemical Ecology*, 2, 177-186.

Rogers, J.G., Jr. & Beauchamp, G.K. (1976). Some ecological implications of primer chemical stimuli in rodents. In: R.L. Doty (Eds.), Mammalian Olfaction, Reproductive Processes and Behavior, New York: Academic Press, pp 181-197.

Rogers, J.G., Jr. & Beauchamp, G.K. (1976). Influence of stimuli from populations of *Peromyscus leucopus* on maturation of young. *Journal of Mammalogy*, 57, 320-330.

Roth, K., Cohn, R., Yandrasitz, J., Preti, G., Dodd, P., & Segal, S. (1976). Beta-methylcrotonic aciduria associated with lactic acidosis. *Journal of Pediatrics*, 88, 229-235.

Smith, A.B., III, Yarger, R.G., & Epple, G. (1976). The major volatile constituents of the marmoset (*Saguinus fuscicollis*) scent mark. *Tetrahedron Letters*, 13, 983-986.

1975

Desor, J.A. & Maller, O. (1975). Taste correlate of disease states: Cystic fibrosis. *Journal of Pediatrics*, 87, 93-96.

Desor, J.A., Maller, O., & Greene, L. (1975). Preferences for sweet in humans: Infants, children, adults. In: J. Weiffenbach (Eds.), The Development of Sweet Preference, Washington, D.C.: U.S. Government Printing Office.

Desor, J.A., Maller, O., & Andrews, K. (1975). Ingestive responses of human newborns to salty, sour, and bitter stimuli. *Journal of Comparative and Physiological Psychology*, 89, 966-970.

Desor, J.A., Greene, L.S., & Maller, O. (1975). Preferences for sweet and salty in 9- to 15-year old and adult humans. *Science*, 190, 686-687.

Doty, R.L. & Silverthorne, C. (1975). Influence of menstrual cycle on volunteering behaviour. *Nature*, 254, 139-140.

Doty, R.L., Ford, M., Preti, G., & Huggins, G.R. (1975). Changes in the intensity and pleasantness of human vaginal odors during the menstrual cycle. *Science*, 190, 1316-1318.

Doty, R.L. (1975). Intranasal trigeminal detection of chemical vapors by humans. *Physiology & Behavior*, 14, 855-859.

Doty, R.L. (1975). Determination of odor preferences in rodents: A methodological review. In: D.G. Moulton, J.W. Johnston, & A. Turk (Eds.), Methods in Olfactory Research, London: Academic Press, pp 383-393.

Doty, R.L. (1975). An examination of relationships between the pleasantness, intensity and concentration of 10 odorous stimuli. *Perception & Psychophysics*, 17, 492-496.

Epple, G. (1975). Parental behavior in *Saguinus fuscicollis ssp* (Callitrichidae). *Folia Primatologica*, 24, 221-238.

Epple, G. (1975). The behavior of marmoset monkeys. In: L.R. Rosenblum (Eds.), Primate Behavior, Development in Field and Laboratory Research, New York: Academic Press, pp 195-239.

Francis, W.J. (1975). Clutch size and nesting success in red-winged blackbirds. *Auk*, 92, 815-817.

Greene, L.S., Desor, J.A., & Maller, O. (1975). Heredity and experience: Their relative importance in the development of taste preference in man. *Journal of Comparative and Physiological Psychology*, 89, 279-284.

Kare, M.R. (1975). Changes in taste with age: Infancy to senescence. *Food Technology*, 29, 78-79.

Kare, M.R. (1975). Monellin. In: Sweeteners: Issues and Uncertainties. Academy Forum No. IV, Washington, D.C.: National Academy of Sciences, pp 196-206.

Khurana, H.S. (1975). Amino acids and taste. *Food Technology*, 29, 76-77.

Morris, J.A. & Cagan, R.H. (1975). Effects of denaturants on the sweet-tasting protein monellin. *Proceedings of the Society for Experimental Biology and Medicine*, 150, 265-270.

Moulton, D.G. (1975). Cell renewal in the olfactory epithelium of the mouse. In: D.A. Denton & J.P. Coughlin (Eds.), Olfaction and Taste V, New York: Academic Press, pp 111-114.

Moulton, D.G. (1975). The simultaneous measurement of neural response and performance in rats and rabbits involved in an odor detection task. In: D.G. Moulton, J.W. Johnston, & A. Turk (Eds.), Methods in Olfactory Research, New York: Academic Press, pp 407-429.

Pietras, R.J. & Moulton, D.G. (1975). Effects of gonadal steroids on odor detection performance in the rats. In: D.A. Denton & J.P. Coughlin (Eds.), Olfaction and Taste V, New York: Academic Press, pp 403-409.

Preti, G. & Huggins, G.R. (1975). Cyclical changes in volatile acidic metabolites of human vaginal secretions and their relation to ovulation. *Journal of Chemical Ecology*, 1, 361-376.

Senseman, D.M. (1975). Neurobehavioral studies on feeding in the terrestrial slug *Ariolimax californicus*. *The Veliger*, 20, 56-57.

Seybold, P.G. (1975). The chemical senses: The molecule is the message. Part I, Taste. *Chemistry*, 43, 6-11.

Seybold, P.G. (1975). The chemical senses: The molecule is the message. Part II, Smell. *Chemistry*, 48, 9-13.

Yamamoto, T. (1975). New directions in the research of chemical senses. *International Dental Journal*, 2, 220-232.

Yamamoto, T. (1975). Linguo-hypoglossal reflex: Effects of mechanical, thermal and taste stimuli. *Brain Research*, 92, 499-504.

Yamamoto, T. & Kawamura, Y. (1975). Cortical responses to electrical and gustatory stimuli in the rabbit. *Brain Research*, 94, 447-463.

1974

Baile, C.A. & Forbes, J.M. (1974). Control of feed intake and regulation of energy balance in ruminants. *Physiological Reviews*, 54, 160-214.

Beauchamp, G.K. (1974). The perineal scent gland and social dominance in the male guinea pig. *Physiology & Behavior*, 13, 669-673.

Berüter, J., Beauchamp, G.K., & Muetterties, E.L. (1974). Chemical communication: Perineal gland secretion of the guinea pig. *Physiological Zoology*, 47, 130-136.

Cagan, R.H. (1974). Biochemistry of sweet sensation. In: H.L. Sipple & K.W. McNutt (Eds.), Sugars in Nutrition, New York: Academic Press, pp 19-36.

Cagan, R.H. & Maller, O. (1974). Taste of sugars: Brief exposure single-stimulus behavioral method. *Journal of Comparative and Physiological Psychology*, 87, 47-55.

Desor, J. & Beauchamp, G.K. (1974). The human capacity to transmit olfactory information. *Perception & Psychophysics*, 16, 551-556.

Doty, R.L. & Dunbar, I. (1974). Attraction of Beagles to conspecific urine, vaginal and anal sac secretion odors. *Physiology & Behavior*, 12, 825-833.

Doty, R.L. (1974). A cry for the liberation of the female rodent: Courtship and copulation in rodentia. *Psychological Bulletin*, 81, 159-172.

Epple, G. (1974). Pheromones in primate reproduction and social behavior. In: W. Montagna & W.A. Sadler (Eds.), Reproductive Behavior, New York: Plenum Press, pp 131-155.

Epple, G. (1974). Olfactory communication in South American primates. *Annals of the New York Academy of Sciences*, 237, 261-278.

Epple, G. (1974). Primate pheromones. In: M. Birch (Eds.), Pheromones, Amsterdam: Elsevier, pp 366-383.

Getchell, T.V. & Getchell, M.L. (1974). Signal-detecting mechanisms in the olfactory epithelium: Molecular discrimination. *Annals of the New York Academy of Sciences*, 237, 62-75.

Getchell, T.V. (1974). Electrogenic sources of slow voltage transients recorded from frog olfactory epithelium. *Journal of Neurophysiology*, 37, 1115-1130.

Getchell, T.V. (1974). Unitary responses in frog olfactory epithelium to sterically related molecules at low concentrations. *Journal of General Physiology*, 64, 241-261.

Greene, L.S. (1974). Physical growth and development, neurological maturation, and behavioral functioning in two Ecuadorian Andean communities in which goiter is endemic. II. PTC taste sensitivity and neurological maturation. *American Journal of Physical Anthropology*, 41, 139-152.

Kauer, J.S. & Moulton, D.G. (1974). Responses of olfactory bulb neurones to odour stimulation of small nasal areas in the salamander. *Journal of Physiology*, 243, 717-737.

Kauer, J.S. (1974). Response patterns of amphibian olfactory bulb neurones to odour stimulation. *Journal of Physiology*, 243, 695-716.

Maller, O. & Desor, J.A. (1974). Effect of taste on ingestion by human newborns. In: J. Bosma (Eds.), 4th Symposium on Oral Sensation and Perception: Development in the Fetus and Infant, Washington, D.C.: U.S. Government Printing Office, pp 279-290.

Moulton, D.G. (1974). Dynamics of cell populations in the olfactory epithelium. *Annals of the New York Academy of Sciences*, 237, 52-61.

Mugford, R.A. (1974). Androgenic stimulation of aggression eliciting cues in adult opponent mice castrated at birth, weaning, or maturity. *Hormones and Behavior*, 5, 93-102.

Pietras, R.J. & Moulton, D.G. (1974). Hormonal influences on odor detection in rats: Changes associated with the estrous cycle, pseudopregnancy, ovariectomy, and administration of testosterone propionate. *Physiology & Behavior*, 12, 475-491.

Rogers, J.G., Jr., Cagan, R.H., & Kare, M.R. (1974). Percutaneous absorption of some chemicals, several pesticides included in the red-winged blackbird. *Environmental Physiology and Biochemistry*, 4, 104-111.

Rogers, J.G., Jr. (1974). Responses of caged red-winged blackbirds to two types of repellents. *Journal of Wildlife Management*, 38, 418-423.

Rogers, J.G., Jr. & Beauchamp, G.K. (1974). Relationships among three criteria of maturity in *Peromyscus leucopus noveboracensis*. *Journal of Mammalogy*, 55, 461-462.

1973

Beauchamp, G.K. & Beruter, J. (1973). Source and stability of attractive components in guinea pig (*Cavia porcellus*) urine. *Behavioral Biology*, 9, 43-47.

Beauchamp, G.K. (1973). Attraction of male guinea pigs to conspecific urine. *Physiology & Behavior*, 10, 589-594.

Berüter, J., Beauchamp, G.K., & Muetterties, E.L. (1973). Complexity of chemical communication in mammals: Urinary components mediating sex discrimination by male guinea pigs. *Biochemical and Biophysical Research Communications*, 53, 264-271.

Bloom, J.C., Rogers, J.G., Jr., & Maller, O. (1973). Taste responses of the North American porcupine (*Erethizon dorsatum*). *Physiology & Behavior*, 11, 95-98.

Cagan, R.H. (1973). Chemostimulatory protein: A new type of taste stimulus. *Science*, 181, 32-35.

Desor, J.A., Maller, O., & Turner, R.E. (1973). Taste in acceptance of sugars by human infants. *Journal of Comparative and Physiological Psychology*, 84, 496-501.

Doty, R.L. (1973). Reactions of deer (*Peromyscus Maniculatus*) and white-footed mice (*Peromyscus Leucopus*) to homospecific and heterospecific urine odors. *Journal of Comparative and Physiological Psychology*, 84, 296-303.

Epple, G. (1973). The role of pheromones in the social communication of marmoset monkeys (Callithricidae). *Journal of Reproduction and Fertility*, Supplement 19, 447-454.

Getchell, T.V. (1973). Analysis of unitary spikes recorded extracellularly from frog olfactory receptor cells and axons. *Journal of Physiology*, 234, 533-551.

Greene, L.S. (1973). Physical growth and development, neurological maturation and behavioral functioning in two Ecuadorian Andean communities in which goiter is endemic. I. Outline of the problem of endemic goiter and cretinism. Physical growth and neurological maturation in the adult population of La Esperanza. *American Journal of Physical Anthropology*, 38, 119-134.

Ingle, W.I., Preti, G., & MacDiarmid, A.G. (1973). Cobalt to oxygen migration of the trimethylsilyl group in trimethylsilycobalt tetracarbonyl. *Chemical Communication*, 497, 497-498.

Lo, C.H. & Ma, T. (1973). The plasma membranes of bovine taste papillae: Polycrylamide electrophoresis of circumvallate membrane proteins. *Biochimica et Biophysica Acta*, 307, 343-352.

Lo, C.H. (1973). The plasma membranes of bovine circumvallate papillae isolation and partial characterization. *Biochimica et Biophysica Acta*, 291, 650-661.

Maller, O. (1973). Quality and intensity of sugar solutions as determinants of ingestion by the rhesus monkey (*Macaca Mulatta*). *Folia Primatologica*, 20, 72-77.

Martin, F.H., Seoane, J.R., & Baile, C.A. (1973). Feeding in satiated sheep elicited by intraventricular injections of CSF from fasted sheep. *Life Sciences*, 13, 177-184.

Morris, J.A., Martenson, R., Deibler, G., & Cagan, R.H. (1973). Characterization of monellin, a protein that tastes sweet. *Journal of Biological Chemistry*, 248, 534-539.

Moulton, D.G. (1973). The use of animals in olfactory research. In: W.I. Gay (Eds.), Methods of Animal Experimentation, New York: Academic Press, pp 143-223.

Rogers, J.G., Jr. & Maller, O. (1973). Effect of salt on the response of birds to sucrose. *Physiological Psychology*, 1(2), 199-200.

1972

Baile, C.A. & Martin, F.H. (1972). Effects of local anesthetics on taste and feed intake. *Journal of Dairy Science*, 55, 1461-1463.

Brill, W.A. & Maller, O. (1972). Selection and intake of sugars by desalivated rats. *Behavioral Biology*, 7, 445-452.

Epple, G. (1972). Social behavior in laboratory groups of *Saguinus fuscicollis*. In: D.D. Bridgewater (Eds.), Proceedings of the Wild Animal Propagation Trust Golden Lion Marmoset Conference, Wheeling, WV: Wild Animal Propagation Trust, pp 50-58.

Epple, G. (1972). Social communication by olfactory signals in marmosets. *International Zoology Yearbook*, 12, 30-42.

Getchell, M.L. & Gesteland, R.C. (1972). The chemistry of olfactory reception: Stimulus-specific protection from sulfhydryl reagent inhibition. *Proceedings of the National Academy of Sciences USA*, 69, 1494-1498.

Lo, C.H. & Stelson, H. (1972). Interference by polysucrose in protein determination by the Lowry Method. *Analytical Biochemistry*, 45, 331-336.

Maller, O. & Brill, W. (1972). Selection and intake of sugars by desalivated rats. *Behavioral Biology*, 7, 445-452.

Morris, J.A. & Cagan, R.H. (1972). Purification of monellin, the sweet principle of *dioscoreophyllum cumminsii*. *Biochimica et Biophysica Acta*, 261, 114-122.

Moulton, D.G. & Fink, R.P. (1972). Cell proliferation in the olfactory epithelium. In: D. Schneider (Eds.), Olfaction and Taste IV, Stuttgart: Wissenschaftliche Verlagsgesellschaft MBH, pp 20-26.

Moulton, D.G. (1972). Flavor and its physiological basis. *Technical Quarterly*, 9, 41-43.

Moulton, D.G. (1972). Taste and odor measurement instrumentation. In: D.M. Considine (Eds.), Encyclopedia of Instrumentation and Control, New York: McGraw-Hill, pp 656-658.

1971

Cagan, R.H. (1971). Counterparts of gustatory receptors. In: G. Ohloff & A.F. Thomas (Eds.), Gustation and Olfaction, New York: Academic Press, pp 243-244.

Cagan, R.H. (1971). Biochemical studies of taste sensation. I. Binding of ^{14}C-labeled sugars to bovine taste papillae. *Biochimica et Biophysica Acta*, 252, 199-206.

Epple, G. (1971). Discrimination of the odor of males and females by the marmoset, *Saguinus fuscicollis ssp*. *Proceedings Third International Congress of Primatology*, 3, 166-171.

Kare, M.R. (1971). Comparative study of taste. In: L.M. Beidler (Eds.), Handbook of Sensory Physiology, New York: Springer-Verlag, pp 278-292.

Maller, O. & Wank, H. (1971). Density as a determinant of food and water intake. *Nutrition Reports International*, 4, 49-56.

Moulton, D.G. (1971). Some trends in flavor research. *The Manufacturing Confectioner*, 51, 54-56.

Moulton, D.G. (1971). Detection and recognition of odor molecules. In: G. Ohloff & A.F. Thomas (Eds.), Gustation and Olfaction, New York: Academic Press, pp 1-27.

Moulton, D.G. (1971). The olfactory pigment. In: L.M. Beidler (Eds.), Handbook of Sensory Physiology, New York: Springer-Verlag, pp 59-74.

1970

Epple, G. (1970). Maintenance, breeding and development of marmoset monkeys (Callithricidae) in captivity. *Folia Primatologica*, 12, 56-76.

Epple, G. (1970). Quantitative studies on scent marking in the marmoset *Callithrix jacchus*. *Folia Primatologica*, 13, 48-62.

Johnson, J.W. Jr., Moulton, D.G., & Turk, A. (Eds.). (1970). Communication by Chemical Signals. Advances in Chemoreception. New York: Appleton-Century-Crofts.

Kare, M.R. (1970). Taste, smell and hearing. In: M. Swenson (Eds.), Duke's Physiology of Domestic Animals, Ithaca, NY: Cornell University Press, pp 1160-1188.

Kauer, J.S. & Moulton, D.G. (1970). Ultrastructure of the olfactory and vomeronasal sensory epithelia in the rat and rabbit. *Federation Proceedings*, 29, 521.

Lo, C. & Marsh, J.B. (1970). Biosynthesis of plasma lipoproteins incorporation of ^{14}C-glucosamine by cells and subcellular fractions of rat liver. *Journal of Biological Chemistry*, 254, 5001-5006.

Marshall, D.A. & Celebi, G. (1970). A tunable subminiature biotelemetry transmitter. *Physiology & Behavior*, 5, 709-712Meakin, P., Guggenberger, L.J., Jesson, J.P., Gerlach, D.H., Tebbe, F.N., Peet, W.G., & Muetterties, E.L. (1970). Structure and stereochemical nonrigidity of six-coordinate complexes. *Journal of the American Chemical Society*, 92, 3482-3484.

Moulton, D.G., Celebi, G., & Fink, R.P. (1970). Olfaction in mammals: Two aspects - proliferation of cells in the olfactory epithelium and sensitivity to odors. In: G.E.W. Wolstenholme & J. Knight (Eds.), Taste and Smell in Vertebrates, London: Churchill, pp 227-250.

Yin, T., Hamilton, C., & Brobeck, P. (1970). Caloric stress in glucose loading studies on rats. *Proceedings of the Society for Experimental Biology and Medicine*, 133, 83-85.

Yin, T., Hamilton, C., & Brobeck, J. (1970). Effect of body fluid disturbance on feeding in the rat. *American Journal of Physiology*, 218, 1054-1059.

1969

Getchell, T.V. (1969). The interaction of the peripheral olfactory system with nonodorous stimuli. In: C. Pfaffmann (Eds.), Olfaction and Taste III, New York: Rockefeller University Press, pp 117-126.

Hamilton, C.L. (1969). Problems of re-feeding after starvation in the rat. *Annals of the New York Academy of Sciences*, 147, 1004.

Hamilton, C.L. (1969). Wheel running in the fasted rat. *Journal of Comparative and Physiological Psychology*, 69, 481.

Kare, M.R. (1969). Digestive functions of taste stimuli. In: C. Pfaffmann (Eds.), Olfaction and Taste, New York: Rockefeller University Press, pp 586-592.

Kare, M.R. & Henkin, R.I. (1969). The effects of d-penicillamine on taste preference and volume intake of sodium chloride by the rat. *Proceedings of the Society for Experimental Biology and Medicine*, 131, 559-565.

Kare, M.R. (1969). Some functions of the sense of taste. *Journal of Agricultural and Food Chemistry*, 17, 677-680.

Kare, M.R., Schechter, P.J., Grossman, S.P., & Roth, L.J. (1969). Direct pathway to the brain. *Science*, 163, 952-953.

Moulton, D.G. (1969). Sensory perception. *Journal of Dairy Science*, 52, 811.